

Play: 106 Lisburne
Province: 1 Northern Alaska
Geologist: Bird, K.J., and Howell, D.G. **Status:** hypothetical

Play Attributes:	<u>Probability of Occurrence</u>
Charge	0.80
Reservoir rock	0.80
Traps	0.80
Play Probability	0.51

Size of Undiscovered Accumulations (>1 MMBOE) (Conditional):

	<u>Oil Accumulations</u>	<u>Gas Accumulations</u>
Median	MMBO	100 BCFG
F5 of Largest Accumulation	MMBO	4,600 BCFG
TSP Shape Factor		6
Mean (calculated)	MMBO	287.6 BCFG

Number of Undiscovered Accumulations (>1 MMBOE) (Conditional):

	<u>Oil Accumulations</u>	<u>Gas Accumulations</u>
Minimum	0	1
Median	0	10
Maximum	0	100
Mean (calculated)	0.0	13.7

Play: 106 Lisburne
Province: 1 Northern Alaska
Geologist: Bird, K.J., and Howell, D.G. **Status:** hypothetical

Ratio of Associated-Dissolved Gas to Oil: CFG/bbl

Ratio of NGL to Non-Associated Gas: 15 bbl/MMCF

Ratio of NGL to Associated-Dissolved Gas: bbl/MMCF

API Gravity (degrees): minimum mean maximum

Depth of Oil Accumulations (ft): minimum median maximum

Depth of N-A Gas Accumulations (ft): minimum median maximum
9,000 25,000 30,000

Play: 106 Lisburne
Province: 1 Northern Alaska
Geologist: Bird, K.J., and Howell, D.G. **Status:** hypothetical

Estimated Resources:

Oil (MMBO)

<u>F99</u>	<u>F95</u>	<u>F75</u>	<u>F50</u>	<u>F25</u>	<u>F5</u>	<u>F1</u>	<u>mean</u>	<u>s.d.</u>
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

NGL (MMBNGL)

<u>F99</u>	<u>F95</u>	<u>F75</u>	<u>F50</u>	<u>F25</u>	<u>F5</u>	<u>F1</u>	<u>mean</u>	<u>s.d.</u>
0.00	0.00	0.00	1.52	64.66	320.08	449.82	59.20	107.50

Associated-Dissolved Gas (BCFG)

<u>F99</u>	<u>F95</u>	<u>F75</u>	<u>F50</u>	<u>F25</u>	<u>F5</u>	<u>F1</u>	<u>mean</u>	<u>s.d.</u>
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Non-Associated Gas (BCFG)

<u>F99</u>	<u>F95</u>	<u>F75</u>	<u>F50</u>	<u>F25</u>	<u>F5</u>	<u>F1</u>	<u>mean</u>	<u>s.d.</u>
0.00	0.00	0.00	101.30	4,310.50	21,338.50	29,987.70	3,944.10	7,166.60