

**Play:** 1906 Late Paleozoic - Mesozoic (Central Nevada) Thrust Belt  
**Province:** 19 Eastern Great Basin  
**Geologist:** Peterson, J.A., and Grow, J.A. **Status:** hypothetical

<b>Play Attributes:</b>	<u>Probability of Occurrence</u>
Charge	0.50
Reservoir rock	1.00
Traps	0.40
<b>Play Probability</b>	<b>0.20</b>

**Size of Undiscovered Accumulations (>1 MMBOE) (Conditional):**

	<u>Oil Accumulations</u>	<u>Gas Accumulations</u>
Median	2 MMBO	BCFG
F5 of Largest Accumulatio	30 MMBO	BCFG
TSP Shape Factor	6	
Mean (calculated)	4.0 MMBO	BCFG

**Number of Undiscovered Accumulations (>1 MMBOE) (Conditional):**

	<u>Oil Accumulations</u>	<u>Gas Accumulations</u>
Minimum	1	0
Median	5	0
Maximum	25	0
Mean (calculated)	1.7	0.0

**Play:** 1906 Late Paleozoic - Mesozoic (Central Nevada) Thrust Belt  
**Province:** 19 Eastern Great Basin  
**Geologist:** Peterson, J.A., and Grow, J.A. **Status:** hypothetical

**Ratio of Associated-Dissolved Gas to Oil:** 200 CFG/bbl

**Ratio of NGL to Non-Associated Gas:** bbl/MMCF

**Ratio of NGL to Associated-Dissolved Gas:** 0 bbl/MMCF

**API Gravity (degrees):** minimum mean maximum  
25.0 32.5 45.0

**Depth of Oil Accumulations (ft):** minimum median maximum  
3,000 7,000 20,000

**Depth of N-A Gas Accumulations (ft):** minimum median maximum

