


CLIENT: U.S. NAVY PARTY NO: 195 PROSPECT: BARROW COUNTY: NORTH SLOPE ALASKA COUNTRY: U.S.A. LEFT STORAGE: ARRIVED FIELD: LEFT FIELD: ARRIVED STORAGE: 2015 DATE: 5-5-72 OBSERVER: B. Grand PAGE: 2 of 2

IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN				FILTERS				REMARKS											
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL	PLAY BACK	TIME	SIZE	TOP BOT	NO CAPS	CODE	SP OFFSET	NO. 1 DIR.	CODE	SP. VERT. CORR.	SP. HORIZ. CORR.	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)				FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT FREQ.	SLOPE	NOTCH IN OUT	REMARKS		
B	1	USA-2	141	SHOT	DPB	1400	ZS	60	Z		0	N	20	0				Y	5	OPERATE		30	36	42	48	54	60	90	FAST	512	62	18	18	1 thru 16 NOT OUT	
	2	140	142			1415																										thru 18 & 46			
	3	143	143			1430																										15 & 25			
	4	144	144			1530																										43			
	5	146	146			1545																										35			
	6	147	147			1600																													
	7	150	150			1615																													
	8	151	151			1630																													
	9	153	153			1700																												44	
	10	154	154			1715																												36	
	11	156	156			1830																												36	
	12	157	157			1845																												44	
	13	160	160			1915																													
	14	161	161			1930																													
	15	163	163			1945																													between sp 13 & 14 high lines of pump station

SEISMOMETER AND SPREAD INFORMATION					
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	SPREAD PATTERN
H5J 14		12	20	INLINE	110 INLINE



DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB  
 UPPER SET LIMIT 75 %  
 LOWER SET LIMIT 35 %  
 FORMAT TYPE:  
 9 TRACK  21 TRACK  
 GALVO LEVEL:  
 1-24 21 DB AUX 27 DB  
 OTHER:

MISCELLANEOUS INFORMATION:  
 REEL NUMBER USA-2  
 ALSO HAS PART OF LINE "A", Sp 20 thru Sp 30  
 145 OMIT  
 152  
 154

NAVY

PARTY NO.		PROSPECT		COUNTY		STATE		COUNTRY		LEFT STORAGE		ARRIVED FIELD		LEFT FIELD		ARRIVED STORAGE		DATE		OBSERVER															
195		BARROW		NORTH SLOPE		ALASKA				6:30		7:30				2030		5-6-72		Ornd															
IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN				FILTERS				REMARKS											
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL	PLAY BACK	TIME	SIZE	TOP BOT	NO CAPS	CODE	SP. OFFSET	NO. 1 DIR.	NO. 2 DIR.	NO. 3 DIR.	NO. 4 DIR.	COP SWITCH	SETUP	SAMPLE RATE	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)				FINAL GAIN DB	RELEASE RATE	TRIP DELAY AUTO	HIGH CUT FREQ.	LOW CUT		NOTCH IN OUT	DEAD TRACES		
																						1-4	5-8	9-12	13-16					17-20	21-24			FREQ.	SLOPE
3	14	201	201	DPB	0815	25	60	2	0	N	10	0						X	5	OPERATE		30	36	42	48	54	60	90	FAST	512	62	8	8	-	47 f 36
	15	212	202		0830																													39	
	16	220	203		0845																													1	
	17	228	204		0900																														
	18	236	205		0915																														
	19	244	206		0930																														
	20	252	210		1000																														
	21	260	211		1030																														42, 36
	22	268	212		1100																													4	
	23	276	214		1115																													210	
	24	284	215		1145		25	3																										44	
	25	292	216		1200		1	3																										36	
	26	300	217		1215		1	3																											
	27	308	220		1245		1	3																											62 8
	28	316	221		1300		1	3																											
	29	324	222		1315		1	3																											42
	30	332	223		1330		1	3																											48thur 41 f 4
	31	340	225		1345		1	3																										48thur 33	
	31A	226			1530			4																										1 Hour 16 f 30	
	32	227			1545			5																										1 Hour 8	
	33	230			1600	25	12	5																										3	
	34	231			1615			5																											
	35	232			1630			2																											
	36	233			1645			2																											
	37	234			1700			2																											46
	38	235			1715			2																											38
	39	236			1800			2																											1


UPPER SET LIMIT 62%  
UPPER SET LIMIT 75%

\*CHANGING DIRECTION ON LINE

NW

No Up Hole  
No Up Hole

SEISMOMETER AND SPREAD INFORMATION					
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	SPREAD PATTERN



DFS III SYSTEM PARAMETERS:

GAIN CONSTANT \_\_\_\_\_ DB  
 UPPER SET LIMIT \_\_\_\_\_ %  
 LOWER SET LIMIT \_\_\_\_\_ %  
 FORMAT TYPE:  
 9 TRACK  21 TRACK  
 GALVO LEVEL:  
 1-24 \_\_\_\_\_ DB AUX \_\_\_\_\_ DB  
 OTHER:

MISCELLANEOUS INFORMATION:

164 → 200 daily tests  
 SP 24-34 ON LARK

US NAVY

PARTY NO. PROSPECT: 195 BARROW

COUNTY STATE NORTH SLOPE ALASKA U.S.A.

LEFT STORAGE ARRIVED FIELD LEFT FIELD ARRIVED STORAGE 2030 DATE 5-6-72

OBSERVER

LINE	PROFILE	IDENTIFICATION			SHOT CAL	PLAY BACK	TIME	SIZE	SHOT				SPREAD				TAPE			GAIN								FILTERS			REMARKS				
		REEL NUMBER	FILE NUMBER	NO CAPS					NO. DIR.	CODE	4.5 INCH	1.5 INCH	3.0 INCH	6.0 INCH	CDP SWITCH	SETUP	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)								FINAL GAIN DB	RELEASE RATE	TRIP DELAY		HIGH CUT FREQ.	LOW CUT		NOTCH BY
																				1-47	24	3-8	9-13	13-18	18-22	21-24	FREQ.						SLOPE	IN	
B	40	USN-3	237		OPB	1815	25	60	2				NW	10	0	X	5	OPERATE																	No Up Hole
	41		240			1830																													
	42		241			1845																													
	43		242			1900																													
	44																																		

SEISMOMETER AND SPREAD INFORMATION

CODE	SEIS. TYPE	NO./GR.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN

SHOT CONFIGURATION

*(Handwritten mark)*

DFS III SYSTEM PARAMETERS:

GAIN CONSTANT \_\_\_\_\_ DB  
 UPPER SET LIMIT \_\_\_\_\_ %  
 LOWER SET LIMIT \_\_\_\_\_ %  
 FORMAT TYPE:  
 9 TRACK  21 TRACK  
 GALVO LEVEL:  
 1-24 \_\_\_\_\_ DB AUX \_\_\_\_\_ DB  
 OTHER:

MISCELLANEOUS INFORMATION:

*2. NAVY (ONE)*

PARTY NO. 195 PROSPECT *JARROW*

COUNTY NORTH SLOPE STATE ALASKA

COUNTRY U.S.A.

LEFT STORAGE 630 ARRIVED FIELD 900

LEFT FIELD

ARRIVED STORAGE 2045

DATE 5-7-72

OBSERVER *B. Orand*

PAGE 1 of 2

IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN				FILTERS			REMARKS																																			
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL	PLAY BACK	TIME	SIZE	TOP BOT.	NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	NO. 2 DIR.	CODE	NO. 3 DIR.	CODE	NO. 4 DIR.	CODE	SAMPLE RATE MS	TAPE LENGTH	PARITY ERRORS		MODE	INITIAL GAIN (DB)				FINAL GAIN DB	RELEASE RATE	TRIP DELAY (AUTO)	HIGH CUT FREQ.	LOW CUT	NOTCH																								
																				1 2 4					1-4/ 24	5-8/ 24	10-12/ 24	13-16/ 24	17-20/ 24	21-24/ 24																												
3	44	<i>272</i> USN-3	260		DPB	0930	25		60	2		NW		10						K	5		OPRATE	30	36	42	48	54	60	90	FAST	512	62	8	18	-	DEAD TRACES																					
	45	276	261			1000																																																				
	46	280	262			1015																																																				
	47	284	263			1045																																																				
	48	288	264			1115																																																				
	49	292	265			1145																																																				
	50	<i>USN-4</i>	266			1215																																																				
	51		267			1245																																																				
	52		270			1300																																																				
	53		271			1315																																																				
	54		272			1400																																																				
	55		273			1430																																																				
	56		274			1445																																																				
	57		275			1500																																																				
	58		276			1520																																																				
	59		277			1545																																																				
	60		300			1600																																																				
END OF LINE "B"																																																										

SEISMOMETER AND SPREAD INFORMATION						SHOT CONFIGURATION				DFS III SYSTEM PARAMETERS:				MISCELLANEOUS INFORMATION:		
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN										
	HSSJ	12	20	INLINE	110	INLINE										
		14														
2585-55-0-35-2585										GAIN CONSTANT <u>30</u> DB UPPER SET LIMIT <u>75</u> % LOWER SET LIMIT <u>35</u> % FORMAT TYPE: <input type="checkbox"/> 9 TRACK <input checked="" type="checkbox"/> 21 TRACK GALVO LEVEL: 1-24 <u>31</u> DB   AUX <u>37</u> DB OTHER:						
O - JUL 5						STU								Rac # 243 thru Rac # 257 daily tests		