

RECORDER FIELD DATA TI-15239-A

UNIT: U.S.NAF PARTY NO: 195 PROJECT: BARROW COUNTY: North Slope STATE: ALASKA COUNTRY: U.S.A. LEFT STORAGE: 630 ARRIVED FIELD: 900 LEFT FIELD: 1745 ARRIVED STORAGE: DATE: 5-7-72 OBSERVER: B. O'Connell


| LINE | PROFILE | IDENTIFICATION | | SHOT CAL | PLAY BACK | TIME | SHOT | | | S.P. OFFSET | SPREAD | | | | TAPE | | | GAIN | | | | | | | HIGH CUT FREQ. | FILTERS | | REMARKS | | | | |
|------|---------|----------------|-------------|----------|-----------|------|------|---------|------|-------------|------------|------------|------------|------------|------|------|---------|------|-------|-------|-------|------|-------|----|----------------|---------|---|---------|----|----------|-----------|----|
| | | REEL NUMBER | FILE NUMBER | | | | TOP | NO CAPS | CODE | | NO. 1 DIR. | NO. 2 DIR. | NO. 3 DIR. | NO. 4 DIR. | MODE | 1-47 | 2-4 | 3-12 | 13-16 | 17-20 | 21-24 | PRG. | SLOPE | IN | | OUT | | | | | | |
| I | 1 | USN-4 | 301 | SHOT | DPB | 1900 | ZS | 60 | Z | 0 | NE | 10 | 0 | | | S | OPERATE | 30 | 36 | 42 | 48 | 54 | 60 | 90 | FAST | 572 | 0 | 10 | 62 | - | 1 Hour 16 | 32 |
| | 2 | | 302 | | | 1915 | | | | | | | | | | | | | | | | | | | | | | | | 1 Hour 8 | 38 | |

SEISMOMETER AND SPREAD INFORMATION

| CODE | SEIS. TYPE | NO./GP. | INT. | GROUP PATTERN | GP. INT. | SPREAD PATTERN |
|------|------------|---------|------|---------------|----------|----------------|
| USJ | | 12 | 20 | INLINE | 110 | INLINE |
| 14 | | | | | | |

Shot point int. 880'

2585-55'-055'-2585'



DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB
 UPPER SET LIMIT 75 %
 LOWER SET LIMIT 25 %

FORMAT TYPE:
 9 TRACK 21 TRACK

GALVO LEVEL:
 1-24 21 DB AUX 27 DB

OTHER:

MISCELLANEOUS INFORMATION:

REEL USN-4 has portion of LINE B ALSO

U.S. NAVY PARTY NO. 195 PROSPECT BARROW COUNTY NORTH SLOPE STATE ALASKA COUNTRY USA LEFT STORAGE 630 ~ ARRIVED FIELD 9:08 ~ LEFT FIELD 6:00 p ARRIVED STORAGE 2030 DATE 5-8-72 OBSERVER B. Orand

| LINE | PROFILE | REEL NUMBER | FILE NUMBER | SHOT CAL. | PLAY BACK | TIME | SIZE | SHOT | | SPREAD | | | | TAPE | | | GAIN | | | | | FILTERS | | | REMARKS | | | | | | | |
|------|---------|-------------|-------------|-----------|-----------|------|------|------|------|---------|------------|------------|------|------------|------------|------------|--------------------------------|-------|----------------|---------------|---------------|---------|-------------------|----|---------|-----|----|---------------|--------------|-------------------|----------------|---------|
| | | | | | | | | TOP | BOT. | NO CAPS | SP. OFFSET | NO. 1 DIR. | CODE | NO. 2 DIR. | NO. 3 DIR. | NO. 4 DIR. | CDP SWITCH | SETUP | SAMPLE RATE MS | RECORD LENGTH | PARITY ERRORS | MODE | INITIAL GAIN (DB) | | | | | FINAL GAIN DB | RELEASE RATE | TRIP DELAY (AUTO) | HIGH CUT FREQ. | LOW CUT |
| | | | | | | | | | | | | | | | | | 1-24 24 9-12 12-18 17-20 21-24 | | | | | | | | DEAD | | | | | | | |
| 1 | 3 | USA-4 | 316 | SHOP | DPB | 930 | 25 | 60 | 2 | 0 | NE | 10 | 0 | | K | S | OPERATE | 30 | 36 | 42 | 49 | 54 | 60 | 90 | FAST | 572 | 62 | 8 | 36 | — | TRACES | |
| | 4 | | 317 | | | 945 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 | | 320 | | | 1000 | | | | | | | | | | | | | | | | | | | | | | | | | | 44 |
| | 6 | | 321 | | | 1045 | | | | | | | | | | | | | | | | | | | | | | | | | 36 | |
| | 7 | | 322 | | | 1030 | | | | | | | | | | | | | | | | | | | | | | | | | 45 | |
| | 8 | | 323 | | | 1045 | | | | | | | | | | | | | | | | | | | | | | | | | 37 | |
| | 9 | | 324 | | | 1100 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 10 | | 325 | | | 1115 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 11 | | 326 | | | 1130 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 12 | | 327 | | | 1145 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 13 | | 330 | | | 1200 | | | | | | | | | | | | | | | | | | | | | | | | | 46 | |
| | 14 | | 331 | | | 1215 | | | | | | | | | | | | | | | | | | | | | | | | | 38 | |
| | 15 | | 332 | | | 1230 | | | | | | | | | | | | | | | | | | | | | | | | | 30 | |
| | 16 | | 333 | | | 1245 | | | 5 | | | | | | | | | | | | | | | | | | | | | | | |
| | 17 | | 334 | | | 1300 | | | 5 | | | | | | | | | | | | | | | | | | | | | | | |
| | 18 | | 335 | | | 1315 | | | 5 | | | | | | | | | | | | | | | | | | | | | | | |
| | 19 | | 336 | | | 1330 | | | 2 | | | | | | | | | | | | | | | | | | | | | | 48 & 17 | |
| | 20 | | 337 | | | 1345 | | | | | | | | | | | | | | | | | | | | | | | | | 47 & 9 | |
| | 21 | | 340 | | | 1400 | | | | | | | | | | | | | | | | | | | | | | | | | 39 & 1 | |
| | 22 | | 341 | | | 1430 | | | | | | | | | | | | | | | | | | | | | | | | | 28 & 1 | |
| | 23 | | 342 | | | 1500 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 24 | | 343 | | | 1530 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 25 | | 344 | | | 1600 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 26 | | 345 | | | 1630 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 27 | | 346 | | | 1700 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 28 | USA-5 | 347 | | | 1730 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 29 | | 350 | | | 1800 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 30 | | 351 | | | 1830 | | | | | | | | | | | | | | | | | | | | | | | | | | |

| SEISMOMETER AND SPREAD INFORMATION | | | | | |
|------------------------------------|------------|---------|------|---------------|----------------|
| CODE | SEIS. TYPE | NO./GP. | INT. | GROUP PATTERN | SPREAD PATTERN |
| HSJ | 12 | 20 | | INLINE | 110 |
| 14 | | | | | |

SHOT CONFIGURATION

770 SP int
 from Survey Note
 (Pickled for Dist)
 55' from
 sp to group
 center 24 & 25

2585-55-0-55-2505

direction of travel

DPS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB
 UPPER SET LIMIT 75 %
 LOWER SET LIMIT 25 %
 FORMAT TYPE:
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-24 21 DB AUX 27 DB
 OTHER:

MISCELLANEOUS INFORMATION:

REC 30% thru REC 315
 DAILY TESTS

BETWEEN 10 & 11 9 FLAGS
 &
 8 groups

SP 3 thru SP 10 traces 23 & 21
 local parallel due to faulty parallel

SEIS. FIELD DATA TT-12286-A

CLIENT: U.S. NAVY PARTY NO.: 195 PROSPECT: BARROW COUNTY: NORTH SLOPE ALASKA STATE: ALASKA COUNTRY: U.S.A. LEFT STORAGE: 6:30 ARRIVED FIELD: 9:15 LEFT FIELD: 1700 ARRIVED STORAGE: 2045 DATE: 5-9-72 OBSERVER: Orand PAGE: 2 of 2

| LINE | PROFILE | IDENTIFICATION | | SHOT CAL | PLAY BACK | TIME | SIZE | SHOT | | | | SPREAD | | | | TAPE | | | | GAIN | | | | | FILTERS | | | REMARKS | | | | | | | |
|------|---------|----------------|----------------|-------------|--------------|------|------|------|------------|------|----------------|---------------|------|---------------|------|---------------|------|---------------|-------|----------------------|------------------|------------------|------|-------------------|-----------|------------|-------------|---------|-----------------|-----------------------|----------------------|-------------|-------------|--------------------|---------------------|
| | | REEL NUMBER | FILE NUMBER | | | | | TOP | NO CAPS | CODE | S.P. OFFSET | NO. 1 DIR. | CODE | NO. 2 DIR. | CODE | NO. 3 DIR. | CODE | CDP SWITCH | SETUP | SAMPLE RATE MS | RECORD LENGTH | PARITY ERRORS | MODE | INITIAL GAIN (DB) | | | | | RELEASE RATE | TRIP DELAY ALCO | HIGH CUT FREQ. | LOW CUT | | NOTCH IN OUT | |
| | | | | | | | | | | | | | | | | | | | | | | | | 1-47 24 | 5-8 62 | 9-12 54 | 13-16 54 | | | | | 17-20 54 | 21-24 54 | | FINAL GAIN DB |
| I | 31 | USN-5 | 352 | PHOT | DPB | 1145 | 25 | 60 | Z | 0 | NE | 10 | 0 | | | K | S | OPERATE | 30 | 76 | 42 | 49 | 54 | 60 | 90 | FAST | 572 | 62 | 8 | 18 | - | 1 WEAK | | | |
| | 32 | | 353 | | | 1900 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

SEISMOMETER AND SPREAD INFORMATION

| CODE | SEIS. TYPE | NO./GP. | INT. | GROUP PATTERN | GP. INT. | SPREAD PATTERN |
|------|------------|---------|------|---------------|----------|----------------|
| | | | | | | |

SHOT CONFIGURATION

| SHOT CONFIGURATION | |
|--------------------|--|
| | |

DFS III SYSTEM PARAMETERS:

GAIN CONSTANT _____ DB

UPPER SET LIMIT _____ %

LOWER SET LIMIT _____ %

FORMAT TYPE:

9 TRACK 21 TRACK

GALVO LEVEL:

1-24 _____ DB AUX _____ DB

OTHER:

MISCELLANEOUS INFORMATION:

| FIELD DATA | | PARTY NO. | | PROSPECT | | COUNTY | | STATE | | COUNTRY | | LEFT STORAGE | | ARRIVED FIELD | | LEFT FIELD | | ARRIVED STORAGE | | DATE | | OBSERVER | | PAGE | | | | | | |
|------------|---------|----------------|-------------|----------|------|-------------|-------------|--------|-------------|---------|---------------|---------------|------|-------------------|-----------------|--------------|------------------|-----------------|---------------|---------|--------------|----------|------|------|----|----|----|---|----|---------|
| U.S. NAVY | | 195 | | BARROW | | NORTH SLOPE | | ALASKA | | U.S.A. | | 630 | | 515 | | 830 | | 2100 | | 5-9-72 | | B. Ornd | | 1 | | | | | | |
| LINE | PROFILE | IDENTIFICATION | | SHOT | | SHOT | | SPREAD | | TAPE | | GAIN | | GAIN | | GAIN | | FILTERS | | REMARKS | | | | | | | | | | |
| | | REEL NUMBER | FILE NUMBER | NO. CAPS | CODE | SA OFFSET | NO. I. DTL. | CODE | NO. I. DTL. | CODE | RECORD LENGTH | PARITY ERRORS | MODE | INITIAL GAIN (DB) | FINAL GAIN (DB) | RELEASE RATE | TRIP DELAY (SEC) | HIGH CUT FREQ. | LOW CUT FREQ. | SLOPE | NOTCH IN/OUT | | | | | | | | | |
| I | 33 | USN-5 | 367 | DPB | 1015 | 25 | 60 | 2 | 0 | WE | 10 | 0 | X | 5 | OPERATE | 30 | 36 | 42 | 48 | 54 | 60 | 90 | FAST | 25% | 62 | 18 | 18 | - | 42 | |
| | 34 | | 370 | | 1030 | | | | | | | | | | | | | | | | | | | | | | | | 34 | |
| | 35 | | 371 | | 1045 | | | | | | | | | | | | | | | | | | | | | | | | 27 | |
| | 36 | | 372 | | 1100 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 37 | | 373 | | 1130 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 38 | | 374 | | 1145 | | | | | | | | | | | | | | | | | | | | | | | | 45 | |
| | 39 | | 375 | | 1215 | | | | | | | | | | | | | | | | | | | | | | | | 37 | |
| | 40 | | 376 | | 1230 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 41 | | 377 | | 1330 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 42 | | 400 | | 1345 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 43 | | 401 | | 1400 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 44 | | 402 | | 1415 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 45 | | 403 | | 1430 | | | | | | | | | | | | | | | | | | | | | | | | 12 | |
| | 46 | | 404 | | 1445 | | | | | | | | | | | | | | | | | | | | | | | | 39 | |
| | 47 | | 405 | | 1515 | | | | | | | | | | | | | | | | | | | | | | | | 31 | |
| | 48 | | 406 | | 1530 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 49 | | 407 | | 1545 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 50 | | 410 | | 1600 | | | 5 | | | | | | | | | | | | | | | | | | | | | | |
| | 51 | | 411 | | 1615 | | | 5 | | | | | | | | | | | | | | | | | | | | | | |
| | 52 | | 412 | | 1630 | | | 2 | | | | | | | | | | | | | | | | | | | | | | 46 |
| | 53 | | 413 | | 1645 | | | | | | | | | | | | | | | | | | | | | | | | | 44 & 38 |
| | 54 | | 414 | | 1700 | | | | | | | | | | | | | | | | | | | | | | | | | 36 |
| | 55 | | 415 | | 1715 | | | | | | | | | | | | | | | | | | | | | | | | | 28 |
| | 56 | | 416 | | 1730 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 57 | | 417 | | 1745 | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| | 58 | | 421 | | 1800 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 59 | | 422 | | 1815 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 60 | | 423 | | 1830 | | | | | | | | | | | | | | | | | | | | | | | | | |

| SEISMOMETER AND SPREAD INFORMATION | | | | | |
|------------------------------------|------------|---------|------|---------------|----------|
| CODE | SEIS. TYPE | NO./GP. | INT. | GROUP PATTERN | GP. INT. |
| | MSJ | 12 | 20 | INLINE | 110 |
| | 14 | | | | |

SHOT CONFIGURATION

55' from shot point to group centers 24 & 25

2585'-55'-0'-55'-2585'

direction of travel

DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB

UPPER SET LIMIT 75 %

LOWER SET LIMIT 25 %

FORMAT TYPE:

9 TRACK 21 TRACK

GALVO LEVEL:

1-24 21 DB MAX 21 DB

OTHER:

MISCELLANEOUS INFORMATION:


REC 354 thru REC 366


daily tests

FIELD DATA T1-12384
 U.S. NAVY
 PARTY NO. PROSPECT 195 **BARROW**
 COUNTY NORTH SLOPE STATE ALASKA COUNTRY U.S.A. LEFT STORAGE 630 ARRIVED FIELD 915 LEFT FIELD 2000 ARRIVED STORAGE 2100 DATE 5-0-72 OBSERVER Orand PAGE 1 of 2

| LINE | PROFILE | IDENTIFICATION | | SHOT | PLAY BACK | TIME | SIZE | SHOT | | SPREAD | | | TAPE | | GAIN | | | | | FILTERS | | REMARKS DEAD TRACES | | | | | | | |
|------|---------|----------------|-------------|------|-----------|------|------|----------|------|----------|------|----------|------|----------|-------------|---------------|--------|------|-------------------|-----------------|--------------|---------------------------|------------|----------------|---------------|-------|---|-----------|-----------|
| | | REEL NUMBER | FILE NUMBER | | | | | NO. CAPS | CODE | NO. DIR. | CODE | NO. DIR. | CODE | NO. DIR. | SAMPLE RATE | RECORD LENGTH | PARITY | MODE | INITIAL GAIN (DB) | FINAL GAIN (DB) | RELEASE RATE | | TRIP DELAY | HIGH CUT FREQ. | LOW CUT FREQ. | NOTCH | | | |
| I | 61 | USN-6 | 437 | DPB | 930 | 25 | 60 | 2 | 0 | NE | 10 | 0 | X | 5 | OPENITE | 30 | 42 | 49 | 54 | 48 | 90 | FAST | 192 | 62 | 8 | 18 | - | 37 | |
| | 62 | | 440 | | | 945 | | | | | | | | | | | | | | | | | | | | | | | |
| | 63 | | 441 | | | 1000 | | | | | | | | | | | | | | | | | | | | | | | |
| | 64 | | 442 | | | 1015 | | | | | | | | | | | | | | | | | | | | | | | |
| | 65 | | 443 | | | 1030 | | | | | | | | | | | | | | | | | | | | | | | |
| | 66 | | 444 | | | 1100 | | | | | | | | | | | | | | | | | | | | | | | |
| | 67 | | 445 | | | 1130 | | | | | | | | | | | | | | | | | | | | | | | |
| | 68 | | 446 | | | 1145 | | | | | | | | | | | | | | | | | | | | | | | |
| | 69 | | 447 | | | 1200 | | | | | | | | | | | | | | | | | | | | | | | |
| | 70 | | 450 | | | 1215 | | | | | | | | | | | | | | | | | | | | | | | |
| | 71 | | 451 | | | 1230 | | | | | | | | | | | | | | | | | | | | | | 47 | |
| | 72 | | 452 | | | 1245 | | | | | | | | | | | | | | | | | | | | | | 47 | |
| | 73 | | 453 | | | 1300 | | | | | | | | | | | | | | | | | | | | | | 48 thr 41 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 31 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 48 thr 33 |

END OF LINE I

| SEISMOMETER AND SPREAD INFORMATION | | | | | | |
|--|------------|---------|------|---------------|----------|----------------|
| CODE | SEIS. TYPE | NO./GP. | INT. | GROUP PATTERN | GP. INT. | SPREAD PATTERN |
| | HSJ | 12 | 20 | IN LINE | 110 | IN LINE |
| | | 14 | | | | |
| <p>25-05'-55'-0'-55'-2505'</p>  | | | | | | |



DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB
 UPPER SET LIMIT 75 %
 LOWER SET LIMIT 25 %
 FORMAT TYPE:
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-24 21 DB AUX 21 DB
 OTHER:

MISCELLANEOUS INFORMATION:
 REC 424 thr REC 436
 daily tests