


CLIENT: NAVY
 PARTY NO: 184
 PROSPECT: NAVY COME A/INPR-V
 COUNTY: ALASKA
 STATE: ALASKA
 COUNTRY: USA
 LEFT STORAGE: 5:50
 ARRIVED FIELD: 8:30
 LEFT FIELD: 5:30
 ARRIVED STORAGE: 6:00
 DATE: MAR 31/74
 OBSERVER: Vic Donald
 PAGE: 1 of 1

LINE	IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN							FILTERS			REMARKS												
	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL	PLAY BACK	TIME	SIZE	TOP BOT	NO CAPS	CODE	SP. OFFSET	NO. 1 DIR.	CODE	SEIS. OFFSET	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)							FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH					
																					1-4	5-8	9-12	13-16	17-20	21-24						FREQ.	SLOPE		IN	OUT			
23-79-184	1	52950	1262	A	AAW		56	65/75	2	0		S	10'	6	1/5	0	✓	5500	OP								120	FAST	1536	124	8	36	OUT	SHOOTING INR SPR. WITH 12 GAPS. TAIL SPA.					
	1		1263	B			56	65/75	2		50'W			4	1/5																								
	2	SKIP - LAKE - UNABLE TO RAIL																																					
	3		1264	A			56	65/75	2		300'N			6	1/5																								
	4		1265				56	65/75	2					4	1/5																								
	5		1266				56	65/75	2					3	1/9																								
	6		1267				56	65/75	2					5	1/3																								
	7		1270				56	65/75	2					5	1/7																								
	8		1271				56	65/75	2					4	1/21																								
	9		1272				56	65/75	2					5	1/25																								
	10	TAPE CHANGE													1/20																								
	10		1273				56	65/75	2					3	1/29																								
	9		1274	B			56	65/75	2					5	1/25																								
	10		1275	B			56	65/75	2					6	1/29																								
	11		1276	A			56	65/75	2					6	1/33																								
	12		1277	A			56	65/75	2					7	1/37																								
	13		1300	A			56	65/75	2					6	1/41																								
	14		1301	A			56	65/75	2						1/45																								

SEISMOMETER AND SPREAD INFORMATION					SHOT CONFIGURATION	
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN
0	TAPERED ARRAY	9	15'	INLINE	330'	48 GROUPS INLINE 24/24 SPLIT NO GAP



DFS III SYSTEM PARAMETERS:
 GAIN CONSTANT 30 DB
 UPPER SET LIMIT 62.5 %
 LOWER SET LIMIT 18 %
 FORMAT TYPE:
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-24 24 DB AUX 21 DB
 OTHER:


MISCELLANEOUS INFORMATION:
 EV# 1251-1260 PRD TEST
 EV# 1261 TEST TA

CLIENT **NAVY** PARTY NO. **184** PROSPECT **NAVY (ZONE A) NPA-4** COUNTY **ALASKA** STATE **ALASKA** COUNTRY **USA** LEFT STORAGE **7.00** ARRIVED FIELD **800** LEFT FIELD **530** ARRIVED STORAGE **700** DATE **APRIL 1/74** OBSERVER **Vic Donald** PAGE **1 of 1**

IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN						FILTERS			REMARKS																		
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL.	PLAY BACK	TIME	SIZE	TOP BOT	NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	SEIS. OFFSET	LINE TIME	COP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)						FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH IN/OUT									
																						1-4/24	5-8	9-12		13-16/17	20-21/24					FREQ.	SLOPE										
2374184	15	5215	1313	A	RAW		56	65/75	2	0		5	0	10'	7	1/5	0	✓	FSec	OP		66	66	66	66	60	48	120	FHST	1470 384	124	8	36	OUT									
	16		1314				56	65/75	2													48	60	66	66	66																	
	17		1315				56	65/75	2																																		
	18		1316				56	59/60	2																																		
	19		1317				56	65/75	2																																		
	20		1320				56	65/75	2																																		
	21		1321				56	65/75	2		165'S																																
	22	151	1322				56	65/75	2																																		
	23	315	1323				56	65/75	2																																		
	24		1324				56	65/75	2																																		
	25		1325				56	65/75	2																																		
	26		1326				56	65/75	2																																		
	27		1327				56	65/75	2																																		
	28		1330				56	65/75	2																																		
	29		1331				56	65/75	2																																		
	30		1332				56	65/75	2																																		
	31		1333				56	65/75	2																																		
	32		1334				56	65/75	2																																		
	33		1335				56	65/75	2																																		
	34		1336				56	65/75	2																																		
	35		1337				56	65/75	2																																		
	36		1340				56	65/75	2																																		
	37		1341				56	65/75	2																																		
	38		1342				56	65/75	2																																		
END OF LINE 2374184 - COMPLETE PICKUP																																											SHOOTING OUT OF SUR WITH 12GRPS. TAILSPR. DUE TO END OF LINE

SEISMOMETER AND SPREAD INFORMATION

CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN
0	TAPPED ARRAY	9	15'	48 GROUPS INLINE	330'	48 GROUPS INLINE 24/24 SPLIT NO GAP



DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB
 UPPER SET LIMIT 62.5 %
 LOWER SET LIMIT 18 %

FORMAT TYPE:
 9 TRACK 21 TRACK

GALVO LEVEL:
 1-24 24 DB AUX 21 DB

OTHER:

MISCELLANEOUS INFORMATION:
 EV#1302-1311-RAD. TEST
 EV#1312 TEST TB.