

CLIENT		PARTY NO.		PROSPECT		COUNTY		STATE		COUNTRY		LEFT STORAGE		ARRIVED FIELD		LEFT FIELD		ARRIVED STORAGE		DATE		OBSERVER		PAGE													
U.S. NAVY		195		ZORNER		North Slope		ALASKA		U.S.A.										April 29, 1974		Amy G.		2 of 2													
IDENTIFICATION					SHOT					SPREAD					TAPE				GAIN						FILTERS		NOTCH										
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT	PLAY BACK	TIME	SIZE	TOP BOT.	NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	R. SEIS. OFFSET	SEIS. DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)						FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		IN OUT			
																						1-24	5-8	9-12	13-16	17-20	21-24					FREQ.	SLOPE				
74-32	1	38	39	1	RAW		50"	60	3	A				110	5	1-41		✓	5		OPR	30	30	30	48	48	30	90	FAST	512	124	8	36	647	12 Grp Tail Spread R.N. 38 NO GOOD		
	2		40	2												1-41						24	24	24	36	48	30										
	3		41	3												1-41						40	40	40	48	60	60										
	4		42	4												1-41						48	48	48	60	60	60										
	5			5												1-39						48	48	48	60	60	60										
	6		42	6												1-33						48	60	60	54	54	48										
	7		408	7												1-29																					
	8		49	8												1-25																					
	9		50	9												1-21																					
	10		51	10												1-17																					
	11		52	11												1-13																					
	12		53	12												1-9																					
	13		55	13												1-5																					
	14		56	14												1-1																					
	15		57	15												1-49																					
	16		58	16												1-45																					
	17		59	17												1-34																					
	18		60	18												1-37																					
	19		61	19												1-33																					
	20		62	20												1-29																					
	21		63	21			50"	75'								1-25																					
	22		64	22												1-21																					
	23		65	23												1-17																					
	24		66	24			50"	75'								1-13																					
	25		67	25												1-9																					

REMARKS

WATER HOLE
WATER HOLE
R.N. 42 + 43 NO GOOD ITB
R.N. 45 46 47
R.N. 48 NO GOOD

R.N. 54 NO GOOD

TRACE 11 Reversed
TRACE 15 Reversed
TRACES 18-19 Reversed

TRACES 23 + 27 Reversed (PPS)
TRACE 31 Reversed

SEISMOMETER AND SPREAD INFORMATION						
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN
1	14 Hz	9	7'	SP A 0000 0 0000	330'	Inline


SHOT CONFIGURATION
A = SINGLE HOLE SPLITS

DFS III SYSTEM PARAMETERS:
GAIN CONSTANT 30 DB
UPPER SET LIMIT 75 %
LOWER SET LIMIT 25 %
FORMAT TYPE:
 9 TRACK 21 TRACK
GALVO LEVEL:
1-24 15 DB AUX 15 DB
OTHER:

CLIENT: U.S. NAVY PARTY NO: 195 PROSPECT: ZONE A COUNTY: North Slope STATE: ALASKA COUNTRY: U.S.A LEFT STORAGE: 7:00 ARRIVED FIELD: 7:30 DATE: Dec 13 1974 OBSERVER: Tony J. 1 of 1

LINE	PROFILE	IDENTIFICATION			SHOT CAL	PLAY BACK	TIME	SHOT				SPREAD				TAPE			GAIN						FILTERS		REMARKS									
		REEL NUMBER	FILE NUMBER	NO CAPS				NO. OF	S.P. OFFSET	NO. 1 DIR.	CODE	SEIS. OFFSET	SEIS. DEPTH	COP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)						RELEASE RATE		TRIP DELAY	HIGH CUT FREQ.	LOW CUT	NOTCH					
																				1-4/24	5-8	9-12	13-16	17-20	21-24							FREQ.	SLOPE	IN	OUT	
74-32	26	77	1	RAW			2-50"	75'	2	A	W	1	10'	S	1-45	✓	5'	opr.	48	54	60	60	54	54	98	90	FAST	512	124	8	36	out				
	27	78	2				3-75"	75'	3	B																										
	28	79	3				2-50"	75'	2	A																										
	29	80	4				2-50"	75'	2	A																										
	30	81	5																																	
	31	82	6				2-50"	75'	2	A																										
	32	83	7				2-50"	75'																												
	33	84	8																																Traces 45 thru 48 Dead	
	34	85	9				2-50"	75'																										I. T. B.		
	35	86	10																																	
	36	87	11																																	
	37	88	12																																	
	38	89	13																																	
	39	90	14				2-50"	75'	2	A																										
	40	91	15																																	
	41	92	16																																No whole R.N. 92 No Good	
	42	94	17																																	
	43	95	18				2-50"	75'	2																											
	44	96	19				2-50"	75'	2																											
	45	99	20				IT.B.																												R.N. 97-98 No Good	
	46	100	21				2-50"	75'	2																											
	47	101	22				2-50"	75'	2	A																										TRACE NO 1 Dead
	48	102	23				2-50"	75'	2	A																										
	49	103	24				2-50"	50'	2	A																										
	50	104	25				2-50"	60'	2	A																										
	51	105	26				2-50"	75'	2	A																										
	52	106	27				2-50"	75'	2	A																										
	53	107	28				2-50"	75'	2	A																										

SEISMOMETER AND SPREAD INFORMATION					
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	SP. INT.
1	14Hz	9	7'	S.P. 1 0000 0 0000	330'



DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB

UPPER SET LIMIT 25 %

LOWER SET LIMIT 25 %

FORMAT TYPE:

TRACK 21 TRACK

GALVO LEVEL:

1-24 15 DB AUX 15 DB

OTHER:

MISCELLANEOUS INFORMATION:

CLIENT		PARTY NO.		PROSPECT		COUNTY		STATE		COUNTRY		LEFT STORAGE		ARRIVED FIELD		LEFT FIELD		ARRIVED STORAGE		DATE		OBSERVER		PAGE															
U.S. NAVY		195		ZONE A		North Slope		ALASKA		U.S.A.										Apr. 13 1974		D. J. G.		2/2															
IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN						FILTERS				REMARKS													
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT	PLAY BACK	TIME	SIZE	TOP		NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	P. SEIS. OFFSET	SEIS. DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS			RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)						FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH		
								1	2										4	1-4/24	5-6				9-12	13-16	17-20	21-24	FREQ.	SLOPE					IN	OUT			
79-32	54	25	108	30	DRB		2.50	75	2	A																													

674503

SEISMOMETER AND SPREAD INFORMATION

CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN

SHOT CONFIGURATION

SOME

DFS III SYSTEM PARAMETERS:

GAIN CONSTANT _____ DB
 UPPER SET LIMIT _____ %
 LOWER SET LIMIT _____ %
 FORMAT TYPE:
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-24 _____ DB AUX _____ DB
 OTHER:

MISCELLANEOUS INFORMATION:

CLIENT: U.S. NAVY PARTY NO: 195 PROSPECT: ZONE A
 LOCATION: North Slope ALASKA

LINE	PROFILE	IDENTIFICATION		SHOT	PLAY BACK	TIME	SHOT		NO CAPS	CODE	S.P. OFFSET	SPREAD				TAPE		GAIN						FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH						
		FILE NUMBER	FILE NUMBER				SIZE	TOP				NO.	DIR.	CODE	NO.	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)						FREQ.	SLOPE		IN	OUT				
		1-24	5-8				9-12	13-16				17-20	21-24	1	2	4	1	2	4																	
79-32	55	25	118	1	RAW		2-50"	75'	2	A		W	1	10'	S	1-29	✓	5	OPR	48	60	60	60	54	54	48	90	FAST	510	124	8	36	OUT			
	56		119	2			2-50"	75'	2																											
	57	9	120	3			2-50"	75'	2																											
	58		121	4			2-50"	75'	2																											
	59		122	5			2-50"	75'	2	A																										
	60		123	6			2-50"	75'	2	A																										
	61		124	7			2-50"	75'	2	A																										
	62		125	8			2-50"	60'	2	A																										
	63		125	9			2-50"	75'	2	A																										
										END OF LINE 79-32																										

SEISMOMETER AND SPREAD INFORMATION

CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN
1	14Hz	9		S.P. A 0000000000	330'	In line

SHOT CONFIGURATION
 A = SINGLE HOLE SPLITS

DFS III SYSTEM PARAMETERS:
 GAIN CONSTANT 30 DB
 UPPER SET LIMIT 75 %
 LOWER SET LIMIT 25 %
 FORMAT TYPE:
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-24 15 DB AUX 15 DB
 OTHER: