

CLIENT - U.S. NAVY

| | | | | | | | | | | | |
|-----------|--------------|--------|--------|---------|--------------|---------------|------------|-----------------|-----------|----------|---------|
| PARTY NO. | PROSPECT | COUNTY | STATE | COUNTRY | LEFT STORAGE | ARRIVED FIELD | LEFT FIELD | ARRIVED STORAGE | DATE | OBSERVER | PAGE |
| 195 | Zone-A-DET-4 | Barrow | Alaska | U.S.A. | 7:00 | 9:00 | 9:00 | 9:30 | 12 APR 74 | Scott | 10 of 2 |

| LINE | SP. PROFILE | IDENTIFICATION | | | SHOT | | | | SPREAD | | | | TAPE | | | GAIN | | | | | FILTERS | | REMARKS | | | | | | | | | | | | | | | | | | | | | |
|------|-------------|----------------|-------------|----------|-----------|------|------|----------|---------|------|-------------|------------|------|-----------------|-------------|------------|-------|----------------|---------------|---------------|---------|-------------------|---------|------|------|-------|--------------|------------|----------------|---------|-------|----|------------------------|------------------------|------------------------|-----------------------------------|----|----|----|----|----|---------------|----|-----------------------|
| | | REEL NUMBER | FILE NUMBER | SHOT NO. | PLAY BACK | TIME | SIZE | TOP BOT. | NO CAPS | CODE | S.P. OFFSET | NO. 1 DIR. | CODE | P. SEIS. OFFSET | SEIS. DEPTH | CDP SWITCH | SETUP | SAMPLE RATE MS | RECORD LENGTH | PARITY ERRORS | MODE | INITIAL GAIN (DB) | | | | | RELEASE RATE | TRIP DELAY | HIGH CUT FREQ. | LOW CUT | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | 1-24 | | 5-8 | 9-12 | 13-16 | | | | 17-20 | 21-24 | DB | FREQ. | SLOPE | | | | | | | | | | |
| 4 | 1 | 15 | 442 | 1 | R.R.W. | | 50 | 75 | 2 | A | 165 | West A | 10' | 0 | 49/66 | 1 | X | 5sec | | AGC | 12 | 11 | 48 | TRAC | 90 | F15T | 768 | 124 | 8 | 36 | 10 | 70 | #1 INST @ SP. 10 windy | | | | | | | | | | | |
| | 2 | | 443 | 2 | | | 50 | 75 | 2 | | | | | | 49/66 | 1 | | | | | | | | | | | | | | | | 10 | 70 | #1 INST @ SP. 10 windy | | | | | | | | | | |
| | 3 | | 444 | 3 | | | 50 | 75 | 2 | | | | | | 49/66 | 1 | | | | | | | | | | | | | | | | | 10 | 70 | #1 INST @ SP. 10 windy | | | | | | | | | |
| | 4 | | 445 | 4 | | | 50 | 75 | 2 | | | | | | 49/66 | 1 | | | | | | | | | | | | | | | | | | 10 | 70 | #1 INST @ SP. 10 windy | | | | | | | | |
| | 5 | | 446 | 5 | | | 50 | 75 | 2 | | | | | | 45/92 | 1 | | | | | | | | | | | | | | | | | | 11 | 78 | 50-100 STINTS (good) and out JCR. | | | | | | | | |
| | 6 | 2 | 447 | 6 | | | 50 | 75 | 2 | | | | | | 41/88 | 1 | | | | | | | | | | | | | | | | | | 12 | 44 | | | | | | | | | |
| | 7 | | 448 | 7 | | | 50 | 75 | 2 | | | | | | 37/84 | 1 | | | | | | | | | | | | | | | | | | | 13 | 1 | | | | | | | | |
| | 8 | | 449 | 8 | | | 50 | 75 | 2 | | | | | | 33/80 | 1 | | | | | | | | | | | | | | | | | | | | 14 | 2 | | | | | | | |
| | 9 | | 450 | 9 | | | 50 | 75 | 2 | | | | | | 29/76 | 1 | | | | | | | | | | | | | | | | | | | | | 15 | 3 | | | | | | |
| | 10 | | 451 | 10 | | | 50 | 75 | 2 | | | | | | 25/72 | 1 | | | | | | | | | | | | | | | | | | | | | | 16 | 4 | | | | | |
| | 11 | | 452 | 11 | | | 50 | 75 | 2 | | | | | | 21/68 | 1 | | | | | | | | | | | | | | | | | | | | | | 17 | 5 | | | | | |
| | 12 | | 453 | 12 | | | 50 | 75 | 2 | | | | | | 17/64 | 1 | | | | | | | | | | | | | | | | | | | | | | | 18 | 6 | | | | |
| | 13 | | 454 | 13 | | | 50 | 75 | 2 | | | | | | 13/60 | 1 | | | | | | | | | | | | | | | | | | | | | | | | 19 | 7 | | | |
| | 14 | | 455 | 14 | | | 50 | 75 | 2 | | | | | | 9/56 | 1 | | | | | | | | | | | | | | | | | | | | | | | | 20 | 8 | #1 dead | | |
| | 15 | | 456 | 15 | | | 50 | 75 | 2 | | | | | | 4/92 | 2 | | | | | | | | | | | | | | | | | | | | | | | | 21 | 9 | F15T @ SP. 20 | | |
| | 16 | | 457 | 16 | | | 50 | 75 | 2 | | | | | | 41/88 | 2 | | | | | | | | | | | | | | | | | | | | | | | | 22 | 10 | | | |
| | 17 | | 458 | 17 | | | 50 | 75 | 2 | | | | | | 37/84 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | 23 | 11 | | |
| | 18 | | 459 | 18 | | | 50 | 75 | 2 | | | | | | 33/80 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | 24 | 12 | | |
| | 19 | | 460 | 19 | | | 50 | 75 | 2 | | | | | | 29/76 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | 25 | 13 | |
| | 20 | | 461 | 20 | | | 50 | 75 | 2 | | | | | | 25/72 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | 26 | 14 | |
| | 21 | | 462 | 21 | | | 50 | 75 | 2 | | | | | | 21/68 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | 27 | 15 | |
| | 22 | | 463 | 22 | | | 50 | 75 | 2 | | | | | | 17/64 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | 28 | 16 | |
| | 23 | | 464 | 23 | | | 50 | 75 | 2 | | | | | | 13/60 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | 29 | 17 | |
| | 24 | | 465 | 24 | | | 50 | 75 | 2 | | | | | | 9/56 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | 30 | 18 | |
| | 25 | | 466 | 25 | | | 50 | 75 | 2 | | | | | | 4/92 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | 31 | 19 | |
| | 26 | | 467 | 26 | | | 50 | 75 | 2 | | | | | | 41/88 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | 32 | 20 | |
| | 27 | | 468 | 27 | | | 50 | 75 | 2 | | | | | | 49/66 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | 33 | 21 | moved Insts to SP. 33 |
| | 28 | | 469 | 28 | | | 50 | 75 | 2 | | | | | | 45/92 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | 34 | 22 | | |

| CODE | SEIS. TYPE | NO./GP. | INT. | GROUP PATTERN | GP. INT. | SPREAD PATTERN |
|------|------------|---------|------|---------------|----------|----------------|
| | | | | | | |

| LINE | SHOT NO. | SP. PROFILE | FILE NO. | REEL NO. | TIME | SIZE | TOP BOT. | NO CAPS | CODE | S.P. OFFSET | NO. 1 DIR. | CODE | P. SEIS. OFFSET | SEIS. DEPTH | CDP SWITCH | SETUP | SAMPLE RATE MS | RECORD LENGTH | PARITY ERRORS | MODE | INITIAL GAIN (DB) | FINAL GAIN (DB) | RELEASE RATE | TRIP DELAY | HIGH CUT FREQ. | LOW CUT FREQ. | SLOPE | REMARKS | | | | |
|------|----------|-------------|----------|----------|--------|------|----------|---------|------|-------------|------------|------|-----------------|-------------|------------|-------|----------------|---------------|---------------|------|-------------------|-----------------|--------------|------------|----------------|---------------|-------|---------|----|----|----|------------------------|
| 4 | 1 | 15 | 442 | 1 | R.R.W. | 50 | 75 | 2 | A | 165 | West A | 10' | 0 | 49/66 | 1 | X | 5sec | | AGC | 12 | 11 | 48 | TRAC | 90 | F15T | 768 | 124 | 8 | 36 | 10 | 70 | #1 INST @ SP. 10 windy |

UFS III SYSTEM PARAMETERS:

GAIN CONSTANT _____ DB

UPPER SET LIMIT _____ %

LOWER SET LIMIT _____ %

FORMAT TYPE:

9 TRACK 21 TRACK

GALVO LEVEL:

1-24 _____ DB AUX _____ DB

OTHER:

MISCELLANEOUS INFORMATION:

STARTED shooting Line #4 PUSHING #1 to the west.

| IDENTIFICATION | | | | SHOT | | | | SPREAD | | | | TAPE | | | | GAIN | | | | FILTERS | | | REMARKS | | | | | | | | | | |
|----------------|---------------|----------------|----------------|-------------|--------------|------|------|------------|------------|------|----------------|---------------|------|-----------------|---------------|-------|----------------------|------------------|------------------|---------|-------------------|--|---------|--|---------------------|-----------------|---------------|----------------------|------------------|-------|--------------------|--|---------------------|
| LINE | SP PROFILE | REEL NUMBER | FILE NUMBER | SHOT CAL | PLAY BACK | TIME | SIZE | TOP BOT | NO CAPS | CODE | S.P. OFFSET | NO. 1 DIR. | CODE | SPREAD DEPTH | COP SWITCH | SETUP | SAMPLE RATE MS | RECORD LENGTH | PARITY ERRORS | MODE | INITIAL GAIN (DB) | | | | FINAL GAIN DB | RELEASE RATE | TRIP DELAY | HIGH CUT FREQ. | LOW CUT FREQ. | SLOPE | NOTCH IN OUT | | |
| 4 | 68 | 16 | 512 | 29 | | | 50 | 75 | 2 | | | | | | 4/88 | | | | | | | | | | | | | | | | | | |
| | 69 | | 513 | 30 | | | 50 | 75 | 2 | | | | | | 5/14 | | | | | | | | | | | | | | | | | | |
| Skipped | 70 | 2 | 514 | 31 | | | | | | | | | | | 5/16 | | | | | | | | | | | | | | | | | | Skipped due to LAKE |
| | 71 | 2 | 514 | 32 | | | 50 | 70 | 2 | | | | | | 5/16 | | | | | | | | | | | | | | | | | | |
| | 72 | 2 | 515 | 33 | | | 50 | 75 | 2 | | | | | | 5/12 | | | | | | | | | | | | | | | | | | |
| | 73 | 2 | 516 | 34 | | | 50 | 65 | 2 | | | | | | 2/68 | | | | | | | | | | | | | | | | | | |
| | 74 | 5 | 517 | 35 | | | 50 | 75 | 2 | | | | | | 1/64 | | | | | | | | | | | | | | | | | | |
| | 75 | 5 | 518 | 36 | | | 50 | 75 | 2 | | | | | | 8/60 | | | | | | | | | | | | | | | | | | |
| Skipped | 76 | | 519 | 37 | | | | | 2 | | | | | | 9/56 | | | | | | | | | | | | | | | | | | 70 #10 + 4 Tail |
| Skipped | 77 | | | 38 | | | | | | | | | | | 5/52 | | | | | | | | | | | | | | | | | | 71 #10 + 8 Tail |
| | 78 | | 519 | 39 | | | 50 | 75 | 2 | | | | | | 1/48 | | | | | | | | | | | | | | | | | | 72 #30 + 10 Tail |
| | 79 | | 520 | 40 | | | 50 | 75 | 2 | | | | | | 1/48 | | | | | | | | | | | | | | | | | | 72 #30 + 10 Tail |
| | 80 | | 521 | 41 | | | 50 | 75 | 2 | | | | | | 1/48 | | | | | | | | | | | | | | | | | | 72 #30 + 10 Tail |

LAST Hole on L-4 was SK-80 EV-521

~~Very Late and Snowing~~

| SEISMOMETER AND SPREAD INFORMATION | | | | | | |
|------------------------------------|------------|---------|------|---------------|----------|----------------|
| CODE | SEIS. TYPE | NO./GP. | INT. | GROUP PATTERN | GP. INT. | SPREAD PATTERN |
| | | | | | | |

| SHOT CONFIGURATION | |
|--------------------|--|
| | |

DFS III SYSTEM PARAMETERS:
 GAIN CONSTANT _____ DB
 UPPER SET LIMIT _____ %
 LOWER SET LIMIT _____ %
 FORMAT TYPE:
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-24 _____ DB AUX _____ DB
 OTHER:

MISCELLANEOUS INFORMATION: