


CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																								
U.S.N.		182	N.P.R.-4	NORTH SLOPE	ALASKA	USA	07:00	07:30	14:30	17:00	4-14-75	DOROSH	10/1																								
IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN				FILTERS			REMARKS														
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL.	PLAY BACK	TIME	SIZE	TOP	NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	S.P. OFFSET	SEIS DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)					FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT FREQ.	SLOPE	NOTCH IN				
17X	188	698 504	106				1X50	60/75	2			N				1/1	1	✓	6		OPER.	42	48	54	60	60	60	60	90	FAST	608	124	8	36			
	189	514 504	107				1X50	60/75	2							1/5																					
TAPE CHANGE		698 505																																			
	190		111	110 MF.			1X50	60/75	2							1/9																					
	191		112				1X50	60/75	2							1/3																					
	192		115	113-114 MF's			1X50	60/75	2							1/17																					
	193		116				1X50	60/75	2							1/21																					
	194		117	120-131 T.TB's			1X50	60/75	2							1/25																					
	195		132				1X50	60/75	2							1/29																					
	196		133				1X50	60/75	2							1/33																					
	197		134	F-135 w/ONES.			1X50	60/75	2							1/37																					
	198		136				1X50	60/75	2							1/41																					
	199		137				1X50	60/75	2																												
	200		140				1X50	60/75	2																												
	201	514 385	141				1X50	60/75	2							1/1	2																				
	202	514 385	142				1X50	60/75	2							1/5																					
	203	514 385	143				1X50	60/75	2							1/9																					
	204	514 385	144				1X50	60/75	2							1/13																					
	205		145				1X50	60/75	2							1/17																					
	206		146				1X50	60/75	2							1/21																					
	207		147				1X50	60/75	2							1/25																					
	208		150				1X50	60/75	2							1/29																					
	209		151				1X50	60/75	2							1/33																					
TAPE CHANGE		698 506																																			
	210	514 385																																			

SEISMOMETER AND SPREAD INFORMATION					
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	SPREAD PATTERN
102		9	25'	INLINE.	330' 48 GRP SPLIT 600%



DFS III SYSTEM PARAMETERS:	MISCELLANEOUS INFORMATION:
GAIN CONSTANT 30 DB	F-074-103 DRD.
UPPER SET LIMIT 625 %	F-104 - FILTER PULSE
LOWER SET LIMIT 18 %	F-105 TTB
FORMAT TYPE: T1AC	
<input type="checkbox"/> 9 TRACK <input checked="" type="checkbox"/> 21 TRACK	
GALVO LEVEL:	
1-24 21 DB AUX 21 DB	
OTHER:	


CLIENT: **U.S.N.** PARTY NO: **182** PROSPECT: **NPR-4** COUNTY: **NORTH SLOPE** STATE: **ALASKA** COUNTRY: **USA** LEFT STORAGE: ARRIVED FIELD: LEFT FIELD: ARRIVED STORAGE: DATE: **4-13-75** OBSERVER: **DOROSH** PAGE: **2 OF 2**

LINE	PROFILE	IDENTIFICATION		SHOT	PLAY BACK	TIME	SIZE	SHOT		NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	SPREAD				TAPE				GAIN						FILTERS		REMARKS	
		REEL NUMBER	FILE NUMBER					TOP	BOT.					1-4/24	5-8	9-12	13-16	17-20	21-24	FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT	NOTCH						
17X	174	594	052				1150	60/75	2			N.		11	3	✓	6	OPER.	42	48	54	60	60	60	90	FAST	608	124	B	26	*1-DIAD
	175		053				1150	60/75	2					11	4			MOVED UP 1 CABLE.													
	176		056	54-55	MFS		1150	60/75	2					15																	
	177		057				1150	60/75	2					19																	
	178		060				1150	60/75	2					13																	
	179		061				1150	60/75	2					17																	
	180		062				1150	60/75	2					21																	
	181	51438A	063				1150	60/75	2					25																	
	182		064				1150	60/75	2					29																	
	183		066	065	MF		1150	60/75	2					33																	
	184		069	067	"		1150	60/75	2					37																	
	185		071				1150	60/75	2					41																	
	186		072				1150	60/75	2					45																	
	187		073				1150	60/75	2					49																	

SEISMOMETER AND SPREAD INFORMATION						SHOT CONFIGURATION						DFS III SYSTEM PARAMETERS:						MISCELLANEOUS INFORMATION:						
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN							GAIN CONSTANT <u>30</u> DB UPPER SET LIMIT <u>625</u> % LOWER SET LIMIT <u>18</u> % FORMAT TYPE: <u>TIAL</u> <input type="checkbox"/> 9 TRACK <input checked="" type="checkbox"/> 21 TRACK GALVO LEVEL: 1-24 <u>21</u> DB AUX <u>21</u> DB OTHER:											
SAME AS PAGE ONE.																								

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																							
U.S.N.		182	N.P.R.-4	NORTH SLOPE	ALASKA	USA	07:00	08:15	19:15	20:30	4-13-75	DOROSH	1022																							
LINE	PROFILE	IDENTIFICATION		SHOT	PLAY BACK	TIME	SIZE	SHOT		NO. CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	SPREAD		CDP SWITCH	SETUP	TAPE			MODE	GAIN						FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	FILTERS		NOTCH IN	REMARKS
		REEL NUMBER	FILE NUMBER					TOP	BOT.						S.P. OFFSET	S.P. DEPTH			SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS		1-4	5-8	9-12	13-16	17-20	21-24					FREQ.	SLOPE		

CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN
102	9	25'	INLINE	25'	48 GEP SPLIT	600%



DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB
 UPPER SET LIMIT 62.5 %
 LOWER SET LIMIT 18 %
 FORMAT TYPE: T1AC
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-24 21 DB AUX 21 DB
 OTHER:

MISCELLANEOUS INFORMATION:

F 001 WJONES
 F-02 - 011 DRD
 F-012 FILTER PULSE.
 F-013 T.T.B

TAPE CHANGE.

514 383

678 383

571 383

USING GEP 24 AS UH.

USING GEP 24 AS UH.

NO FIRE - SHOT WENT OFF COLLAR

*46 - DEAD
 *42 - "
 *38 - "
 *54 - "

PROCESSING SOUTH

U.S.N.	PARTY NO. 182	PROSPECT N.P.R.-4	COUNTY NORTH SLOPE	STATE ALASKA	COUNTRY USA	LEFT STORAGE 07:00	ARRIVED FIELD 07:30	LEFT FIELD 20:30	ARRIVED STORAGE 21:30	DATE 4-16-75	OBSERVER DOROSH	PAGE 10F2
--------	---------------	-------------------	--------------------	--------------	-------------	--------------------	---------------------	------------------	-----------------------	--------------	-----------------	-----------

LINE	PROFILE	IDENTIFICATION		SHOT CAL.	PLAY BACK	TIME	SHOT				SPREAD				TAPE		GAIN						FILTERS			REMARKS									
		REEL NUMBER	FILE NUMBER				SIZE	TOP BOT.	NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	S.P. OFFSET	SEIS. DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)						FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH IN	
																						1-4	5-8	9-12	13-16		17-20					21-24	FREQ.		SLOPE
17x	210	648	164	1X100	60/90	2												OPER	42	48	54	60	60	60	90	FAST	608	124	8	36					
	211		165	1X100	60/90	2																													
	212		166	1X50	75/90	2																													
	213		167	1X100	35/65	2																													
	214		170	1X100	60/90	2																													
	215		171	1X100	60/90	2																													
	216		172	1X100	60/90	2																													
	217		173	1X100	60/90	2				S/S																									
	218		174	1X100	60/90	2																													
	219		175	1X100	60/90	2																													
	220		176	1X100	60/90	2																													
	221		177	1X100	60/90	2																													
	222		200	1X100	60/90	2																													
	223		201	1X100	60/90	2																													
	224		202	1X100	60/90	2																													
	225		203	1X100	60/90	2																													
	226		204	1X50	50/65	2																													
	227		205	1X100	60/90	2																													
	228		206	1X100	60/90	2																													
	229		207	1X100	60/90	2																													
	230		210	1X100	60/90	2																													
	231		211	1X100	60/90	2																													
	232		212	1X100	60/90	2																													
	233		213	1X100	60/90	2																													
	234		214	1X100	60/90	2																													
	235		215	1X100	60/90	2																													

GPC 24 - ~~XXXX~~ FOR U.H.

NO PAPER RECORDS FROM 206 -


CAMELA PUMP PULT.

*45 DEAD.

SEISMOMETER AND SPREAD INFORMATION

CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN
102	9	25'	330'	INLINE. 48 GRP SPLIT.	330'	48 GRP SPLIT 600'90

SHOT CONFIGURATION



DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB
 UPPER SET LIMIT 62.5 %
 LOWER SET LIMIT 18 %
 FORMAT TYPE: T1AC
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-24 21 DB AUX 21 DB
 OTHER:

MISCELLANEOUS INFORMATION:

F-152-161 DRD.
 F-162 FILTER PULSE.
 F-163 TTB.

CLIENT: U.S.N. PARTY NO: 182 PROSPECT: N.P.L-4 COUNTY: NORTH SLOPE STATE: ALASKA COUNTRY: USA LEFT STORAGE: LEFT FIELD: ARRIVED STORAGE: DATE: 4-16-75 OBSERVER: DOROSH PAGE: 2 OF 2

LINE	PROFILE	IDENTIFICATION		SHOT CAL.	PLAY BACK	TIME	SHOT			S.P. OFFSET	SPREAD				TAPE			GAIN					FILTERS		REMARKS										
		REEL NUMBER	FILE NUMBER				SIZE	TOP	NO CAPS		CODE	NO. 1 DIR.	CODE	S.W. OFFSET	S.E. OFFSET	S.W. DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)					FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH IN	
																							1-4	5-8		9-12	13-16					17-20	21-24		FREQ.
17X	236	648 514387	216				1100	60/90	2									OPER	42	44	54	60	60	60	90	FAST	6DB	124	8	36					
	237		217				1100	60/90	2																										
	238		220				1100	60/90	2																										
	239		221				1100	60/90	2																										
	240		222				1100	60/90	2																										
	241		223				1100	60/90	2																										
	242		224				1100	60/90	2																										
	243		225				1100	60/90	2																										
	244		226				1100	60/90	2																										
	245		227				1100	60/90	2																										
	246		230				1100	60/90	2																										
	247		231				1100	60/90	2																										
	248		232				1100	60/90	2																										

SEISMOMETER AND SPREAD INFORMATION

CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN

SHOT CONFIGURATION

SHOT CONFIGURATION	

DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB
 UPPER SET LIMIT 625 %
 LOWER SET LIMIT 18 %
 FORMAT TYPE: TAC
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-24 21 DB AUX 21 DB
 OTHER:


MISCELLANEOUS INFORMATION:

MISCELLANEOUS INFORMATION:

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																						
U.S.N.		182	N P 2-4	NORTH SLOPE	ALASKA	USA	07:00	07:50	18:30	19:00	4-17-75	DOROSH	1 OF 2																						
IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN				FILTERS			REMARKS												
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL.	PLAY BACK	TIME	SIZE	TOP BOT.	NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	S.P. OFFSET	SEIS DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)						FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT FREQ.	SLOPE	NOTCH IN	REMARKS
17X	249	448 509	234				1100	60/90	2			N				Y1	1	✓	6			OFFER	42 48 54 60 60 60	60 60 60 54 48 42	90	FAST	608	124	8	36					
	250		235				1100	60/90	2							Y5																			
	251		236				1100	60/90	2							Y9																			
	252		237				1100	60/90	2							Y13																			
	253		240				1100	60/90	2							Y17																			
	254		241				1100	60/90	2							Y21																			
	255		242				1100	60/90	2							Y25																			
	256		243				1100	60/90	2							Y29																			
TAPE CHANGE		448 508																																	
	257		244				1100	60/90	2							Y33																		#48-DEAD.	
	258		245				1100	60/90	2							Y37																			
	259		246				1100	60/90	2							Y41																			
	260		247				1100	60/90	2							Y45																			
	261		250				1100	60/90	2							Y49																			
	262		251				1100	60/90	2							Y1	2																	#21-DEAD. (CABLE)	

263			252				1100	60/90	2							Y13																			#17-
	264		253				1100	60/90	2							Y9																			#13-
	265		254				1100	60/90	2							Y13																			#9-
	266		255				1100	60/90	2							Y17																			#5-
	267		256				1100	60/90	2							Y21																			#1-
	268		257				1100	60/90	2							Y25																			
	269		260				1100	60/90	2							Y29																			
	270		261				1100	60/90	2							Y33																			
	271		262				1100	60/90	2							Y37																			
	272		263				1100	60/90	2							Y41																			
	273		264				1100	60/90	2							Y45																			
	274		265				1100	60/90	2							Y49																			

SEISMOMETER AND SPREAD INFORMATION					
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	SPREAD PATTERN
10A	9	25'	INLINE	330'	48 OR SPIT



DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB
 UPPER SET LIMIT 62.5 %
 LOWER SET LIMIT 18 %
 FORMAT TYPE: TAC
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-24 21 DB AUX 21 DB
 OTHER:

MISCELLANEOUS INFORMATION:
 CAMELIA PUMP INOPERABLE - WAITING FOR PARTS. NO PAPER RECORDS.
 F-233 T.T.B

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																							
U.S.N.		182	N.P.R-4	NORTH SLOPE	ALASKA	USA					4-17-75	DOROSH	2022																							
IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN				FILTERS			REMARKS													
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL.	PLAY BACK	TIME	SIZE	TOP BOT.	NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	SP. OFFSET	NO. 2 DIR.	NO. 3 DIR.	NO. 4 DIR.	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	1-4/24	5-8	9-12	13-16	17-20	21-24	FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT FREQ.	SLOPE	NOTCH IN	OUT
174	275	695 506	266				1100	60/90	2			N					1	3	✓	6		OPER	42 60	44 60	54 60	60 54	60 48	60 42	90	FAST	608	124	8	36		
	276	514 385	267				1100	60/90	2																											
	277		270				1100	60/90	2																											
	278		271				1100	60/90	2																											
	279		272				1100	60/90	2																											
TAPE CHANGE.		648 509																																		
	280	514 389	273				1100	60/90	2																											
	281		274				1100	60/90	2																											
	282		275				1100	60/90	2																											
	283		276				1100	60/90	2																											

6100

SEISMOMETER AND SPREAD INFORMATION

CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN

SHOT CONFIGURATION

SHOT NO.	SHOT TYPE	SHOT DESCRIPTION

DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB
 UPPER SET LIMIT 62.5 %
 LOWER SET LIMIT 18 %
 FORMAT TYPE: TIAC
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-24 21 DB AUX 21 DB
 OTHER:


MISCELLANEOUS INFORMATION:

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																		
USN		182	N.P.R-4	NORTH SLOPE	ALASKA	USA	07:00	07:30	16:00	17:00	4-18-75	DOLOSH	10 of 1																		
LINE	PROFILE	IDENTIFICATION		SHOT CAL	PLAY BACK	TIME	SHOT		NO. CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	SPREAD				TAPE				GAIN						FILTERS			REMARKS
		REEL NUMBER	FILE NUMBER				SIZE	TOP BOT.						S. SEIS. OFFSET	N. SEIS. DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)						FINAL GAIN DB	RELEASE RATE	TRIP DELAY	
174	284	448	311				1100	60/90	2		N			45	1	✓	6	OPER	42	48	54	60	60	60	90	FAST	608	124	8	36	
	285		312				1100	60/90	2					49																	
	286		313				1100	60/90	2					113																	
	287		314				1100	60/90	2					117																	
	288		315				1100	60/90	2					121																	
	289		316				1100	60/90	2					125																	
	290		317				1100	60/90	2					129																	
	291		320				1100	60/90	2					133																	
	292		321				1100	60/90	2					137																	
	293		322				1100	60/90	2					141																	
	294		323				1100	60/90	2					145																	
	295		324				1100	60/90	2					149																	
	296		325				1100	60/90	2					149	2																
	297		326				1100	60/90	2					149																	
	298		327				1100	60/90	2					149																	
	299		330				1100	60/90	2					149																	
	300		331				1100	60/90	2					149																	
TAPE CHANGE		648	310																												
	301		332				1100	60/90	2					149																	
	302		333				1100	60/90	2					149																	
	303		334				1100	60/90	2					149																	
	304	N.R.	335-336	M.K's			1100	60/90	1					149																	
	305		340	337- CAP TEST			1100	60/90	2					149																	
	306		341				1100	60/90	2					149																	
	307		342				1100	60/90	2					149																	
	308		343				1100	60/90	2					149																	

WAITING FOR PARTS FOR CAMERA PUMP & TIMING LINES CIRCUIT.
USING DRY/WRITE PAPER, NO TIMING LINES.

WAITING ON DECKS

SEISMOMETER AND SPREAD INFORMATION						
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN
10R	10	9	25'	INLINE.	330'	48 GP. SPLIT 600%



DFS III SYSTEM PARAMETERS:
 GAIN CONSTANT 30 DB
 UPPER SET LIMIT 625 %
 LOWER SET LIMIT 18 %
 FORMAT TYPE: T1AC
 9 TRACK 24 TRACK
 GALVO LEVEL:
 1-24 21 DB AUX 21 DB
 OTHER:


MISCELLANEOUS INFORMATION:
 F-277-306 DRD
 F-307 FILTER PULSE
 F-310 T.I.B.

LINE	PROFILE	IDENTIFICATION		SHOT CAL	PLAY BACK	TIME	SIZE	SHOT		NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	D. S. 100' DIST. OFFSET	SEIS. DEPTH	CDP SWITCH	SETUP	TAPE				MODE	GAIN						FILTERS		REMARKS
		REEL NUMBER	FILE NUMBER					TOP	BOT.										SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	INITIAL GAIN (DB)		FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT FREQ.	SLOPE	NOTCH IN		
17K	309	648	356				1800	60/90	2				N					41	1	✓	6	OPER.	42 48 54 60 60 60	90	FAST	60B	124	8	36			
	310		357				1800	60/90	2									45														
	311		360				1800	60/90	2									49														
	312		361				1800	60/90	2									43														
	313		362				1800	60/90	2									47														
	314		363				1800	60/90	2									42														
	315		364				1800	60/90	2									42.5														
	316		365				1800	60/90	2									41	2													
	317		366				1800	60/90	2									45														
	318		367				1800	60/90	2									49														
	319		370				1800	60/90	2									43														
	320		371				1800	60/90	2									47														
	321		372				1800	60/90	2									42														
	Tape Change																	42.5														
	322	648	373				1800	60/90	2									42.5														
	323		374				1800	60/90	2									42.9														
	324		375				1800	60/90	2									43.3														
	325		376				1800	60/90	2									43.7														
	326		377				1800	20/50	2									44.1														
	327		400				1800	60/90	2									44.5														
	328		401				1800	60/90	2									44.9														

END OF LINE 17K

PICK UP SPREAD AND MOVE TO LINE-

CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN
10A	9	25'	INLINE.		330'	48 GAP SPLIT 600%



DFS III SYSTEM PARAMETERS:
 GAIN CONSTANT 30 DB
 UPPER SET LIMIT 62.5 %
 LOWER SET LIMIT 18 %
 FORMAT TYPE: TIAL
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-24 21 DB AUX 21 DB
 OTHER:

MISCELLANEOUS INFORMATION:
 F-344-353 DRD
 F-354 FILTER PULSE
 F-355 TTB.