

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																								
U.S. NAVY		182	N.P.R. -4		ALASKA	U.S.A.	7 ⁰⁰	8 ³⁰	7 ³⁰	9 ⁰⁰	5-14-75	F. Carlsenius	1 of 1																								
IDENTIFICATION				SHOT				SPREAD				TAPES				GAIN				FILTERS		REMARKS															
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL	PLAY BACK	TIME	SIZE	TOP BOT.	NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	S.P. SEIS OFFSET	SEIS DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE		INITIAL GAIN (DB)					FINAL GAIN DB	RELEASE RATE	TRIP DELAY AUTO	HIGH CUT FREQ.	LOW CUT		NOTCH			
																			1	2	4		1-4/24	5-8	9-12	13-16	17-20	21-24					FREQ.	SLOPE	IN	OUT	
35	77A	698 531	073	1	R/W	10 ³⁰	1X35	61/75	2			SW	10'			1	1	✓	6			OPERATE	48	48	48	48	48	42	90	Est	768	124	8	36	out-	Strong wind with drifting snow.	
	78		074	2			1X25	61/75	2			"	"					✓	"			"	42	48	48	48	48	48	"	"	"	"	"	"	"		"
	79		075	3			1X35	46/60	2			"	"					✓	"			"						"	"	"	"	"	"	"	"		
	80		076	4			1X35	46/60	2			"	"					✓	"			"						"	"	"	"	"	"	"	"		
	81		077	5			1X35	46/60	2			"	"					✓	"			"						"	"	"	"	"	"	"	"		
	82		100	6			1X35	46/60	2			"	"					✓	"			"						"	"	"	"	"	"	"	"		
	83		101	7			1X50	50/70	2			"	"					✓	"			"						"	"	"	"	"	"	"	"		
	84		102	8			1X50	50/70	2			"	"					✓	"			"						"	"	"	"	"	"	"	"		
	85		103	9			1X50	50/70	2			"	"					✓	"			"						"	"	"	"	"	"	"	"		Long Detour for shooter. Shooting unit Breakdown.
	86		104	10			1X50	50/70	2			"	"					✓	"			"					"	"	"	"	"	"	"	"	"		
	87		105	11			1X35	46/60	2			"	"					✓	"			"						"	"	"	"	"	"	"	"	Trace #24 = Square Wave	
	88		106	12			1X35	46/60	2			"	"					✓	"			"						"	"	"	"	"	"	"	"		
	89		107	13		5 ⁰⁰	1X35	46/60	2			"	"					✓	"			"						"	"	"	"	"	"	"	"	"	
	90		110	14		6 ⁰⁰	1X35	46/60	2			"	"				2	✓	"			"						"	"	"	"	"	"	"	"	#24 Repaired Long Detour. Moved up to S.P. #96.	
	91		111	15			1X35	46/60	2			"	"					✓	"			"						"	"	"	"	"	"	"	"	"	
	92		112	16			1X35	46/60	2			"	"					✓	"			"						"	"	"	"	"	"	"	"	"	
	93		113	17			1X50	50/75	2			"	"					✓	"			"						"	"	"	"	"	"	"	"	"	
	94		114	18			1X50	50/70	2			"	"					✓	"			"						"	"	"	"	"	"	"	"	"	
	95		115	19			1X50	50/70	2			"	"					✓	"			"						"	"	"	"	"	"	"	"	"	
	96		116	20			1X50	50/70	2			"	"					✓	"			"						"	"	"	"	"	"	"	"	"	
SKIP	97		117	21			1X40	54/70	2			"	"					✓	"			"						"	"	"	"	"	"	"	"	Unable to find hole! SKIP.	
	98		117	22			1X40	54/70	2			"	"					✓	"			"						"	"	"	"	"	"	"	"	"	
	99		120	23			1X50	50/70	2			"	"					✓	"			"						"	"	"	"	"	"	"	"	"	
	100		121	24			1X50	50/75	2			"	"					✓	"			"						"	"	"	"	"	"	"	"	"	
	'01		122	25			1X50	50/70	2			"	"					✓	"			"						"	"	"	"	"	"	"	"	"	
	'02		123	26			1X50	40/60	2			"	"					✓	"			"						"	"	"	"	"	"	"	"	"	

SEISMOMETER AND SPREAD INFORMATION					SHOT CONFIGURATION	
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN
				6-10 3-10		1660

DFS III SYSTEM PARAMETERS:	
GAIN CONSTANT	30 DB
UPPER SET LIMIT	62.5 %
LOWER SET LIMIT	18 %
FORMAT TYPE:	<input type="checkbox"/> 9 TRACK <input checked="" type="checkbox"/> 21 TRACK
GALVO LEVEL:	
1-24	21 DB AUX 21 DB
OTHER:	

MISCELLANEOUS INFORMATION:

File # 061 - 070 = D.R.D.
 File # 071 = Pulse test
 File # 072 = Test T.B.

CLIENT **U.S. NAVY** PARTY NO. **1B2** PROSPECT **N.P.R. 4** COUNTY _____ STATE **ALASKA** COUNTRY **U.S.A.** LEFT STORAGE **7⁰⁰** ARRIVED FIELD **8³⁰** LEFT FIELD **4⁰⁰** ARRIVED STORAGE **5⁰⁰** DATE **5-21-75** OBSERVER **F. Carlssonius** PAGE **1 of 1**

LINE	PROFILE	IDENTIFICATION		SHOT	PLAY BACK	TIME	SHOT		NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	SPREAD		CDP SWITCH	SETUP	TAPE				MODE	GAIN						RELEASE RATE	TRIP DELAY AUTO	HIGH CUT FREQ.	FILTERS		NOTCH IN/OUT	REMARKS
		REEL NUMBER	FILE NUMBER				TOP	BOT.						S.P. SEIS. OFFSET	SEIS. DEPTH			SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	INITIAL GAIN (DB)		FINAL GAIN DB	1-4/24	5-8	9-12	13-16	17-20				21-24	LOW CUT FREQ.		
35	116	698 537	002	1	R/W		1X50	50/70	2			SW	10'		1	1	✓	6		PARATE	48	48	48	48	48	42	90	Fast	768	124	8	36	out	Start line #35 - long Detour to get to S.P. #116	
	117		003	2			1X50	50/70	2			"	"		5	✓	"	"	"	"	"	42	48	48	48	48	"	"	"	"	"	"	"		"
	118		004	3			1X50	50/70	2			"	"		9	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"		
	119		005	4			1X50	50/70	2			"	"		13	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"		
	120		006	5			1X50	50/70	2			"	"		17	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"		
	121		007	6			1X60	45/70	2			"	"		21	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"		
	122		010	7			1X50	78/68	2			"	"		25	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"		
	123		011	8			1X50	50/70	2			"	"		29	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"		
	124		012	9			1X50	50/70	2			"	"		33	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"		
	125		013	10			1X50	50/70	2			"	"		37	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"		
	126		014	11			1X50	50/70	2			"	"		41	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"		"
	127		015	12			1X50	50/70	2			"	"		45	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"		"
	128		016	13			1X50	50/70	2			"	"		49	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"		"
	129		017	14			1X50	50/70	2			"	"		1	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"		#21 open
	130		020	15			1X50	50/70	2			"	"		5	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	#17 "	
	131		021	16			1X50	50/70	2			"	"		9	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	#13 "	
	132		022	17			1X50	50/70	2			"	"		13	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	#9 "	
	133		023	18			1X50	50/70	2			"	"		17	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	#5 "	
	134		024	19			1X50	50/70	2			"	"		21	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	#1 "	
	135		025	20			1X50	50/70	2			"	"		25	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	
	136		026	21			1X20	27/32	2			"	"		29	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	
	137		027	22			1X35	61/75	2		50'SW	"	"		33	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	offset 50'SW.	
	138		030	23			1X35	61/75	2			"	"		37	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	
	139		031	24			1X35	61/75	2			"	"		41	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	END OF LINE #35	
	140		032	25					2			"	"		45	✓	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	Picked-up - went to Camp.	

SEISMOMETER AND SPREAD INFORMATION						SHOT CONFIGURATION	
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN	

DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB

UPPER SET LIMIT 60.5 %

LOWER SET LIMIT 10 %

FORMAT TYPE:

9 TRACK 21 TRACK

GALVO LEVEL:

1-24 21 DB AUX 21 DB

OTHER:

MISCELLANEOUS INFORMATION:

Tape #698536

File # 052 - 061 = D. R. D.

File # 062 = Pulse test

File # 063 = Test T.B

Tape #698537

File # 0001 = 10 seconds w/ones.

