


CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																										
NAVY		195	NPR-4	Barrow	ALASKA	U.S.A.					25 MAR 75	NEIGHBORS	2																										
IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN								FILTERS		REMARKS													
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL	PLAY BACK	TIME	SIZE	TOP BOT	NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	R S SEIS OFFSET	SEIS DIR	CDP SWITCH	SETUP	SAMPLE RATE MS			RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)								FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH		
																	1	2	4				1-24	5-8	9-12		13-16	17-20	21-24	FREQ.					SLOPE	IN	OUT		

SEISMOMETER AND SPREAD INFORMATION						SHOT CONFIGURATION	DFS III SYSTEM PARAMETERS:		MISCELLANEOUS INFORMATION:
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN			

GAIN CONSTANT _____ DB
 UPPER SET LIMIT _____ %
 LOWER SET LIMIT _____ %
 FORMAT TYPE:
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-24 _____ DB AUX _____ DB
 OTHER:

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																					
NAVY		195	NPR-4	BARROW	ALASKA	USA	7:00	8:00	7:30	8:00	26 MAR 75	R. WEIR	1																					
LINE	PROFILE	IDENTIFICATION		SHOT CAL	PLAY BACK	TIME	SIZE	SHOT		CODE	S.P. OFFSET	NO. 1 DIR.	SPREAD				TAPE		GAIN						FILTERS		REMARKS							
		REEL NUMBER	FILE NUMBER					TOP	NO CAPS				NO. 2 DIR.	NO. 3 DIR.	NO. 4 DIR.	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)						FINAL GAIN DB	RELEASE RATE		TRIP DELAY	HIGH CUT FREQ.	LOW CUT FREQ.	SLOPE	NOTCH IN	NOTCH OUT	
49	55	122559	110	1A	MON 2PB	11:15	50	60/75	2			N	10'	1/1	1	✓	6500	AGC	48	48	48	48	42	36	90	MED	572	124	8	36	mult.	# 3 & 7 DEAD #45 RECORDED		
	56		111	2A	RAW	11:20	50	60/75	2					1/5																			#45 RECORDED	
	57		112	3A		11:25	50	60/75	2					1/9																			" "	
	58		113	4A		11:30	50	60/75	2					1/13							48	48	48	48	42	30								
	59		114	5A		11:35	50	60/75	2					1/7																				
	60		115	6A		11:45	50	60/75	2					1/21																				
	61		116	7A		11:50	50	60/75	2					1/25																				
	62		117	8A		12:00	50	60/75	2					1/29																				
	63		120	9A		12:10	50	60/75	2					1/33																				
	64		121	10A		12:15	50	60/75	2					1/37																				
	65		122	11A		12:25	50	60/75	2					1/41																				
	66		123	12A		1:30	50	60/75	2					1/1	2																			
	67		124	13A		1:45	50	60/75	2					1/5																				
	68		125	14A		2:00	50	60/75	2					1/9																				
	69		126	15A		2:05	50	60/75	2					1/13																				
	70		127	16A		2:25	50	60/75	2					1/17							48	48	48	48	36	24								
	71		130	17A		2:35	50	60/75	2					1/21																				
	72		131	18A		2:45	50	60/75	2					1/25																				
	73		132	19A		2:50	50	60/75	2					1/29																				TRACE #45 DEAD
	74		133	20A		3:00	50	60/75	2					1/33																			" 47 "	
	75		134	21A		3:40	50	60/75	2					1/37																				
	76		135	22A		3:55	50	60/75	2					1/41																				
	77		136	23A		4:05	50	60/75	2					1/45																				
	78		137	24A		4:25	50	60/75	2					1/49																				
	79		140	25A		4:55	50	60/75	2					1/1	3																			
	80		141	26A		5:05	50	60/75	2					1/5																				
	81		142	27A		5:15	50	60/75	2					1/9																				
	82		144	28A			50	60/75	2					1/13																				No File #142

SEISMOMETER AND SPREAD INFORMATION					SHOT CONFIGURATION	
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN
	MANUAL	9	15'	INLINE	330'	48 INLINE



DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB

UPPER SET LIMIT 62.5 %

LOWER SET LIMIT 25 %

FORMAT TYPE:

9 TRACK 21 TRACK

GALVO LEVEL:

1-48 21 DB AUX 15 DB

OTHER:

MISCELLANEOUS INFORMATION:

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																							
NAVY		195	NPR-4	Barrow	ALASKA	U.S.A.	7:00	7:30	8:30	9:30	3MARTS	NEIGHBORS	1																							
LINE	IDENTIFICATION			PLAY BACK	TIME	SHOT				SPREAD				TAPE				GAIN				FILTERS		REMARKS												
	PROFILE	REEL NUMBER	FIXE NUMBER			SHOT CAL	SIZE	TOP BOT	NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	S. SEIS. OFFSET	S. SEIS. DEPTH	COP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)				FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT FREQ.	SLOPE	NOTCH IN/OUT				
49	21	2155	37	1A	RAW	50	60/75	2			N	10	1/1	1	4	6	ASC				49	48	49	48	49	48	49	90	MGD	572	124	8	36	OUT	1 SEC. RECORD	
	22		40	2A		50	60/75	2					1/5																					SKIP		
	23																																			
	24		42	3A		50	60/75	2					1/13																						REC. NO. 41 - MISFIRE	
	25		43	4A		50	60/75	2					1/17																							
	26		44	5A		50	60/75	2					1/21																							
	27		45	6A		50	60/75	2					1/25																							
	28		46	7A		50	60/75	2					1/29																							
	29		47	8A		50	60/75	2					1/33																							
	30		50	9A		50	60/75	2					1/37																							
	31		51	10A		50	60/75	2					1/41																							
	32		52	11A		50	60/75	2					1/45																							
	33		53	12A		50	60/75	2					1/5	2																						
	34		54	13A		50	60/75	2				330' W	1/9																							
	35		57	14A		50	60/75	2					1/13																							
	36		63	15A		50	60/75	2					1/17	3																						REC. NO. 60, 61 & 62 USED FOR TESTING.
	37		64	16A		50	60/75	2					1/21																							
	38		65	17A		50	60/75	2					1/25																							
	39		66	18A		50	60/75	2					1/29																							
	40		67	19A		50	60/75	2					1/33																							
	41		70	20A		50	60/75	2				75' W	1/37																							
	42		71	21A		50	60/75	2					1/41																							
	43		72	22A		50	60/75	2					1/45																							
	44		73	23A		50	60/75	2					1/49																							
	45		74	24A		50	60/75	2					1/5	4																						
	46		75	25A		50	60/75	2					1/9																							
	47		76	26A		50	60/75	2					1/13																							
	48		77	27A		50	60/75	2					1/17																							

SEISMOMETER AND SPREAD INFORMATION					
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.
	MANUAL 10 H6	9	15	INLINE	330

SHOT CONFIGURATION
SINGLE HOLES

DFS III SYSTEM PARAMETERS:
GAIN CONSTANT 30 DB
UPPER SET LIMIT 62.5 %
LOWER SET LIMIT 25 %
FORMAT TYPE:
 9 TRACK 21 TRACK
GALVO LEVEL:
1-24 21 DB AUX 15 DB
OTHER:

MISCELLANEOUS INFORMATION:

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																									
NAVY		195	NPR-4				7:00	7:30	8:30	9:30	27 MAR 75	R. W. WICK	2																									
LINE	PROFILE	IDENTIFICATION		SHOT CAL	PLAY BACK	TIME	SIZE	SHOT		NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	SPREAD		S.P. SEIS OFFSET	SEIS DEPTH	CDP SWITCH	SETUP	TAPE				MODE	GAIN						RELEASE RATE	TRIP DELAY	HIGH CUT FREQ	FILTERS		NOTCH IN/OUT	REMARKS
		REEL NUMBER	FILE NUMBER					TOP	BOT						1	2					4	1-4/24	5-8	9-12		13-16	17-20	21-24	FINAL GAIN DB	FREQ.	SLOPE							

SEISMOMETER AND SPREAD INFORMATION						
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN
						SAME

SHOT CONFIGURATION	

DFS III SYSTEM PARAMETERS:	
GAIN CONSTANT	_____ DB
UPPER SET LIMIT	_____ %
LOWER SET LIMIT	_____ %
FORMAT TYPE:	
<input type="checkbox"/> 9 TRACK	<input type="checkbox"/> 21 TRACK
GALVO LEVEL:	
1-24	_____ DB AUX _____ DB
OTHER:	

MISCELLANEOUS INFORMATION:	

* 11 DEAD
13 "

No File * 231

No CAP LEADS
* ~~42~~ ~~42~~
* 46 DEAD
42 "

FILE COUNTER SKIPPED

CLIENT		PARTY NO.		PROSPECT		COUNTY		STATE		COUNTRY		LEFT STORAGE		ARRIVED FIELD		LEFT FIELD		ARRIVED STORAGE		DATE		OBSERVER		PAGE													
NAVY		195		NPR-4		Barrow		ALASKA		U.S.A.		2:00		8:00		7:30		8:30		29/10/75		R. WEIR		1													
LINE	PROFILE	IDENTIFICATION		SHOT CAL.	PLAY BACK	TIME	SIZE	SHOT		NO. CAPS	CODE	S.P. OFFSET	NO. DIR.	CODE	SPREAD		TAPE		GAIN						FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	FILTERS		NOTCH IN/OUT	REMARKS					
		REEL NUMBER	FILE NUMBER					TOP BOT.	SEIS. DEPTH						CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)								LOW CUT FREQ.	SLOPE							
															1	2	4			1-4	5-8	9-12	13-16	17-20	21-24		FREQ.	SLOPE									
49	133	672560	261	1A	MON DBB	10:00	50	60/75	2		1	N		10'	1/5	1	✓	6sec	AGL	92	92	92	92	92	92	90	MED	512	12+	8	36	cut	used for tests.				
	134		262	2A	RAW	10:10	50	60/75	2						1/9																						
	135		263	3A		10:20	50	60/75	2						1/13																						
	136		264	4A		10:25	50	60/75	2						1/17																						
	137		265	5A		10:35	50	60/75	2						1/21																						
	138		266	6A		12:00	50	60/75	2		2				1/25	2																					
	139		267	7A		12:05	50	60/75	2						1/29																						
	140		270	8A		12:15	50	60/75	2						1/33																						
	141		271	9A		12:25	50	60/75	2						1/37																						
	142		272	10A		12:35	50	60/75	2						1/41																						
	143		273	11A		12:45	50	60/75	2						1/45																						
	144		274	12A		12:55	50	60/75	2						1/49																						
	145		275	13A		1:00	50	60/75	2						1/53																						
	146		276	14A		1:15	50	60/75	2						1/57																						
	147	672561	277	15A		1:30	50	60/75	2						1/61																						
	148		300	16A		1:40	50	60/75	2						1/65																						
	149		301	17A		2:40	50	60/75	2						1/69																						
	150		302	18A		2:55	50	60/75	2						1/73																						
	151		303	19A		3:15	50	60/75	2						1/77																						
	152		304	20A		3:25	50	60/75	2						1/81																						
	153		305	21A		3:40	50	60/75	2						1/85																						
	154		306	22A		3:50	50	60/75	2						1/89																						
	155		307	23A		4:00	50	60/75	2						1/93																						
	156		310	24A		4:05	50	60/75	2						1/97																						
	157		311	25A		5:00	50	60/75	2						1/101																						
	158		312	26A		5:10	50	60/75	2						1/105																						
	159		313	27A		5:30	50	60/75	2						1/109																						
	160		314	28A		5:40	50	60/75	2						1/113																						

*47 DEAD
 CHANGING BAD JUGS
 #47 DEAD
 #43 "
 #25 "
 (JUG TRUCK PICKED UP DUCK) - 4 DEAD #12 DEAD
 #9 DEAD
 #5 DEAD
 #48 DEAD
 getting Very Windy

Tape Change

SEISMOMETER AND SPREAD INFORMATION

SHOT CONFIGURATION

CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN
						SAME

DFS III SYSTEM PARAMETERS:
 GAIN CONSTANT 30 DB
 UPPER SET LIMIT 62.5 %
 LOWER SET LIMIT 2.5 %
 FORMAT TYPE:
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-21 DB AUX 18 DB
 OTHER:

MISCELLANEOUS INFORMATION:

CLIENT		PARTY NO.		PROSPECT		COUNTY		STATE		COUNTRY		LEFT STORAGE		ARRIVED FIELD		LEFT FIELD		ARRIVED STORAGE		DATE		OBSERVER		PAGE												
NAVY		195		NPR-4		BARROW		ALASKA		USA		7:00		8:00		7:30		8:30		28/ANR/8		R. WEIR		2 of 2												
IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN				FILTERS				REMARKS												
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL	PLAY BACK	TIME	SIZE	TOP BOT.	NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	4 SEIS OFFSET	SEIS. DIST. 1	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)						FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH		
																						1-4/24	5-8		9-12	13-16	17-20					21-24	FREQ.	SLOPE	IN	OUT
49	161	6228A	315	29A	RA-415-50	50	60/75	2				N		10'		1/25	4	✓	6sec		ACC	48	48	48	48	48	48	48	90	MED	LAO	124	8	36	out	
	162		316	30A		6:00	50	60/75	2							1/29																				
	163		317	31A		6:10	50	60/75	2							1/33																				
	164		320	32A		6:20	50	60/75	2							1/37																				

SEISMOMETER AND SPREAD INFORMATION						
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN

SHOT CONFIGURATION	

DFS III SYSTEM PARAMETERS:

GAIN CONSTANT _____ DB

UPPER SET LIMIT _____ %

LOWER SET LIMIT _____ %

FORMAT TYPE:

9 TRACK 21 TRACK

GALVO LEVEL:

1-24 _____ DB AUX _____ DB

OTHER:

MISCELLANEOUS INFORMATION:

CLIENT		PARTY NO		PROSPECT		COUNTY		STATE		COUNTRY		LEFT STORAGE		ARRIVED FIELD		LEFT FIELD		ARRIVED STORAGE		DATE		OBSERVER		PAGE								
NAVY		195		NPR-A		BARROW		ALASKA		U.S.		7:00		8:30		9:30		10:30		30/march		R. WEIR		1								
LINE	PROFILE	IDENTIFICATION		SHOT	PLAY BACK	TIME	SIZE	SHOT		SPREAD				TAPE		GAIN						FILTERS		REMARKS								
		REEL NUMBER	FILE NUMBER					NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	S. SEIS OFFSET	SEIS DEPTH	CDP SWITCH	SETUP	SAMPLE RATE	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)						FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT	
49	165	62281	324	1 ^A	MON 2PA	10:00	50	60/75	2		N	10'	1/5	1	✓	6sec	AGL	18 18 18 18 18 20	30 30 30 30 30 30	48 48 48 48 48 48	90	MOD	640	124	B	36	cut	CHANGED AIR CABLE				
	166		325	2 ^A	RAW	10:10	50	60/75	2				1/9																			
	167		327	3 ^A		10:20	50	60/75	2				1/13																	* FILE COUNT FOR ERROR		
	168		322	4 ^A		10:30	50	60/75	2				1/17																			
	169		333	5 ^A		10:40	50	60/75	2				1/21																			
	170		339	6 ^A		10:45	50	60/75	2				1/25																			
	171		335	7 ^A		10:50	50	60/75	2				1/29																			
	172		336	8 ^A		11:00	50	60/75	2				1/33																			
	172		337	8 ^B		11:15	100	60/75	2				1/37																			
	173		340	9 ^A		1:20	50	60/75	2				1/5	2		CDP WRECK														MANUAL RECORD LENGTH ALREADY BEING WAITING ON TUGS		
	174		341	10 ^A		1:30	50	60/75	2				1/5																			
	175		342	11 ^A		1:35	50	60/75	2				1/9																			
	176		343	12 ^A		1:45	50	60/75	2				1/13																			
	177		344	13 ^A		1:55	50	60/75	2				1/17																			
	178		345	14 ^A		2:00	50	60/75	2				1/21																			
	179		346	15 ^A			50	60/75	2				1/25																			SKIP - CAP DEAD DOWN HOLE
	180		346	16 ^A		2:40	50	60/75	2				1/29																		* 48 DEAD	
	181		347	17 ^A		3:35	50	60/75	2				1/5	3																		
	182		350	18 ^A		3:50	50	60/75	2				1/9																			
	183		351	19 ^A		4:00	50	60/75	2				1/13																			* 46 DEAD
	184		352	20 ^A		4:20	50	60/75	2				1/17	4																		
	185		353	21 ^A		4:30	50	60/75	2				1/19																			
	186		354	22 ^A		4:35	50	60/75	2				1/13																			
	187		355	23 ^A		4:50	50	60/75	2				1/17																			
	188		356	24 ^A		5:00	50	60/75	2				1/21																			
	189		357	25 ^A		5:50	50	60/75	2				1/25	5																		
	190		360	26 ^A		6:00	50	60/75	2				1/9																			
	191	62362	361	27 ^A		6:10	50	60/75	2				1/13			Tape Change															* 47 DEAD	

SEISMOMETER AND SPREAD INFORMATION

SHOT CONFIGURATION

CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN

S A M E

DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB
 UPPER SET LIMIT 62.5 %
 LOWER SET LIMIT 25 %
 FORMAT TYPE:
 9 TRACK 21 TRACK
 GALVO LEVEL:
 140 21 DB AUX 18 DB
 OTHER:

MISCELLANEOUS INFORMATION:

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																							
NAVY		195	NPR-4	BARROW	ALASKA	USA	2:00	8:00	10:30	11:00	3/17/68	R. WEIR	1																							
LINE	IDENTIFICATION			SHOT CAL.	PLAY BACK	TIME	SIZE	SHOT		NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	SPREAD			COP SWITCH	SETUP	TAPE				MODE	GAIN						RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	FILTERS		NOTCH IN/OUT	REMARKS
	PROFILE	REEL NUMBER	FILE NUMBER					TOP	BOT.					6 IN. OFFSET	SEP. DEPTH	RECORD LENGTH			PARITY ERRORS	1-4/24	5-8	9-12		13-16	17-20	21-24	INITIAL GAIN (DB)	FINAL GAIN DB	FREQ.				SLOPE			

REMARKS: File # 4006 + 12
USED FOR TESTS.

15 DEAD

48 DEAD

SEISMOMETER AND SPREAD INFORMATION

SHOT CONFIGURATION

CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN

J A M E

DPS III SYSTEM PARAMETERS:
GAIN CONSTANT _____ DB
UPPER SET LIMIT _____ %
LOWER SET LIMIT _____ %
FORMAT TYPE:
 9 TRACK 21 TRACK
GALVO LEVEL:
1-24 _____ DB AUX _____ DB
OTHER:

MISCELLANEOUS INFORMATION:

CLIENT		PARTY NO.		PROSPECT		COUNTY		STATE		COUNTRY		LEFT STORAGE		ARRIVED FIELD		LEFT FIELD		ARRIVED STORAGE		DATE		OBSERVER		PAGE													
NAVY		195		NPR-4		Barrow		Alaska		USA		7:00		8:00		10:30		11:00		3/1/68		R. WEIR		2													
IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN				FILTERS				REMARKS													
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL	PLAY BACK	TIME	SIZE	TOP BOT	NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	S.P. SEIS. OFFSET	SEIS. DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS			RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)						FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH	
																		1	2	4				1-4/24	5-8	9-12	13-16	17-20	21-24					FREQ.	SLOPE	IN	OUT
49	233	672582	447	29A	RAW	4:30	100	75/105	2		1	N			10'	1/37	4	1	6800			AGC	48	48	48	48	48	50	90	MED	304	124	8	36	out		
	234		450	30A		5:20	100	75/105	2																												
	235		451	31A		5:40	100	75/105	2																												
	236		452	32A		5:45	100	75/105	2																												
	237	672583	453	33A		6:00	100	75/105	2																												
	238		454	34A		6:10	100	75/105	2																												
	239		455	35A		6:15	100	75/105	2																												
	240		456	36A		6:25	100	75/105	2																											# 41 DEAD	
	241		457	37A		6:35	100	75/105	2																												
	242		460	38A		6:45	100	75/105	2																												
	243		461	39A		7:20	100	75/105	2																												
	244		462	40A		7:30	100	75/105	2															42	42	42	42	30	30								
	245		463	41A	DB	7:40	100	75/105	2																												
	246		464	42A	RAW	7:50	100	75/105	2																												
	247		465	43A		8:00	100	75/105	2																												
	248		466	44A		8:10	100	75/105	2																												
	249		467	45A		8:15	100	75/105	2																												
	250		470	46A		8:20	100	75/105	2																												
	251		471	47A		8:30	100	75/105	2																												
	252		472	48A		8:40	100	75/105	2																												

TAPE CHANGE

41 DEAD

47 DEAD
43 "
39 "

245-3

SEISMOMETER AND SPREAD INFORMATION					
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	SPREAD PATTERN

SHOT CONFIGURATION

SAME

DFS III SYSTEM PARAMETERS:

GAIN CONSTANT _____ DB

UPPER SET LIMIT _____ %

LOWER SET LIMIT _____ %

FORMAT TYPE: _____

□ 0 TRACK □ 31 TRACK

GALVO LEVEL: _____

1-24 _____ DB AUX _____ DB

OTHER: _____

MISCELLANEOUS INFORMATION:

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																							
NAVY		195	NIR-4	BARROW	ALASKA	US	7:00	8:00			1/19/68	R. WEIR	1																							
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT	PLAY BACK	TIME	SIZE	SHOT		NO CAPS	CODE	S.P. OFFSET	NO. DIR.	CODE	SPREAD		COP SWITCH	SETUP	TAPE			PARITY ERRORS	MODE	GAIN						RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	FILTERS		NOTCH IN/OUT	REMARKS
								TOP	BOT.						S.P. OFFSET	SEIS DEPTH			SAMPLE RATE MS	RECORD LENGTH	1-4/24			5-8	9-12	13-16	17-20	21-24	FINAL GAIN DB				FREQ.	SLOPE		

SEISMOMETER AND SPREAD INFORMATION						SHOT CONFIGURATION	
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN	
SAME							

DFS III SYSTEM PARAMETERS:	
GAIN CONSTANT	DB
UPPER SET LIMIT	%
LOWER SET LIMIT	%
FORMAT TYPE	
<input type="checkbox"/> 9 TRACK	<input type="checkbox"/> 21 TRACK
GALVO LEVEL:	
1-24	DB AUX DB
OTHER:	

MISCELLANEOUS INFORMATION:	
279	

File # 472 to 475
used for tests

JUG TRUCK BROKE DOWN IN #4 DEAD

#46 DEAD
#41 + #42 DEAD
CHANGING FOGS

LAYING THROUGH RIVER
(#546 DEAD) TOUGH GOING 1.5 hrs

MOVING RECORDER & STARTED AROUND RIVER DETOUR
(FILE # 521 MISFIRE)

#45 DEAD

280

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																						
NAVY		195	NPR-4	Barrow	ALASKA	U.S.A.	7:00	9:00	8:00	10:00	3 APR 75	NEIGHBORS	1																						
IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN				FILTERS		REMARKS													
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL	PLAY BACK	TIME	SIZE	TOP BOT.	NO CAPS	CODE	S.P. OFFSET	NO. DIR.	CODE	SEIS. DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)					FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH IN/OUT	REMARKS		
49	306	62578	101	1 A	RAW		100	15/105	2			N	10		1/29	1	4	6		AGC	28	48	48	48	36	24	90	MGD	572	124	8	36	Out	Rec. No. 170-177 D.R.D. Rec. No. 200 MISFIRE SHOOTER RADIO VOL. LOW.	
	307		202	2 A			100	15/105	2						1/33																				
	308		203	3 A			100	15/105	2						1/37																				
	309		204	4 A			100	15/105	2						1/41																				
	310		215	5 A			100	15/105	2						1/45																			Rec. No. ADVANCED FROM 203 TO 214	
	311		216	6 A			100	15/105	2						1/4	2																			
	312		217	7 A			100	15/105	2						1/13																				
	313		220	8 A			100	15/105	2						1/17																				
	314		221	9 A			100	15/105	2						1/21																				
	315		222	10 A			100	15/105	2						1/25																				
	316		223	11 A			100	15/105	2						1/5	3																			
	317		224	12 A			100	15/105	2						1/9																				
	318		225	13 A			100	15/105	2						1/3																				
	319	62579	226	14 A			100	15/105	2						1/7																			TAPE CHANGE	
	320		227	15 A			100	15/105	2						1/21																				
	321		230	16 A			100	15/105	2						1/25																				
	322		231	17 A			100	15/105	2						1/29																				
	323		232	18 A			100	15/105	2						1/33																				
	324		233	19 A			100	15/105	2						1/5	4																			Filter switch out of position 18-24 out of phase
	325		234	20 A			100	15/105	2						1/9																				
	326		235	21 A			100	15/105	2						1/13																				
	327		236	22 A			100	15/105	2						1/17																				
	328		237	23 A			100	15/105	2						1/21																				
	329		240	24 A			100	15/105	2						1/25																				
	330		241	25 A			100	15/105	2						1/29																				
	331		242	26 A			100	15/105	2						1/33																				
	332		243	27 A			100	15/105	2						1/5	5																			
	333		244	28 A			100	15/105	2						1/9																				

SEISMOMETER AND SPREAD INFORMATION					
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.
	MANDREL	9	15	INLINE	330

SHOT CONFIGURATION
SINGLE HOLES

DFS III SYSTEM PARAMETERS:
GAIN CONSTANT 30 DB
UPPER SET LIMIT 62.5 %
LOWER SET LIMIT 25 %
FORMAT TYPE:
 9 TRACK 21 TRACK
GALVO LEVEL:
1-24 21 DB AUX 15 DB
OTHER:

MISCELLANEOUS INFORMATION:

CLIENT		PARTY NO.		PROSPECT		COUNTY		STATE		COUNTRY		LEFT STORAGE		ARRIVED FIELD		LEFT FIELD		ARRIVED STORAGE		DATE		OBSERVER		PAGE												
NAVY		195		NPR-4		Barrow		ALASKA		U.S.A.										23Apr75		NEIGHBORS														
LINE	IDENTIFICATION				PLAY BACK	TIME	SHOT				SPREAD				TAPE				GAIN						FILTERS		REMARKS									
	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL			SIZE	TOP BOT	NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	S. SEIS OFFSET	S. SEIS DIST	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)						FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH		
																						1-4/24	5-8	9-12	13-16	17-20						21-24	FREQ.	SLOPE	IN	OUT
49	334	612579	245	29A	RAW	100	75/105	2		N	10	1/13				4	6	AGC	48 48 48 48 48 48 48 48	24 36 48 48 48 48 48 48	90	Med	572	124	8	36	Out	After switch out of position 17-24 out of phase								
	335		246	30A		100	75/105	2				1/17																								
	336		247	31A		100	75/105	2				1/21																								
	337		250	32A		100	75/105	2				1/25																								

SEISMOMETER AND SPREAD INFORMATION							SHOT CONFIGURATION		DFS III SYSTEM PARAMETERS:		MISCELLANEOUS INFORMATION:	
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN			GAIN CONSTANT	UPPER SET LIMIT	LOWER SET LIMIT	FORMAT TYPE:
									_____ DB	_____ %	_____ %	<input type="checkbox"/> 9 TRACK <input type="checkbox"/> 21 TRACK
									GALVO LEVEL:			
									1-24 _____ DB AUX _____ DB			
									OTHER:			

