

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																							
NAVY		K95	NPR-4	BARROW	ALASKA	U.S.A.	7:00	8:30	8:00	10:00	26 Apr 75	NEIGHBORS	1																							
IDENTIFICATION				SHOT				SPREAD				TAPES				GAIN				FILTERS		REMARKS														
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL.	PLAY BACK	TIME	SIZE	TOP	NO CAPS	CODE	S.P. OFFSET	NO. DIR.	CODE	SEIS. OFFSET	SEIS. DIST.	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE		INITIAL GAIN (DB)				FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT	NOTCH				
								TOP											1	2	4		1-4	5-8	9-12	13-16	17-20	21-24		FREQ.	SLOPE	IN	OUT			
67	1	02580	004	1A	RAW		100	75/105	2			N				1/4	1	✓	6		AGC	48	49	48	48	48	48	48	90	MED	572	124	8	36	Out	1-8 DEAD - SHORT TAIL SPREAD
	2		005	2A			100	75/105	2							1/1																			14 " "	
	3		006	3A			100	75/105	2							1/5																				
	4		007	4A			100	75/105	2							1/9																				
	5		010	5A			100	75/105	2							1/13																				
	6		011	6A			100	75/105	2							1/17							48	49	48	48	30	18								
	7		012	7A			100	75/105	2							1/21																				
	8		013	8A			100	75/105	2							1/25																				
	9		014	9A			100	75/105	2							1/29																				
	10		015	10A			100	75/105	2							1/33																				
	11		016	11A			100	75/105	2							1/37																			#18 DEAD	
	12		017	12A			100	75/105	2							1/41																			49 "	
	13		020	13A			100	75/105	2							1/45																			40-45 DEAD	
	14		021	14A			100	75/105	2							1/5	2																			
	15		022	15A			100	75/105	2							1/9																				
	16		023	16A			100	75/105	2							1/13							42	42	42	42	30	18								
	17		024	17A			100	75/105	2							1/17																				
	18		025	18A			100	75/105	2							1/21																				
	19		026	19A			100	75/105	2							1/25																				
	20		030	20A			100	75/105	2							1/33																			REC. No. 27 MISFIRE	
	21		031	21A			100	75/105	2							1/37																				
	22		032	22A			100	75/105	2							1/41	3																			
	23		033	23A			100	75/105	2							1/45																				
	24		034	24A			100	75/105	2							1/5																				
	25		145	25A			100	75/105	2							1/9																				REC. No. ADVANCED 034 TO 145
	26		146	26A			100	75/105	2							1/13																				
	27		147	27A			100	75/105	2							1/17																				
	28		150	28A			100	75/105	2							1/21																				

SEISMOMETER AND SPREAD INFORMATION				
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN
	MANUAL	9	15	INLINE
				GP. INT.
				SPREAD PATTERN

SHOT CONFIGURATION  
SINGLE HOLES

DFS III SYSTEM PARAMETERS:  
GAIN CONSTANT 30 DB  
UPPER SET LIMIT 62.5 %  
LOWER SET LIMIT 25 %  
FORMAT TYPE:  
 9 TRACK  21 TRACK  
GALVO LEVEL:  
1-24 DB AUX DB  
OTHER:

MISCELLANEOUS INFORMATION:

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																							
NAVY		195	NPR 4	Barrow	ALASKA	U.S.A.	7:00	9:30	5:00	8:00	27 APR 75	NEIGHBORS	1																							
LINE	PROFILE	IDENTIFICATION			PLAY BACK	TIME	SIZE	SHOT		NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	SPREAD			COP SWITCH	SETUP	TAPE				MODE	GAIN						RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	FILTERS		NOTCH IN/OUT	REMARKS
		REEL NUMBER	FILE NUMBER	SHOT CAL.				TOP	BOT.					SEIS. OFFSET	SEIS. DEPTH	SAMPLE RATE MS			RECORD LENGTH	PARITY ERRORS	INITIAL GAIN (DB)	FINAL GAIN DB		1-4/24	5-8	9-12	13-16	17-20	21-24				LOW CUT FREQ.	SLOPE		

SEISMOMETER AND SPREAD INFORMATION						
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN
	ANALOG	9	15	INLINE	330	

SHOT CONFIGURATION  
SINGLE HOLES

DFS III SYSTEM PARAMETERS:  
GAIN CONSTANT 30 DB  
UPPER SET LIMIT 62.5 %  
LOWER SET LIMIT 25 %  
FORMAT TYPE:  
 9 TRACK  21 TRACK  
GALVO LEVEL:  
1-24 21 DB AUX 15 DB  
OTHER:

MISCELLANEOUS INFORMATION:

REMARKS  
REC. NO. 162-161-DRD  
" 162-PULSE  
COP SWITCH IN WRONG POS. 330° TO SOUTH  
#45 DEAD  
TAPE CHANGE - CABLE #47 DEAD  
REC. NO. ADVANCED FROM 205 TO 216

CLIENT		PARTY NO.		PROSPECT		COUNTY		STATE		COUNTRY		LEFT STORAGE		ARRIVED FIELD		LEFT FIELD		ARRIVED STORAGE		DATE		OBSERVER		PAGE														
NAVY		195		NPR-4		Barrow		ALASKA		U.S.A.		7:00		8:30		8:00		10:00		26 Dec 75		NEIGHBORS																
IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN				FILTERS				REMARKS														
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL	PLAY BACK	TIME	SIZE	TOP		NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	S.P. OFFSET	SEIS DEPTH	COP SWITCH	SETUP	SAMPLE RATE MS			RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)						FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH	
								1	2										4	1-4/24	5-8				9-12	13-16	17-20	21-24	FREQ.	SLOPE					IN	OUT		
67	Z9	6780	157	29A	RAW		100	25	705	2		N		10					4	6			AGC	42	42	42	42	30	18	90	MED	572	124	8	36			

SEISMOMETER AND SPREAD INFORMATION						
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN

SHOT CONFIGURATION	

DFS III SYSTEM PARAMETERS:

GAIN CONSTANT \_\_\_\_\_ DB

UPPER SET LIMIT \_\_\_\_\_ %

LOWER SET LIMIT \_\_\_\_\_ %

FORMAT TYPE:

9 TRACK  21 TRACK

GALVO LEVEL:

1-24 \_\_\_\_\_ DB AUX \_\_\_\_\_ DB

OTHER:

MISCELLANEOUS INFORMATION: