


IDENTIFICATION		SHOT		SPREAD		TAPE		GAIN								FILTERS			REMARKS																	
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SIZE	TOP BOT	NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	S.E.I.S. OFFSET	S.E.I.S. DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE		INITIAL GAIN (DB)								RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT FREQ.	SLOPE	NOTCH IN	NOTCH OUT		
																				1-4 24 5-8 9-12 13-16 17-20 21-24																
76	1	514400	014	1150	60/75	2			S				11	1	✓	6		OPER.	42	46	54	60	60	60	90	PAST	608	124	8	36			#14-DEAD.			
	2		015	1150	60/75	2							15																			10 - "				
	3		016	1150	60/75	2							19																			6 - "				
	4		017	1150	60/75	2							13																			2 - "				
	5		020	1150	60/75	2							17																							
	6		021	1150	60/75	2							21																							
	7		022	1150	60/75	2							25																							
	8		023	1150	60/75	2							29																							

WAITING ON DRILL (1) - 3 DOWN

SEISMOMETER AND SPREAD INFORMATION

CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN
	10r	9	25'	INLINE.	330'	48 GEA SPLIT 600%

SHOT CONFIGURATION



DPS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB  
 UPPER SET LIMIT 025 %  
 LOWER SET LIMIT 18 %  
 FORMAT TYPE: T1AC  
 9 TRACK  24 TRACK  
 GALVO LEVEL:  
 1-24 21 DB AUX 21 DB  
 OTHER: ..


MISCELLANEOUS INFORMATION:

F-001 W/OUES  
 F-02-11 DRD.  
 F-012 FILTER PULSE  
 F-013 TTB

CLIENT: U.S.N. PARTY NO: 182 PROSPECT: N.P.R.-4 COUNTY: NORTH SLOPE STATE: ALASKA COUNTRY: USA LEFT STORAGE: 07:00 ARRIVED FIELD: 07:30 LEFT FIELD: 20:00 ARRIVED STORAGE: 21:00 DATE: 4-29-75 OBSERVER: Dorosh. PAGE: 10/2

LINE	PROFILE	IDENTIFICATION		SHOT CAL	PLAY BACK	TIME	SIZE	SHOT		NO CAPS	CODE	S.P. OFFSET	SPREAD				TAPE				GAIN						FILTERS			REMARKS				
		REEL NUMBER	FILE NUMBER					TOP	BOT				NO. 1 DIR.	S. P. SEIS. OFFSET	NO. 2 DIR.	NO. 3 DIR.	NO. 4 DIR.	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)						FINAL GAIN DB	RELEASE RATE	TRIP DELAY		HIGH CUT FREQ.	LOW CUT	NOTCH	
76	34	828 827	102				1X50	60/75	2		S					1	1	✓	6	OPER.	42	48	54	60	60	60	90	FAST	60B	124	S	36		
	35		103				1X50	60/75	2																									
	36		104				1X50	60/75	2																									
	37		105				1X50	60/75	2																									
	38		106				1X50	60/75	2																									
	39		107				1X50	60/75	2																									
	40		110				1X50	60/75	2																									
TAPE CHANGE																																		
	41	828 827	111				1X50	60/75	2																									
	42		112				1X50	60/75	2																									
	43		113				1X50	60/75	2																									
	44		114				1X50	60/75	2																									
	45		115				1X50	60/75	2																									
	46		116				1X50	60/75	2																									
	47		117				1X50	60/75	2																									
	48		120				1X50	60/75	2																									
	49		121				1X50	60/75	2																									
	50		122				1X50	60/75	2																									
	51		123				1X50	60/75	2																									
	52		124				1X60	60/75	2																									
	53		125				1X35	65/75	2			35' N																						
	54		126				1X60	60/75	2																									
	55		127				1X35	65/75	2																									
	56		130				1X60	60/75	2																									
	57		131				1X35	65/75	2																									
	58		132				1X60	60/75	2			1000' W																						
	59		133				1X35	65/75	2																									

SEISMOMETER AND SPREAD INFORMATION						
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN
102	9	25'	INLINE (200')	330'	48 GRP SPLIT	600' N



DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB

UPPER SET LIMIT 625 %

LOWER SET LIMIT 18 %

FORMAT TYPE: TIAL

9 TRACK  24 TRACK

GALVO LEVEL:

1-24 21 DB AUX 21 DB

OTHER:

MISCELLANEOUS INFORMATION:

F-070-077 DRD


F-100 FILTER PULSE

F-101 TTB

CLIENT U.S.N.	PARTY NO. 182	PROSPECT NPL-4	COUNTY NORTH SLOPE	STATE ALASKA	COUNTRY USA	LEFT STORAGE 07:00	ARRIVED FIELD 08:30	LEFT FIELD 17:30	ARRIVED STORAGE 18:00	DATE 4-28-75	OBSERVER DOROSH	PAGE 10/1
------------------	------------------	-------------------	-----------------------	-----------------	----------------	-----------------------	------------------------	---------------------	--------------------------	-----------------	--------------------	--------------

LINE	PROFILE	IDENTIFICATION		SHOT CAL	PLAY BACK	TIME	SHOT		NO CAPS	CODE	S.P. OFFSET	SPREAD				SETUP	TAPE			GAIN						FILTERS		REMARKS					
		REEL NUMBER	FILE NUMBER				SIZE	TOP				NO. 1 DIR.	CODE	S. 1/2 S. 3/4	1/4		3/8	1/2	3/4	MODE	1-4 24	5-8	9-12	13-16	17-20	21-24	FINAL GAIN DB		RELEASE RATE	TRIP DELAY	HIGH CUT FREQ	LOW CUT	NOTCH
		1	2				4	1				2	4	1	2		4	1	2	4	1	2	4	1	2	4	1		2	4	1	2	IN
96	9	037	037	1150	60/75	2				S					1	6	OPER	42	48	54	60	60	60	60	90	FAST	608	124	8	36			
	10	040	040	1150	60/75	2																											
	11	041	041	1150	60/75	2																											
	12	042	042	1150	60/75	2																											
	13	043	043	1150	60/75	2																											
	14	044	044	1150	60/75	2																											
	15	045	045	1150	60/75	2																											
	16	046	046	1150	60/75	2																											
	17	047	047	1150	60/75	2																											
TAPE CHANGE.		050	050	1150	60/75	2																											
	18	050	050	1150	60/75	2																											
	19	051	051	1150	60/75	2																											
	20	052	052	1150	60/75	2																											
	21	053	053	1150	60/75	2																											
	22	054	054	1150	60/75	2																											
	23	055	055	1150	60/75	2																											
	24	056	056	1150	60/75	2																											
	25	057	057	1150	60/75	2																											
	26	060	060	1150	60/75	2																											
	27	061	061	1175	15/25	2				SUN																							
	28	062	062	1150	60/75	2																											
	29	063	063	1150	60/75	2																											
	30	064	064	1150	60/75	2																											
	31	065	065	1150	60/75	2																											
	32	066	066	1150	60/75	2																											
	33	067	067	1150	60/75	2																											

SEISMOMETER AND SPREAD INFORMATION					
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	SPREAD PATTERN
102	9	25'	INLINE	330'	48 GPR SPLIT 600%



DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB

UPPER SET LIMIT 675 %

LOWER SET LIMIT 18 %

FORMAT TYPE: T1AC

9 TRACK  24 TRACK

GALVO LEVEL:

1-24 21 DB AUX 21 DB

OTHER:

MISCELLANEOUS INFORMATION:

F-025-034 DRD.


F-035 FILTER PULSE.

F-036 TTB.



IDENTIFICATION		SHOT		SPREAD		TAPE		GAIN		FILTERS		REMARKS																
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SIZE	TOP BOT	NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	S.E.I.S. OFFSET		S.E.I.S. DEPTH	GDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)	FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT FREQ.	SLOPE	NOTCH IN	NOTCH OUT
76	1	514400	014	1150	60/75	2			S				11	1	✓	6			OPER.	42 46 54 60 60 60	90	PAST	608	124	8	36		#14-DEAD.
	2		015	1150	60/75	2							15															10 - "
	3		016	1150	60/75	2							19															6 - "
	4		017	1150	60/75	2							13															2 - "
	5		020	1150	60/75	2							17							WAITING ON DRILL (1) - 3 DOWN								
	6		021	1150	60/75	2							21															
	7		022	1150	60/75	2							25															
	8		023	1150	60/75	2							29															

SEISMOMETER AND SPREAD INFORMATION						
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN
	10r	9	25'	INLINE.	330'	48 GEA SPLIT 600%



DPS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB  
 UPPER SET LIMIT 0.25 %  
 LOWER SET LIMIT 18 %  
 FORMAT TYPE: T1AC  
 9 TRACK  12 TRACK  
 GALVO LEVEL:  
 1-24 21 DB AUX 21 DB  
 OTHER: ..

MISCELLANEOUS INFORMATION:

F-001 W/QUES  
 F-02-11 DRD.  
 F-012 FILTER PULSE  
 F-013 TTB