



CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																					
US NAVY		1186	NPR 4	North slope	Alaska	USA	7:30 AM	8:30 AM	4:30 AM	10:00 AM	2-12-76	R.H. Sherwood	1 of																					
IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN				FILTERS				REMARKS										
LINE	PROFILE	REEL NUMBER	FILE NUMBER	PLAY BACK	TIME	SIZE	TOP BOT.	NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	S.P. SEIS. OFFSET	SEIS. DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)				FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH			
127		27609											10'				1 2 4	60		ASC	1-4/24	5-8	9-12	13-16	17-20	21-24	70	Fast	640	124	8	36	Out	WEATHER DRY

CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN

--

DFS III SYSTEM PARAMETERS:  
 GAIN CONSTANT 30 DB  
 UPPER SET LIMIT 62.5 %  
 LOWER SET LIMIT 18 %  
 FORMAT TYPE:  
 9 TRACK  21 TRACK  
 GALVO LEVEL:  
 1-24 18 DB AUX 15 DB  
 OTHER:

MISCELLANEOUS INFORMATION:



CLIENT		PARTY NO	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																								
NAVY		N86	NPR-4		ALASKA	U.S.A	7:00 AM	8:45 AM	11:50 AM		2/11/76	R. H. Sherwood	1 of 1																								
IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN				FILTERS		REMARKS															
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL	PLAY BACK	TIME	SIZE	TOP BOT	NO CAPS	CODE	SP. OFFSET	NO. 1 DIR	CODE	R SEIS OFFSET	SEIS DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE		INITIAL GAIN (DB)						FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH		
																		1	2	4			1-4/24	5-8	9-12	13-16	17-20	21-24				FREQ.	SLOPE	IN	OUT		
1270	46	612601	0124	1A		10:50	50	60/75	2			N		10'		1/1	52	✓	6		AGC	48/30	48/30	48/48	48/48	30/48	30/48	90	FAST	640	124	8	36	OUT	WAITING ON CHAINING		
	47		0125	2A		11:10	50	60/75	2							1/5																					CREW + RIGS 36 below
	48		0126	3A		11:20	50	60/75	2							1/9																				15 MPH WIND.	
	49		0127	4A		11:30	50	60/75	2							1/13																				(Weak charges) Inc 48 Dead wait on chaining crew. unable to continue shooting no hole wind 25 mph 36 below zero.	

SEISMOMETER AND SPREAD INFORMATION						SHOT CONFIGURATION	
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN	

DFS III SYSTEM PARAMETERS:	
GAIN CONSTANT	30 DB
UPPER SET LIMIT	65.5 %
LOWER SET LIMIT	18 %
FORMAT TYPE:	<input type="checkbox"/> 9 TRACK <input checked="" type="checkbox"/> 21 TRACK
GALVO LEVEL:	
1-24	18 DB AUX 15 DB
OTHER:	

MISCELLANEOUS INFORMATION:

Geophones very hard to handle due to gelcol,

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																						
NAVY		1186	NPR 4	North Slope	ALASKA	USA	7:00	7:30	7:25	8:00	2-10-76	R. Sheewood & Robert	1 of 2																						
LINE	PROFILE	IDENTIFICATION		SHOT CAL	PLAY BACK	TIME	SIZE	SHOT		NO CAPS	CODE	S.P. OFFSET	NO. DIR.	CODE	SPREAD		CDP SWITCH	SETUP	TAPE		PARITY ERRORS	MODE	GAIN						RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH IN/OUT	REMARKS
		REEL NUMBER	FILE NUMBER					TOP	BOT						S. SEIS. OFFSET	SEIS. DEPTH			SAMPLE RATE MS	RECORD LENGTH			INITIAL GAIN (DB)	FINAL GAIN DB	FREQ.	SLOPE									

SEISMOMETER AND SPREAD INFORMATION						
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN

SHOT CONFIGURATION	

DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB

UPPER SET LIMIT 65.5 %

LOWER SET LIMIT 18 %

FORMAT TYPE:

9 TRACK  21 TRACK

GALVO LEVEL:

1-24 18 DB AUX 5 DB

OTHER:

MISCELLANEOUS INFORMATION:

SP# 32-34 wet

NO 4. H.  
NO 4. H.  
NO 4P. H. here  
Repaired up hole J  
NO 4P. H. here

Waiting on Top Drive Rig

waiting on Top Drive

Hole Blew

new tape # 672609

Record # 101 Pulse Test

CLIENT		PARTY NO.		PROSPECT		COUNTY		STATE		COUNTRY		LEFT STORAGE		ARRIVED FIELD		LEFT FIELD		ARRIVED STORAGE		DATE		OBSERVER		PAGE												
US NAVY		1186		NPR 4		North Slope		ALASKA		USA		700		810		7:10 P.M.		8:00 P.M.		2-13-76		R Sherwood & Chace		1 of 1												
LINE	PROFILE	IDENTIFICATION		SHOT CAL.	PLAY BACK	TIME	SIZE	SHOT		NO. CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	SPREAD		TAPE		GAIN						FILTERS		REMARKS									
		REEL NUMBER	FILE NUMBER					TOP	BOT.						S.C. SEIS. OFFSET	SEIS. DEPTH	COP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)						FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT FREQ.	SLOPE	NOTCH IN	OUT
		1-47 24	5-8	9-12	13-16	17-20	21-24							1	2	4																				
127	50	672609	143	1 <sup>A</sup>		10:00	50	60	75	2			N		10'	1	56	✓	6500	AGC	48	48	48	48	36	30	90	FAST	640	124	8	36	out	to 142 tests, Record no. 130		
	51		144	2 <sup>A</sup>		10:10	50	60	75	2																							trace #14 & 11 Dead			
	52		145	3 <sup>A</sup>		10:15	50	60	75	2																							trace #10 Dead			
	53		146	4 <sup>A</sup>		10:25	50	60	75	2																							trace #6 Dead			
	54		147	5 <sup>A</sup>		10:35	50	60	75	2																							trace #2 Dead			
	55		150	6 <sup>A</sup>		10:45	50	60	75	2																										
	56		151	7 <sup>A</sup>		11:20	50	60	75	2																										
	57		152	8 <sup>A</sup>		11:30	50	45	60	2																								no up Hole		
	58		153	9 <sup>A</sup>		1:15	50	60	75	2																								Camera trouble, Bad Pump		
	59		154	10 <sup>A</sup>		1:25	50	55	70	2																								NO up Hole on shot point 59		
	60		155	11 <sup>A</sup>		1:35	50	60	75	2																								no monitor Records from 59 to tower Pump		
	61		156	12 <sup>A</sup>		1:45	50	40	60	2																										
	62		157	13 <sup>A</sup>		1:55	50			2																									seized in camera	
	63		160	14 <sup>A</sup>		3:40	50	40	60	2																									water on top Drive Rig.	
	64		161	15 <sup>A</sup>		3:45	50	40	60	2																										
	65		162	16 <sup>A</sup>		4:00	50	40	60	2																										Shot Point 65 skip
	67		163	17 <sup>A</sup>		4:05	50			2																										
	68		164	18 <sup>A</sup>		4:15	50			2																										
	69		165	19 <sup>A</sup>		4:25	50			2																										
	70		166	20 <sup>A</sup>		5:15	50			2																										
	71		167	21 <sup>A</sup>		5:30	50			2																										
	72		170	22 <sup>A</sup>		5:40	50			2																										
	73		171	23 <sup>A</sup>		6:30	50			2																										
	74		172	24 <sup>A</sup>		6:35	50			2																										
	75		173	25 <sup>A</sup>		6:45	50			2																										
	76		174	26 <sup>A</sup>		6:50	50			2																										
	77		175	27 <sup>A</sup>		7:00	50			2																										

SEISMOMETER AND SPREAD INFORMATION				
CODE	SEIS. TYPE	NO./GP.	INT.	SPREAD PATTERN

SHOT CONFIGURATION	
GP. INT.	SPREAD PATTERN

DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB

UPPER SET LIMIT 65.5 %

LOWER SET LIMIT 19 %

FORMAT TYPE:

9 TRACK  21 TRACK

GALVO LEVEL:

1-24 18 DB AUX 15 DB

OTHER:

MISCELLANEOUS INFORMATION:

no up Holes on some shot points

Due to long offsets of Holes



CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																						
NAVY		1196	NPR-4		ALASKA	U.S.A	7:00 AM	9:00 AM	8:20	9:30	2/14/76	R.H. Sherwood	2																						
IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN				FILTERS			REMARKS												
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL.	PLAY BACK	TIME	SIZE	TOP BOT.	NO CAPS	CODE	S.P. OFFSET	NO. DIR.	CODE	S.P. SEIS. OFFSET	SEIS. DEPT.	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)					FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT FREQ.	SLOPE	NOTCH IN/OUT		
127	106	672610	246	29 A		5:30	50	60/75	2		110' N	N		30'		1/21	107	✓	6		AGC	1-4/24	5-8/48	9-12/48	13-18/48	19-20/48	21-24/48	30/30	90	FAST	640	124	8	30	OUT
	107		247	30 A		5:50	50	60/75	2							1/25																			
	108		250	31 A		6:05	50	60/75	2							1/29																			
	109		251	32 A		6:15	50	60/75	2							1/33																			
	110		252	33 A		7:00	50	60/75	2							1/5	115																	Instrument move.	
	111		253	34 A		7:15	50	60/75	2							1/9																			
	112		254	35 A		7:25	50	60/75	1					40'		1/13																			
	113		255	36 A		7:35	50	60/75	2					35'		1/17																			
	114		256	37 A		7:45	50	60/75	2					45'		1/21																			
	115		257	38 A		7:55	50	60/75	2					35'		1/25																			
	116		260	39 A		8:05	50	60/75	2					50'		1/29																			
	117		261	40 A		8:15	50	60/75	2					50'		1/33																			

SEISMOMETER AND SPREAD INFORMATION						SHOT CONFIGURATION		DFS III SYSTEM PARAMETERS:		MISCELLANEOUS INFORMATION:	
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN					
									GAIN CONSTANT	30	DB
									UPPER SET LIMIT	68.5	%
									LOWER SET LIMIT	18	%
									FORMAT TYPE:		
									<input type="checkbox"/> 9 TRACK	<input checked="" type="checkbox"/> 21 TRACK	
									GALVO LEVEL:		
									1-24	18	DB
									AUX	15	DB
									OTHER:		



RECORDER FIELD DATA TI-13238-A

CLIENT		PARTY NO	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																					
NAVY		118C	NPR-4		ALASKA	U.S.A	7:00 AM	7:35 AM	7:00 PM	8:30	2/15/76	R.H. Shearwood	1																					
LINE	PROFILE	IDENTIFICATION		SHOT CAL.	PLAY BACK	TIME	SIZE	SHOT		NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	SPREAD		CDP SWITCH	SETUP	TAPE		MODE	GAIN					FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	FILTERS		NOTCH IN/OUT	REMARKS
		REEL NUMBER	FILE NUMBER					TOP BOT.	SPREAD						RECORD LENGTH	PARITY ERRORS			INITIAL GAIN (DB)	1-47 24		5-8	9-12	13-16	17-20	21-24					LOW CUT FREQ.	SLOPE		

SEISMOMETER AND SPREAD INFORMATION						
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN

SHOT CONFIGURATION	

DFS III SYSTEM PARAMETERS:  
 GAIN CONSTANT 30 DB  
 UPPER SET LIMIT 62.5 %  
 LOWER SET LIMIT 18 %  
 FORMAT TYPE:  
 9 TRACK  21 TRACK  
 GALVO LEVEL:  
 1-24 18 DB AUX 15 DB  
 OTHER:

MISCELLANEOUS INFORMATION:

Remarks:  
 Daily Tests 262 - 274  
 waiting on rig  
 Instrument move  
 Instrument move  
 waiting on rig  
 file # 312 to see all ones  
 waiting on rig  
 Instrument move  
 Cable trouble.

CLIENT		PARTY NO	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																						
NAVY		1186	NPP-H		ALASKA		700'	7:35 AM	7:00 AM	8:30	2/15/76	R.H. SHERWOOD	2-2																						
IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN				FILTERS			REMARKS												
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL.	PLAY BACK	TIME	SIZE	TOP BOT.	NO CAPS	CODE	S.P. OFFSET	NO. DIR.	CODE	S.P. OFFSET	SEIS. DEPTH	COP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)					FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH		
																						1-24		5-8	9-12	13-16					17-20	21-24	FREQ.	SLOPE	IN

SEISMOMETER AND SPREAD INFORMATION						SHOT CONFIGURATION	
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN	

DFS III SYSTEM PARAMETERS:	
GAIN CONSTANT	36 DB
UPPER SET LIMIT	62-5 %
LOWER SET LIMIT	18 %
FORMAT TYPE:	
<input type="checkbox"/> 9 TRACK	<input checked="" type="checkbox"/> 21 TRACK
GALVO LEVEL:	
1-24	18 DB AUX 15 DB
OTHER:	

MISCELLANEOUS INFORMATION:	
Instrument move -	
caught Rigs	

CLIENT		PARTY NO.		PROSPECT		COUNTY		STATE		COUNTRY		DATE		TIME		OPERATOR																				
NAVY		1186		NPR-4				ALASKA		U.S.A.		7:00 AM		9:30		R.H. Sheppard																				
LINE	PROFILE	IDENTIFICATION		SHOT CAL.	PLAY BACK	TIME	SIZE	SHOT		NO. CAPS	CODE	S.P. OFFSET	NO. DIR.	CODE	SPREAD		COP SWITCH	SETUP	TAPE				MODE	GAIN					FILTERS			REMARKS				
		REEL NUMBER	FILE NUMBER					TOP	BOT.						0	1			2	4	1-4/24	5-8		9-12	13-16	17-20	21-24	FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.		LOW CUT FREQ.	SLOPE	NOTCH IN	OUT
127	151	672611	352	1A		11:45	80	60/15	2				VU		10'	1/5	156		4	6	ACC	48	48	48	48	48	30	90	FAST	640	124	8	36	OUT	45° below 15 to 20 MPH wind waiting on chaining crew and rig	
	152		353	2A		12:00	80	60/15	2							1/9																				
	153		354	3A		12:10	50	60/15	2			165' N		50'		1/13																				
	154		355	4A		12:20	50	60/15	2							1/17																			waiting on rig +	
	155		356	5A		1:15	50	60/15	2							1/21																				
	156		357	6A		1:40	50	60/15	2							1/25																				
	157		360	7A		1:50	180	60/90	2							1/29																				
	158		361	8A		2:05	100	60/90	2							1/33																				
	159		362			3:15	100	60/90	2							1/5	164																			Premature shot
	160	363	364	9A		3:30	100	60/90	2							1/9																				
	161	364	365	10A			100	60/90	2			165'				1/8																				waiting on chaining crew
	162															1/7																				stopped production no holes standing by on line

SEISMOMETER AND SPREAD INFORMATION

CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN

SHOT CONFIGURATION

--	--	--	--	--	--	--

DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB  
 UPPER SET LIMIT 62.5 %  
 LOWER SET LIMIT 18 %  
 FORMAT TYPE:  
 9 TRACK  12 TRACK  
 GALVO LEVEL:  
 1-24 18 DB AUX 15 DB  
 OTHER:

MISCELLANEOUS INFORMATION:

--	--	--	--





CLIENT US NAVY PARTY NO. 186 PROSPECT NPR 4 COUNTY n slope STATE Alaska COUNTRY USA LEFT STORAGE 7 ARRIVED FIELD 9 LEFT FIELD 3:00 ARRIVED STORAGE 12:00 DATE 2-21-76 OBSERVER R WEIR PAGE 1 of 1

LINE	PROFILE	IDENTIFICATION		SHOT	PLAY BACK	TIME	SIZE	SHOT		NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	SPREAD		CDP SWITCH	SETUP	TAPE		PARITY ERRORS	MODE	GAIN						RELEASE RATE	TRIP DELAY	FILTERS		NOTCH IN/OUT	REMARKS	
		REEL NUMBER	FILE NUMBER					TOP	BOT.					SEIS. OFFSET	SEIS. DEPTH			SAMPLE RATE MS	RECORD LENGTH			INITIAL GAIN (DB)								FINAL GAIN DB	HIGH CUT FREQ.			LOW CUT
		1	2					1	2					3	4			1-4/24	5-8			9-12	13-16	17-20	21-24	FREQ.	SLOPE							
127	190	<del>442</del> 443	443	1 <sup>A</sup>	RAW	9:30	100	55/90	2			N	10'		1	V	6 sec	ACC			48	48	48	48	48	48	90	Fast	690	24	18	36	cut	<p>WIND Gustang</p> <p>Trace # 46 Dead</p> <p>Trace # 48 "</p> <p>File # 450 machine</p> <p>writing on jug 5</p> <p>Repeating up here line</p> <p>last shot on line 127</p>
	191		444	2 <sup>A</sup>	DPB	9:40	100	55/90	2																									
	192		445	3 <sup>A</sup>	RAW	9:50	100	55/90	2																									
	193		446	4 <sup>A</sup>	DPB	10:05	100	55/90	2																									
	194		447	5 <sup>A</sup>	DPB	10:15	100	55/90	2																									
	195		450	6 <sup>A</sup>	RAW	10:35	100	55/90	2		30"		30"																					
	196		452	7 <sup>A</sup>	DPB	11:10	100	55/90	2																									
	197		453	8 <sup>A</sup>	RAW	11:20	100	55/90	2																									
	198		454	9 <sup>A</sup>		11:30	100	55/90	2																									
	199		455	10 <sup>A</sup>		11:40	100	55/90	2																									
	200		456	11 <sup>A</sup>		11:50	100	55/90	2																									
	200		457	12 <sup>A</sup>	DPB	12:00	100	55/90	2																									
	202		460	13 <sup>A</sup>		12:10	100	55/90	2																									

COMPLETE PICKUP & MOVE TO OTHER LINE  
ONE JUG TRUCK BROKE DOWN FOR 2 HOURS

SEISMOMETER AND SPREAD INFORMATION						SHOT CONFIGURATION		DFS III SYSTEM PARAMETERS:		MISCELLANEOUS INFORMATION:	
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN					
									GAIN CONSTANT	30 DB	
									UPPER SET LIMIT	62.5 %	
									LOWER SET LIMIT	18 %	
									FORMAT TYPE:		
									<input type="checkbox"/> 9 TRACK	<input checked="" type="checkbox"/> 21 TRACK	
									GALVO LEVEL:		
									1-40 15 DB	AUX. 18 DB	
									OTHER:		



CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																		
NAVY		1186	NPR-4	NORTH SPOK	ALASKA	USA	7:00	8:00			4/27/76	R. WEIR	1 of 2																		
LINE	PROFILE	IDENTIFICATION		SHOT CAL	PLAY BACK	TIME	SIZE	SHOT		NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	SPREAD		CDP SWITCH	SETUP	TAPE				GAIN						FILTERS		REMARKS
		REEL NUMBER	FILE NUMBER					TOP	BOT						SAMPLE RATE MS	RECORD LENGTH			PARITY ERRORS	MODE	1-4	5-8	9-12	13-16	17-20	21-24	FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	

SEISMOMETER AND SPREAD INFORMATION					
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.

SHOT CONFIGURATION	

DFS III SYSTEM PARAMETERS:  
 GAIN CONSTANT 30 DB  
 UPPER SET LIMIT 62.5 %  
 LOWER SET LIMIT 18 %  
 FORMAT TYPE:  
 9 TRACK  21 TRACK  
 GALVO LEVEL:  
 1-4 18 DB AUX 15 DB  
 OTHER:

MISCELLANEOUS INFORMATION:  
 \*1 DEAD

127	300	62166	063	1A	RAW	8:30	105	85/90	2				5	10'	1/5	1	✓	6500	AGL	12	18	48	18	42	42	42	36	18	90	Fast	256	129	8	36	out	(2 DRILLS IN FIELD)
299			064	2A	RAW	9:25	105	85/90	2																											W.O.D.
298			065	3A		10:20	105	85/90	2																											W.O.D.
297			066	4A		10:25	105	85/90	2																											
296			067	5A		11:00	105	85/90	2																											"31 DEAD
295			070	6A	DAB	11:05	105	85/90	2																											
294			071	7A	RAW	11:10	105	85/90	2																											
293			072	8A		11:35	105	85/90	2																											W.O.D.
292			073	9A		12:05	105	85/90	2																											W.O.D.
291			074	10A		12:20	105	85/90	2																											
290			075	11A		1:00	105	85/90	2																											W.O.D.
289			076	12A		1:10	105	85/90	2																											
288			077	13A		2:15	105	85/90	2																											W.O.D UP-HOLE DEAD
287			100	14A		2:30	105	85/90	2																											
286			101	15A		2:35	105	85/90	2																											
285	17267		102	16A		2:55	105	85/90	2																											
284			103	17A		3:05	105	85/90	2																											GETTING WINDY
283			104	18A		3:20	105	85/90	2																											
282			105	19A		3:35	105	85/90	2																											
281			106	20A		3:50	105	85/90	2																											
280			107	21A		4:20	105	85/90	2																											
279			110	22A		4:30	105	85/90	2																											
278			111	23A		4:40	105	85/90	2																											
277			112	24A		5:00	105	85/90	2																											
276			113	25A		5:10	105	85/90	2																											
275			114	26A		5:25	105	85/90	2																											
274			115	27A		5:35	105	85/90	2																											
273			116	28A			105	85/90	2																											

7  
17  
20







CLIENT		PARTY NO	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																	
Navy		1186	NPR-4	North Star	Alaska	USA	7:00	8:00			4/23/66	R. Weir	2 of 3																	
LINE	IDENTIFICATION			SHOT	PLAY BACK	TIME	SIZE	TOP	NO CAPS	CODE	SPREAD				TAPE		GAIN					FILTERS		REMARKS						
	PROFILE	REEL NUMBER	FILE NUMBER								CAL	S.P. OFFSET	NO. DIR.	CODE	SEIS. OFFSET	SEIS. DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)					FINAL GAIN DB	RELEASE RATE	TRIP DELAY
127	230	62668	204	29A	RAW	3:05	105	85/90	2		5	10	1/2	4	✓	6sec	AGC	SAME					90	Fast	.512	100	8	36	and	AIRPLANE ON SACRED #1-6 NOISY UP-HOLE DEAD
	231		205	30A		3:15	105	85/90	2																					
	230		206	31A		3:25	105	85/90	2																					
	229		207	32A		4:00	105	85/90	2																					
	228		210	33A		4:05	105	85/90	2																					
	227		211	34A		4:15	105	85/90	2																					
	226		212	35A		4:20	105	85/90	2																					
	225		213	36A		4:25	105	85/90	2																					
	224		214	37A		4:35	105	85/90	2																					
	223		215	38A		4:40	105	85/90	2																					
	222		216	39A		4:45	105	85/90	2																					
	221		217	40A		5:30	105	85/90	2																					
	220		220	41A		5:40	105	85/90	2																					
	219		221	42A		5:50	105	85/90	2																					
	218		222	43A		6:00	105	85/90	2																					
	217		223	44A		6:10	105	85/90	2																					
	216		224	45A		6:20	105	85/90	2																					
	215		225	46A	MANIP	6:30	105	85/90	2																					
	214		226	47A	✓	6:35	105	85/90	2																					
	213		227	48A	RAW	6:40	105	85/90	2																					
	212		230	49A		7:45	105	85/90	2																					
	211		231	50A		8:00	105	85/90	2																					
	210		232	51A		8:10	105	85/90	2																					
	209		233	52A		8:25	105	85/90	2																					
	208		234	53A		8:40	105	85/90	2																					
	207		235	54A		8:50	105	85/90	2																					
	206		236	55A		9:10	105	85/90	2																					
	205		237	56A		9:25	105	85/90	2																					

SEISMOMETER AND SPREAD INFORMATION						SHOT CONFIGURATION	
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN	
						Tying Into <del>Bottom</del> END of Line 127 * 1320' → * 1320' → * 475' → * 1320' → S.P. * 203 XXXX 202B XXXX 202A X 202 XXXX 201 ONLY 1 group BETWEEN S.P. * 202A & 202 SO WE DROPPED 3 EMPTY TAKEOUTS BETWEEN THOSE S.P.'S TO MAKE CABLE COME OUT RIGHT	

GAIN CONSTANT 30 DB  
 UPPER SET LIMIT 62.5 %  
 LOWER SET LIMIT 1.8 %  
 FORMAT TYPE:  
 9 TRACK  21 TRACK  
 GALVO LEVEL:  
 1.0 18 DB AUX 15 DB  
 OTHER:

MISCELLANEOUS INFORMATION:  
 #45-48 DEAD  
 #46 & 48 DEAD  
 #42 to 44 DEAD  
 CABLE DELAY  
 NOTE SHOT CONFIGURATION.

CLIENT Navy PARTY NO 1186 PROSPECT NPR-4 COUNTY North Slope STATE Alaska COUNTRY USA LEFT STORAGE 7:00 ARRIVED FIELD 8:00 LEFT FIELD  ARRIVED STORAGE  DATE 4/28/76 OBSERVER R. W. G. R. PAGE 3 of 3

LINE	PROFILE	IDENTIFICATION		SHOT CAL	PLAY BACK	TIME	SHOT		NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	SPREAD			SEIS DEPTH	CDP SWITCH	SETUP	TAPE			MODE	GAIN								FILTERS		REMARKS
		REEL NUMBER	FILE NUMBER				SIZE	TOP						NO. 2 DIR.	NO. 3 DIR.	SEIS. OFFSET				RECORD LENGTH	PARITY ERRORS	INITIAL GAIN (DB)								LOW CUT	NOTCH			
								BOF														1		2	4	1-4/24	5-8	9-12	13-16	17-20	21-24	FINAL GAIN DB	RELEASE RATE	
127	204	47146B	240	57A	RAW	9:35	105	85'	2		5	10'		139	7	1	6300	AGG	SAME	90	129	8	36	out			NOTE SEIS COVER URATION ON PAGE 2 of 2 * 96 DEAD * 92 "							
	203		241	58A		9:45	105	85'	2																									
	201B		242	59A		10:00	105	85'	2																									
	202A		243	60A		10:10	105	85'	2																									
										COMPLETED LINE * 127																								

SEISMOMETER AND SPREAD INFORMATION						
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN

SHOT CONFIGURATION	

DFS III SYSTEM PARAMETERS:  
 GAIN CONSTANT 30 DB  
 UPPER SET LIMIT 62.5 %  
 LOWER SET LIMIT 18 %  
 FORMAT TYPE:  
 9 TRACK  21 TRACK  
 GALVO LEVEL:  
 L 18 DB AUX 15 DB  
 OTHER:

MISCELLANEOUS INFORMATION: