

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																						
NRVY		186	NPP-4		ARIZONA	U.S.A.	12:30	2:00	7:30	8:30	2/29/66	R. New																							
LINE	PROFILE	IDENTIFICATION		SHOT	PLAY BACK	TIME	SIZE	SPREAD		NO. CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	S.P. SEIS. OFFSET	SEIS. DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	GAIN					FILTERS		NOTCH IN/OUT	REMARKS				
		FILE NUMBER	REEL NUMBER					INITIAL GAIN (DB)	FINAL GAIN DB														RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT FREQ.	SLOPE								
12B	1	004	204	1A	RAW	4:10	50	60'	75'	2		5	10'				1/9	1	✓	6sec		ACC	18	42	48	48	90	135	168	129	8	36	ant.	1-8 DEND USED FOR TESTS.	
	2	005		2A	RAW	4:20	50	60'	75'	2							1/9																		
	3	006		3A		4:30	50	60'	75'	2							1/9																		
	4	007		4A		4:40	50	60'	75'	2							1/9																		
	5	010		5A		4:45	50	60'	75'	2							1/9																		
	6	011		6A		4:50	50	60'	75'	2							1/9																		
	7	012		7A		5:00	50	60'	75'	2							1/9																		
	8	013		8A		5:10	50	60'	75'	2							1/9																		
	9	014		9A		5:20	50	60'	75'	2							1/9																		
	10	016		10A		5:25	50	60'	75'	2							1/9																		
	11	019		11A		6:00	50	60'	75'	2							1/9																		
	12	020		12A		6:10	50	60'	75'	2							1/9																		
	13	020		13A		6:20	50	60'	75'	2							1/9																		
	14	022		14A		6:30	50	60'	75'	2							1/9																		
	15	023		15A		6:40	50	60'	75'	2							1/9																		
	16	024		16A		6:50	50	60'	75'	2							1/9																		
	17	025		17A		7:00	50	60'	75'	2							1/9																		
	18	026		18A		7:15	50	60'	75'	2							1/9																		
	19	027		19A		7:30	50	60'	75'	2							1/9																		

CDP wrong (HECK)

* No File 015

SEISMOMETER AND SPREAD INFORMATION					
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	SPREAD PATTERN

SHOT CONFIGURATION	

DFS III SYSTEM PARAMETERS:
 GAIN CONSTANT 30 DB
 UPPER SET LIMIT 62.5 %
 LOWER SET LIMIT 18 %
 FORMAT TYPE:
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1.38 DB AUX 15 DB
 OTHER:

MISCELLANEOUS INFORMATION:
 7:00-12:30 ~~PAUSE~~ WORKED ON
 Jugs & SERVICED TRUCK.
 WAITING ON DRILLS &
 SURVEYORS

NAVY

PARTY NO. 186

PROSPECT NPR-4

COUNTY

STATE ALASKA

COUNTRY USA

LEFT 7:00

ARRIVED FIELD 8:00

LEFT FIELD

ARRIVED STORAGE

DATE 3/1/76

OBSERVER R. Wein

PAGE 1 of 2

LINE	PROFILE	IDENTIFICATION		SHOT CAL	PLAY BACK	TIME	SIZE	SHOT		NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	SPREAD		CDP SWITCH	SETUP	TAPE				MODE	GAIN					RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	FILTERS		NOTCH IN/OUT	REMARKS
		REEL NUMBER	FILE NUMBER					TOP	BOT.						S.P. SEIS. DEPTH	RECORD LENGTH			PARITY ERRORS	INITIAL GAIN (DB)	FINAL GAIN DB	LOW CUT FREQ.		SLOPE											
128	20	672617	043	1A	RAW	8:40	50	60/75	2			5			10'	1/5	1	✓	6sec	AGC	48	48	48	48	48	90	FET	768	124	8	36	out	* 29 REVERSED		
	21		044	2A	RAW	8:50	50	60/75	2																								* 20 "		
	22		045	3A		9:00	50	60/75	2																								* E		
	23		046	4A		9:10	50	60/75	2																										
	24		047	5A		9:20	50	60/75	2																										
	25		050	6A		9:30	50	60/75	2																										
	26		051	7A		9:40	50	60/75	2																										
	27		052	8A		9:45	50	60/75	2																										
	28		053	9A		9:50	50	60/75	2																										
	29		054	10A		10:00	50	60/75	2																										
	30		055	11A		10:30	50	60/75	2																										
	31		056	12A		11:00	50	60/75	2																										
	32		057	13A		11:10	50	60/75	2																										
	33		060	14A		11:20	50	60/75	2																									WEAK SHOT	
	34		061	15A		11:30	50	60/75	2																										
	35		062	16A		11:40	50	60/75	2																										
	36		063	17A		11:50	50	60/75	2																										
	37		064	18A		12:00	50	60/75	2																										
	38		065	19A		12:10	50	60/75	2																									* 5 DEAD	
	39		066	20A		12:50	50	60/75	2																									CABLE DROPPY	
	40		067	21A		1:10	50	60/75	2																										
	41		070	22A	DPB	1:20	50	60/75	2																										
	42		071	23A	DPB	1:30	50	60/75	2																										
	43		072	24A		1:40	50	60/75	2																										
	44		073	25A		1:50	50	60/75	2																										
	45		074	26A		2:00	50	60/75	2																										
	46	672618	075	27A		2:50	50	60/75	2																										
	47		076	28A		3:00	50	60/75	2																										

SEISMOMETER AND SPREAD INFORMATION					
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	SPREAD PATTERN

SHOT CONFIGURATION	

DFS III SYSTEM PARAMETERS:
 GAIN CONSTANT 30 DB
 UPPER SET LIMIT 62.5 %
 LOWER SET LIMIT 18 %
 FORMAT TYPE:
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-24 18 DB AUX 15 DB
 OTHER:

MISCELLANEOUS INFORMATION:
 30

CLIENT		PARTY NO	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																							
NAVY		186	NPE 4		ALASKA	11	7:00	8:00			3/4/76	R. Wain	190																							
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL	PLAY BACK	TIME	SIZE	SHOT		NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	SPREAD		CDP SWITCH	SETUP	TAPE				MODE	GAIN						RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	FILTERS		NOTCH IN/OUT	REMARKS
								TOP BOT	SEIS DEPTH						SAMPLE RATE MS	RECORD LENGTH			PARITY ERRORS	1-4/24	5-8	9-12		13-16	17-20	21-24	FINAL GAIN DB	FREQ.	SLOPE							

SEISMOMETER AND SPREAD INFORMATION						
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN

SHOT CONFIGURATION	

DFS III SYSTEM PARAMETERS:
 GAIN CONSTANT 30 DB
 UPPER SET LIMIT 62.5 %
 LOWER SET LIMIT 25 %
 FORMAT TYPE:
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-18 DB AUX 12 DB
 OTHER:

MISCELLANEOUS INFORMATION:

REMARKS
 FILE # 170 to 174
 USED FOR TESTS.
 DEAD WPT HOLE
 Moved to File Group
 EXPERIMENTAL
 WRITING ON Tapes
 * 39 DEAD
 * 35 DEAD
 WRITING ON Tapes
 Moved to File N Group
 * 37 DEAD

CLIENT		PARTY NO	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																						
NAU		186	NPH-4		ARIZONA	USA	7:00	8:00			3/4/76	R. L. ...	2 of 3																						
IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN				FILTERS		REMARKS													
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL	PLAY BACK	TIME	SIZE	TOP BOT	NO CAPS	CODE	S.P. OFFSET	NO. DIR.	CODE	S.P. OFFSET	SEIS DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE		INITIAL GAIN (DB)					FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH	
																							1-4	5-8	9-12	13-16	17-20					21-24	FREQ.	SLOPE	IN

SEISMO METER AND SPREAD INFORMATION						
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN

SHOT CONFIGURATION	

DFS III SYSTEM PARAMETERS:

GAIN CONSTANT _____ DB

UPPER SET LIMIT _____ %

LOWER SET LIMIT _____ %

FORMAT TYPE:

9 TRACK 21 TRACK

GALVO LEVEL:

1-24 _____ DB AUX _____ DB

OTHER:

MISCELLANEOUS INFORMATION:

COMPLETED LINE 128 COMPLETE REWIND

CABLE DELAY

CABLE DELAY

" 47 DEAD

" 47 DEAD

" 43 "

" 46 DEAD

" 42 "

" 42 BAD REFLECTOR