

AREA MEADE RIVER STATE or PROVINCE AK. PAGE No. 1  
 LINE No.(s) 26 PARTY No. 1186 DATE 30 Day 1 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LYMAN RODMAN B D WEATHER: COLD - 30° P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING			Center Hair	Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		B.S. OF S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correction				INST.	ROD			
1												46.3	0	562	See Page 11	
2		2140	-					7.2		+7.6	+77	54.0	A			
3		✓		270-10				13.9		+7.7			CK			
4	W	825	-					10.4		-10.4		43.4		561		
5		0	-					5.2		-5.2		48.8		-		
6	E	495	-					12.4		-12.4		41.6		560		
7		1815	-					14.4		-14.4	14.4	39.6	0	559		
8		✓		269-50				9.0		-14.3	57.7		CK			
9		2140		-1/2				7.5	+10.7	+18.2	+18.1	57.7	A			
10		✓		269-50				11.8		+18.0			CK			
11	W	825	-					13.9		-13.9		43.8		558		
12		0	-					5.2		-5.2		52.5		-		
13	E	495	-					12.5		-11.5		46.2		557		
14		1815		-1/2				5.8	-9.1	-14.9		42.8		556		
15		3135		90-02-14				3.8		-5.8	5.6	52.1	0	555		
16		✓		269-58-16				3.8		-5.4			CK			
17																
18																
19																
20																

ELEVATIONS GIVEN FORWARDS  
TO SP. 987

WORKED BY \_\_\_\_\_

CHECKED BY 1st \_\_\_\_\_

2nd \_\_\_\_\_

AREA MEADE RIVER. STATE or PROVINCE AK PAGE No. 3  
 LINE No.(s) 26 PARTY No. 1186 DATE 30 Day 1 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LYMAN. RODMAN B. D. WEATHER: C.C.D. P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF S.S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1													41.5	⊙		
2		379.5	-								15.0	+8	46.3	Δ		
3		✓ 2640	270-08-38								+4.5			CK		
4		2640	-1/2								-13.2	-20.2	26.1		546	
5	W.	1320	-									-14.8	31.5		545	
6		0	-									-5.2	46.1		544.	
7	E.	1320	-1/2								-6.6	-21.6	24.7		543.	
8		2640	-1/2								-13.2	-21.9	24.5	⊙	542	
9		✓	269-50									-21.6	21.8	CK		
10		2140	-1/2								+13.2	+15.5	39.9	Δ		
11		✓	269-50									+15.2	15A	CK		
12	W.	1320	-1/2								10.6	-10.9	23.0		541.	
13		0	-									-5.2	24.7		540.	
14	E.	1320	-									-11.9	28.0		539.	
15		2640	-									-10.8	29.1	⊙	538.	
16		✓	269-50									-10.4	10.8	CK		
17																
18																
19																
20																

AREA MEADE RIVER STATE or PROVINCE AK. PAGE No. 2  
 LINE No.(s) 22 PARTY No. 1155 DATE 30 Day 1 Mo. 76 Yr. BOOK No.  
 SURVEYOR C. LYMAN RODMAN B. D. WEATHER: -30° P.T.S. No.

W /	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		▲B.S. OF.S. -S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc- tion	Center Hair			INST.	ROD			
1													52.1	⊙	555	
2		2475		89-49-49							-3.5	48.3		Δ		
3		✓		270-10-59							-4.1			CK		
4	W	1155		+1/2						+5.8	+2.6		50.9		554	( SPIKE )
5		0	-								-5.2		42.1		-	TP. 553+165.)
6	E	165	-								-5.6		42.7		553	
7		1485		-1/2						-7.4	-16.7		21.6		552.	
8		2805		-1/2						-14.0	-15.3		33.2	⊙	551.	
9		✓		267-58							-14.8	15.1		CK		
10		2640		89-50							+3.1	30	36.2		Δ	
11		✓		270-14-26							+2.9			CK		
12	W	1320		+1/2						+6.6	-2.3		33.9		550.	
13		0	-								-5.2		31.0		549.	LAKE.
14	E	1320	-								-3.3		22.9		548.	
15		2640		+1/2			11.2			+13.2	+2.0		38.2		547	
16		2805		+1/2						+14.0	+5.2		41.5	⊙		
17		✓		270-20							+5.4	+5.3		CK		
18																
19																
20																

WORKED BY

CHECKED BY 1st

2nd

AREA MEADE RIVER STATE or PROVINCE AK PAGE No. 7  
 LINE No.(s) 26 PARTY No. 1186 DATE 30 Day 1 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LYMAN RODMAN B. P. WEATHER: COLD 30° P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		B.S. OF S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1												29.1	⊙	538		
2		2640	-						4.0	+4.0	33.0		Δ			
3		✓		270-10					11.4	+3.7	+3.9		CK			
4	W	1320	-						4.5	-4.5		28.5		537		
5		0	-						5.2	-5.2		27.8		536.		
6	E	1320	-						7.5	-7.5		21.5		535		
7		2640	-						8.3	-8.3		24.7	⊙	534.		
8		✓		270-06					12.9	-8.3	-8.3		CK			
9		1320		-11					12.7	+6.4	+17.3	41.9	Δ			
10	W.	✓		267-40					9.4	+17.1	+17.2		CK			
11		0	-						5.2	-5.2		36.7		533.		
12	E.	1320	-						12.4	-12.4		29.5		532.		
13		2640	-						6.3	-6.3		35.8	⊙	531.	7 F.	
14		✓		270-10					13.6	-5.9	-6.1		CK		SPIKE IN GIRD.	
15																
16																
17																
18																
19																
20																

WORKED BY \_\_\_\_\_

CHECKED BY 1st \_\_\_\_\_

2nd \_\_\_\_\_

AREA MEADE RIVER STATE or PROVINCE AK PAGE No. 5  
 LINE No.(s) 26 PARTY No. 1126 DATE 28 Day 1 Mo. 7 Yr. 74 BOOK No. \_\_\_\_\_  
 SURVEYOR L. L. MAN RODMAN M. H. WEATHER: cloudy - 30° P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	SEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correction	Center Hair			INST.	ROD			
1												35.8	0	531		
2		1320		+1/2				6.0	6.1	0.6	35.1					
3	W	✓		270-30				10.7		0.8			CK			
4		0	-					5.2		-5.2		29.9		530.	(44)	
5	E	1320	-					11.0		-11.0		24.1		529.		
6		2640	-					14.7		14.7		20.5	0	528.		
7		✓		269-50				6.8		14.5			CK			
8		2640	-					5.5		5.5	25.8		A			
9		✓		270-10				12.8		15.1			CK			
10	W	1320	-					5.4		-5.4		20.4		527.	LAKE	
11		0	-					5.2		-5.2		20.6		526.	(40) LAKE	
12	E	1320	-					5.2		-5.2		20.2		525.	LAKE	
13		2640	-					5.5		5.5		20.3	0	524.	LAKE	
14		✓		270-10				13.1		5.4	25.5		CK			
15		2640	-					5.2		5.2			A			
16		✓		270-10				12.0		5.3	25.8		CK			
17	W	1320	-					5.8				20.0		523.		
18		0	-					5.2				20.6		522.	(36)	
19	E	1320	-					4.3				21.3		521		
20																

AREA MEADE RIVER STATE or PROVINCE AK. PAGE No. 6  
 LINE No.(s) 26 PARTY No. 1186 DATE 28 Day 1 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR C. LYMAN RODMAN M.H. WEATHER: -30° CLAY P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		B.S. OF.S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correction	Center Hair			INST.	ROD			
1												25.8				
2	E.	2640	-									11.6	14.4	0	520	
3		✓		270-09								11.2				CK
4		2640	-									5.3	19.5			Δ
5		✓		270-10								4.9				CK
6	W	1320	-									5.0	14.5		519.	
7		0	-									5.2	14.3		518.	(32).
8	E	1320	-									2.0	17.5		517.	
9		2640	-									3.6	16.0	0	516	
10		✓		270-10								3.4				CK
11		2640	-									4.0	19.9			Δ
12		✓		270-10								3.8				CK
13	W	1320	-									5.7	14.2		515.	
14		0	-									5.2	14.7		514.	(28).
15	E	1320	-									4.5	15.4		513.	
16		2640	-									5.1	14.9	0	512	
17		✓		270-10								12.6				CK
18																
19																
20																

AREA \_\_\_\_\_ STATE or PROVINCE \_\_\_\_\_ PAGE No. 7  
 LINE No.(s) 26 PARTY No. 1156 DATE 20 Day 1 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. L. MAN RODMAN M. H. WEATHER: CLEAR - 30° P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1													14.9	0	512	
2		2640		+1/2					+121.8	13.2	+1.6	+16.2		A		
3		✓		270-14					+13.2		+1.0	+1.3		CK		
4	W	1320	-						2.5		-2.5		13.7		511.	
5		0	-						5.2		-5.2		11.0		510	(24)
6	E	1320	-						1.9		-1.9		14.3		509.	
7		2640	H	+1/2					+10.4	13.2	+2.8	+3.0	19.2	0	508	(22)
8		✓		270-20					12.3		+3.1			CK		
9																
10																
11																
12																
13																
14																
15																
16																
17																
18																
19																
20																

WORKED BY \_\_\_\_\_ CHECKED BY 1st \_\_\_\_\_ 2nd \_\_\_\_\_

AREA MEADE RIVER. STATE or PROVINCE AK. PAGE No. 8  
 LINE No.(s) 26 EXT. PARTY No. 1186 DATE 27 Day 1 Mo. 76 Yr. BOOK No.  
 SURVEYOR L. LYMAN. RODMAN M. H WEATHER: - 50° P.T.S. No.

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF.S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correction	Center Hair			INST.	ROD			
1																
2												19.2	0	SP.	22	508
3																
4		2140	-								+4.5	+23.4	Δ			
5		✓		270-10							+3.9	4.2	CK			
6	W	1320	-								-4.8		18.6	SP.	21.	507
7		0	-								-5.2		18.2	SP.	20.	506
8	E	1320		+1/2			+2.0				8.3		21.8	0	505	19
9		✓		270-30							-1.8	7.6	CK.			
10		1815	-								+6.2			Δ		
11		✓		270-10							+11.0	+27.8	CK			
12	W	995		+1/2			+2.0				-4.8		23.0	504	18	
13		0	-								-5.2		22.6			WEST EDGE OF Big LAKE
14	E															
15																
16		825	-								-6.5		21.3	503	18.17	LAKE
17		2145	-								-6.9		21.3	0	502	17.16.
18		✓		270-10							-6.5			CK		
19																
20																

WORKED BY

CHECKED BY 1st

2nd



AREA \_\_\_\_\_ STATE or PROVINCE AK. PAGE No. 9  
 LINE No.(s) 26. PARTY No. 1184 DATE 27 Day 1 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LYMAN. RODMAN M. H. WEATHER: - 50 = P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		▲B.S. OF S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correction	Center Hair			INST.	ROD			
1													21.3	0	16	502
2		2640	-						13.0	+13.0	+ 33.8			Δ		
3		✓		269-50					13.3	+12.5				CK.		
4	W	1320	-						7.9	-7.9			25.9		15.	501
5		0	-						5.2	-5.2			28.6		14	500
6	E	1320	-						7.8	-7.8	FK		26.2	0	13.	499
7		✓		270-10					11.2	-7.4				CK		
8		1320	-						4.1	+4.1	+ 30.1			Δ		
9	W	✓		270-10					7.5	+3.7	3.9			CK		
10		0	-						5.2	-5.2			24.9		12.	LAKE. 498.
11	E	1320	-						5.6	-5.6			24.3		11.	LAKE. 497
12		2640	-						6.0	-6.0			29.4	0	10	496
13		✓		270-10					13.0	-5.3	5.7			CK		
14		2640		89-57-22 <sup>58</sup>					4.4	12.8	12 <sup>2</sup> 26.6			Δ		
15		✓		270-03-28					4.4	+1.7				CK		
16	W	1320	-						3.5	-3.5			23.1		9.	495
17		0	-						5.2	-5.2			21.4		8.	494
18	E	1320	-						5.5	-5.5			21.1		7.	493
19		2640		89-57-39					3.9	-2.1	-1.6		25.0	0	6	492
20		✓		270-03-39					3.9	-1.1				CK		

WORKED BY \_\_\_\_\_ CHECKED BY 1st \_\_\_\_\_ 2nd \_\_\_\_\_

AREA MEADE RIVER. STATE or PROVINCE AK. PAGE No. 10  
 LINE No.(s) 26 PARTY No. 1186 DATE 27 Day 1 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR C. LYMAN RODMAN M. H. WEATHER: -50° P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		B.S. OF.S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1												25.0	⊖	6	492.	
2		1320		90-30-56				3.9		15.8	40.6		⊖			
3	W.	✓		269-79-59				✓		16.2			ck			
4		0	-					5.2		-5.2		35.4		5.	491.	
5	E.	1320	-					9.2		-9.2		31.4		4.	490.	
6		2640		90-07-58				4.1		-10.2		30.8	⊖	3.	489	
7		✓		269-53-09				4.1		-9.2	32.0		ck			
8		1320		89-52-58				4.1		11.4			⊖			
9	W	✓		270-27-52				4.1		11.4			ck			
10		0	-					5.2		-5.2		26.8		2	488	
11	E.	1320		90-24-38				3.9		-13.4		18.9	⊖	1	SP. 487.	
12		✓		269-36-35				3.9		-12.9			ck		(IRON-POST)	
13																
14																
15																
16																
17																
18																
19																
20																

AREA \_\_\_\_\_ STATE or PROVINCE AK PAGE No. 11  
 LINE No.(s) 26 PARTY No. 1126 DATE 30 Day 1 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LYMAN RODMAN S. D. WEATHER: -30° P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		▲B.S. OF.S. -S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correction	Center Hair			INST.	ROD			
1													46.3	⊙	562	
2		2640		+ 1/2					10.5	-13.2	-2.7	43.4		Δ		
3		✓		270-20					12.3		-3.1	-2.9		CK.		
4	E.	1320	-						5.2		-5.2		30.2		563.	
5		0	-						5.2		-5.2		30.2		564.	
6	W.	1320		+ 1/2					7.5	+6.6	-0.9		42.5		565.	
7		2475		29-50					11.9		-4.7		38.9	⊙		
8		✓		270-13-22					14.0		-4.4	-4.5		CK.		
9		2800		+ 1/2					10.0	-14.0	-4.0	34.7		Δ		
10		✓		270-20					11.9		-4.4	-4.2		CK.		
11		2640	-						2.0		-2.0		32.7		566.	
12	E.	1320	-						6.5		-4.5		20.2		567.	
13		0	-						5.2		-5.2		29.5		568.	
14	W	1320	-						4.1		-4.1		30.6		569.	
15		2640	-						4.5		-4.5		30.4	⊙	570.	
16		✓		270-10					11.8		-4.1	-4.3		CK		
17																
18																
19																
20																

WORKED BY \_\_\_\_\_

CHECKED BY 1st \_\_\_\_\_

2nd \_\_\_\_\_

AREA \_\_\_\_\_ STATE or PROVINCE AK. PAGE No. 12  
 LINE No.(s) 26 PARTY No. 1186 DATE 30 Day 1 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LITMAN RODMAN B.D. WEATHER: -30° P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		B.S. OF.S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1												30.4	0	573.		
2		2145		-1/2				6.9	+10.7	+17.6	47.9		Δ			
3		✓		269-90				4.9		+17.4	17.5		CK			
4	E	825		269-05				13.0		-34.5		13.4		571.	MEANS KINET No. HOLE.	
5		0													71. Boost	
6		0	-					5.2		-5.2		42.7		571.	offset	
7															825' WEST.	
8																
9																
10	W.	495	-					11.6		-11.6		36.3		572.		
11		1815	-					11.9		-11.9		36.0		573.		
12		2305	H	+1/2				6.9	+11.5	+4.6	11.8	52.7	0			
13		✓		270-20				8.5		+4.9				CK.		
14		2140		+1/2				11.3	-10.7	+0.6	10.5	53.2		Δ		
15		✓		270-20				12.7		+0.3				CK.		
16	F	1320	-					4.6		-4.6		48.6		574		
17		0	-					5.2		-5.2		48.0		575.	LAKE.	
18	W	1320	-					4.8		-4.8		47.4		576	see page 15	
19		2640		+1/2				12.7	+13.2	+0.5		53.9	0	577		
20		✓		270-20				14.5		+0.9	0.9			CK		

ELEVATIONS WORK BACK FROM SP 577 TO 575.62

WORKED BY \_\_\_\_\_

CHECKED BY 1st \_\_\_\_\_

2nd \_\_\_\_\_

MEASURE LINE

AREA WAIN-WRIGHT STATE or PROVINCE AK PAGE No. 13  
 LINE No.(s) 26 PARTY No. 1186 DATE 31 Day 1 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR C. CYMAN RODMAN B. D. WEATHER: cloud P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1													69.4	0	604	SPIKE, T.F.
2																Elevation From
3		2640		89-44-02				5.0		-7.3		62.0		Δ		PARCE 16 TOSP.
4		✓		270-16-16				5.0		-7.5	-7.4			CK		577
5	W	1320	-					4.4		-4.4			59.6		603.	
6		0	-					5.2		-5.2			56.8		602.	
7	E	1320		+1/2				11.5	+6.6	-4.9			59.1		601.	
8		2640		89-43-15				15.0		6.0			56.2	0	600.	
9		✓		270-12-16				15.0		-5.6	-5.8			CK		
10		2640		90-10-20				3.9		+11.8		67.9		Δ		
11		✓		249-49-59				3.9		+11.6	+11.7			CK		
12	W.	1320	-					7.4		-7.4			60.5		599.	
13		0	-					5.2		-5.2			62.7		598.	
14	E.	1320		+1/2				5.0	+6.6	+1.6			67.5		597.	
15		2640		89-43-32				15.0		-2.4			65.7	0	596.	
16		✓		270-16-45				15.0		-2.1	-2.2			CK		
17																
18																
19																
20																

AREA \_\_\_\_\_ STATE or PROVINCE AK. PAGE No. 17  
 LINE No.(s) 26 PARTY No. 1186 DATE 31 Day 1 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR C. LYMAN RODMAN B. D. WEATHER: COLD. P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		B.S. OF.S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1												65.7	o	596.		
2		2640		89-49-20						+ 5.8		76.2	Δ			
3		✓		270-11-22						+ 5.3	+5.5		CK			
4	W.	1320	-							- 4.4		66.8		595.		
5		o	-							- 5.2		66.0		594.		
6	E	1320	-							- 5.0		66.2		593.		LAKE.
7		2640		89-47-12						- 5.2		66.3	o	592.		
8		✓		270-13-23						- 4.7	-4.9		CK			
9		1320	-							+ 5.0		71.2	Δ			
10	W	✓		270-20						+ 4.8	+4.9		CK			
11		o	-							- 5.2		66.0		591.		
12	E	1320	-							- 5.3		65.9	o	590		
13		✓		270-20						- 5.2	-5.3		CK			
14		1815	-							+ 10.5		76.2	Δ			
15		✓		269-50						+ 10.2	+10.3		CK			
16	W.	495	-							- 12.1		64.1		589.		
17		o	-							- 5.2		71.0		TP.		588 + 825'
18	E.	825	-							- 12.2		64.0		588		
19		2145		- 1/2						- 16.7	-17.2	59.1	o	SR F		
20		✓		269-50						- 17.0	-17.1		CK			

AREA MEADE. STATE or PROVINCE AK. PAGE No. 15  
 LINE No.(s) 26. PARTY No. 1184 DATE 31 Day 1 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. L. TMAN. RODMAN R. D. WEATHER: 60.0. P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF.S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1												59.1	0	587		
2		2640	-								+ 11.9	70.9		CK		
3		✓		270-03-02							+ 11.7	+ 11.8		CK		
4	W	1320	-								- 9.3	61.6		586		
5		0	-								- 5.2	65.4		TP	585.	
6	E	1320	-								- 8.8	62.1		584.		
7		2640		70-09-05							- 17.1	58.9	0	583.		
8		✓		269-56-14							- 16.9	- 11.0		CK		
9		2640		89-46-28							+ 3.6	57.4		CK		
10		✓		270-13-52							+ 3.4	+ 3.5		CK		
11	W.	1320	-								- 4.3	58.1		582.		
12		0	-								- 5.2	52.2		581.		
13	E	1320	-								- 5.4	52.0	0	580.		
14		✓		270-10							- 5.3	- 5.4		CK		
15		2140	-								+ 13.5	65.3		CK		
16		✓		269-50							+ 13.1	+ 13.5		CK		
17	W.	325	-								- 13.2	52.1		579		
18		0	-								- 5.0	60.3		7.0	578 + 495.	
19	E.	495.	-								- 7.0	58.3		578		
20		1815	-								- 11.6	53.9	0	577.		
				269-50							- 11.2	- 11.4		CK		

WORKED BY \_\_\_\_\_

CHECKED BY 1st \_\_\_\_\_

2nd \_\_\_\_\_

AREA \_\_\_\_\_ STATE or PROVINCE AL. PAGE No. 16  
 LINE No.(s) 26 PARTY No. 2186 DATE 31 Day 1 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LYMAN RODMAN B. D. WEATHER: COLD, WINDY P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING			Center Hair	Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF.S. -S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion				INST.	ROD			
1												69.4	0	604.		
2		2640		+1/2				+13.7	-13.2	+0.5	69.7		Δ		↑	
3		✓		270-10				<del>7.8</del>		+0.1	+0.3		CK			
4	E	1320	-					3.0		-3.0		66.7		605.		
5		0	-					5.2		-5.2		64.5		606.		
6	W	1320	-					2.5		-2.5		67.2		607.		
7		2640		+1/2				14.3	+13.2	-1.1		68.9	0	608		
8		✓		270-10				8.2		-0.5	-0.8		CK			
9		2640		29-45-46				<del>17.0</del>		+3.1	71.8		Δ			
10		✓		270-14-40				17.0		+2.7	+2.9		CK			
11	E	1320	-					2.3		-2.3		69.5		609.		
12		0	-					5.2		-5.2		66.6		610.		
13	W	1320	-					5.5		-5.5		66.3		611.		
14		2640	-					2.9		-3.9		68.9	0	612.		
15		✓		270-10				<del>10.5</del>		-2.8	-2.9		CK			
16																
17																
18																
19																
20																

Elevations Work Back From Top Star LAKA



AREA MEAD STATE or PROVINCE P.K. PAGE No. 17  
 LINE No.(s) 26 PARTY No. 1186 DATE 31 Day 1 Mo. 76 Yr. BOOK No.  
 SURVEYOR L. UTMAN RODMAN B. D. WEATHER: COLD. P.T.S. No.

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		B.S. OF.S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1													68.9	0	612	
2		2640	-						5.7	+5.7	74.3			D		
3		✓		270-11-29					14.0	+5.2	+5.5			CK		
4	E.	1320	-						4.9	-4.9			69.4		613.	
5		0	-						5.2	-5.2			69.1		614.	
6	W.	1320	-						4.1	-4.1			70.2		615.	
7		2640	-						4.0	-4.0			70.4	0	616.	
8		✓		270-10					11.5	-3.8	-3.9			CK		
9		2140	-						7.7	+7.7	77.9			A		
10		✓		270-08-38					14.0	+7.4	+7.5			CK		
11	E.	1320	-						5.3	-5.3			72.6		617.	
12		0	-						5.2	-5.2			72.7		618.	LAKE.
13	W.	1320	-						5.2	-5.2			72.7		619.	
14		2640		+1/2					14.4	+13.2	-1.2		76.9	0	620.	
15		✓		270-17-19					14.0	-0.7	-0.0			CK		
16																
17																
18																
19																
20																

WORKED BY

CHECKED BY 1st

2nd

AREA \_\_\_\_\_ STATE or PROVINCE AK PAGE No. 18  
 LINE No.(s) 26 PARTY No. 1186 DATE 31 Day 1 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LYMAN RODMAN B. D. WEATHER: WINDY. P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING			Center Hair	Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		B.S. OF.S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correction				INST.	ROD			
1												76.9	0	620.		
2		2640	-					10.9		+10.9	87.8		Δ			
3		✓		270-04-10				14.0		+10.8	+10.8		CK			
4	E	1320	-					12.3		-12.3		75.5		621.		
5		0	-					5.2		-5.2		82.6		622.		
6	W	1320	-					3.5		-3.5		84.3		623.		
7		2640		+1/2				12.9	+13.2	+0.3		88.1	0	624		
8		✓		270-18-38				14.0		+0.3	+0.3		CK			
9		2640		-1/2				7.5	+13.2	+20.7	108.6		Δ			
10		✓		269-51-45				17.0		+20.3	+20.5		CK			
11	E	1320	-					13.6		-13.6		95.0		625		
12		0	-					5.2		-5.2		103.4		626		
13	NW.	160	-					2.6		-2.6		106.0	0		TRI- STA.	
14		✓		270-20				5.3		-2.6	-2.6		CK		"CAMP"	
15															BRASS- CAP.	
16															BENT.	
17															Top of BRASS	
18															CAP.	
19															U.S. ARMY	
20															CAMP.	

AREA \_\_\_\_\_ STATE or PROVINCE AK PAGE No. 19.  
 LINE No.(s) 26 PARTY No. 1181 DATE 1 Day 2 Mo. 7 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR C. LYMAN RODMAN B. D. WEATHER: SND W. P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1													127.9	0	650	
2		2640	-						5.0	+5.0		112.6		Δ		
3		✓		270-10					5.2	+4.5	+4.7			CK		
4	W.	1320	-						5.5	-6.5			106.1		649.	
5		0	-						5.2	-5.2			107.4		648.	
6	E	1320	-						6.3	-6.3			106.3		647.	
7		2640	-						8.5	-8.5			104.3	0	646.	
8		✓		270-07-46					14.0	-8.0	-8.2			CK		
9		2640	-						7.6	+3.6		107.7		Δ		
10		✓		270-10					10.9	+3.2	+3.4			CK		
11	W	1320	-						5.7	-5.7			102.0		645.	
12		0	-						5.2	-5.2			102.5		644.	
13	E	1320	-						9.4	-9.4			98.3		643.	
14		2640	-						12.6	-12.6			95.4	0	642.	
15		✓		270-02-27					14.0	-12.1	-12.3			CK		
16																
17																
18																
19																
20																

ELEV. WORKED BACK  
 FROM THE STA. "LAKA"

AREA MIDDLE RIVER STATE or PROVINCE AK. PAGE No. 20  
 LINE No.(s) 26 PARTY No. 1196 DATE 1 Day 2 Mo. 7 Yr. 6 BOOK No.  
 SURVEYOR L. LYMAN RODMAN B. P. WEATHER: SNOW. P.T.S. No.

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		B.S. OF.S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1													75.4	⊙	642	
2		2475	-						9.8	+9.8	105.0			Δ		
3		✓		269-50					2.3	+9.5	+9.6			CK		
4	W.	1155	-						11.1	-11.1			93.9		641	
5		0	-						5.2	-5.2			99.8			
6	E	165	-						7.1	-7.1			97.9		640	WEST. SIDE OF
7		1425	-						2.7	-2.7			102.8		639	LAKE.
8		2300	-						10.5	-10.5			94.7	⊙	638	
9		✓		270-04-37					14.0	-10.2	-10.3			CK		
10		2640	-						9.6	+9.6	104.2			Δ		
11		✓		270-06					14.0	+9.4	+9.5			CK		
12	W.	1320	-						7.4	-7.4			96.8		637	
13		0	-						5.2	-5.2			99.0		636	
14	E.	1320	-						5.1	-5.1			99.1		635	
15		2140		+1/2					7.2	+13.2	+5.6		109.9	⊙	634	
16		✓		270-20					7.6	+5.8	+5.7			CK		
17																
18																
19																
20																

AREA MEAD. 1.1.1.1. STATE or PROVINCE AK. PAGE No. 21.  
 LINE No.(s) 26 PARTY No. 1186 DATE 1 Day 2 Mo. 7 Yr. BOOK No.   
 SURVEYOR L. LYMAN RODMAN B. I. WEATHER: SW P.T.S. No.

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF.S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correction	Center Hair			INST.	ROD			
1												109.9	0	634		
2		2640		1 1/2					11.1	-13.2	-2.1	107.6		Δ		
3		✓		270-21-34					14.0		-2.6	-2.3		CK		
4	W	1320	-						1.0		-1.0		106.5		633.	
5		0	-						5.2		-5.2		102.4		632.	
6	E	1320	-						3.1		-3.1		104.5	0	631.	
7		✓		270-20					10.6		-2.9	-3.0		CK		
8		2640	-						5.2		+5.2	109.7		Δ		
9		✓		270-10					12.7		+5.0	+5.1		CK		
10	W.	1320	-						3.1		-3.1		106.6		630.	
11		0	-						5.2		-5.2		104.5		629.	
12	E	1320	-						5.9		-5.9		103.8		628.	
13		2640	-						4.6		-4.6		105.3	0	627.	
14		✓		270-10					12.0		-4.3	-4.4		CK		
15		495	-						5.9		+5.9	111.2		Δ		
16	W.	✓		271-00					14.5		+5.9	+5.9		CK		
17		0	-						5.2		-5.2		106.0		TR. 626 + 825.	
18																
19	W.	422	-						5.3		-5.3		106.0	0	TRI- STA	
20		✓		271-05					12.6		-5.2	-5.2		CK	"LAKA"	

900 VALUE.

WORKED BY

CHECKED BY 1st

2nd

AREA MEADE RIVER STATE or PROVINCE AK. PAGE No. 22  
 LINE No.(s) 26 PARTY No. 1186 DATE 2 Day 2 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR C. LYMAN RODMAN M. H. WEATHER: Clear, Cold P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	SEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correction	Center Hair			INST.	ROD		
1												107.8	0	650	SEE: PAGE 19.
2		2640		29-54	45						+1.9 +	109.2			
3		✓		270-06	27						+0.9 1.4				CK
4	E	1320	-									104.8		651.	
5		0	-									104.0		652.	
6	W.	1320		+1/2						7.6	0+.5	109.7		653.	
7		2640		29-51	32						2.7 +	112.0	0	654.	
8		✓		270-08	42						2.9 2.8				CK
9		2640		70-04	41						7.4 +	119.2			
10		✓		269-55	55						6.9 7.2				CK
11	E	1320	-									115.2		655.	
12		0	-									114.0		656.	
13	W	1320	-									104.7		657.	
14		2640		70-29	48						26.9 -	92.5	0	658.	
15		✓		269-30	46						26.5 26.7				CK
16															
17															
18															
19															
20															

AREA \_\_\_\_\_ STATE or PROVINCE AK. PAGE No. 23.  
 LINE No.(s) 26. PARTY No. 1186. DATE 2 Day 2 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LITMAN. RODMAN M. H. WEATHER: CLEAR. P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING			Center Hair	Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correction				INST.	ROD		
1												92.5	o	158	
2		2640		90-07-52				4.0		1.2 +		99.5	Δ		
3		✓		269-57-40				4.0		5.8			CK		
4	E	1320	-					9.3				89.2		659.	
5		o	-					5.2				93.3		660.	
6	W	1320	-					5.3				93.2		661	> LAKE NORTH END.
7		2640		89-57-27				3.8		1.8 -		96.7	o	662.	
8		✓		270-02-46				7.2		1.7			CK		
9		3465		89-45-18				5.8		11.0 -		85.4	Δ		
10		✓		270-15-20				5.0		11.7	11.3		CK		
11		2145		+17				8.7		10.7 +	2.0	87.4		663.	
12	E	825		269-00-174				8.0			22.4	63.0		664.	
13		o	-					5.2							
14	W.	495.	-					11.2				74.2		665.	
15		1815		90-03-25				3.9		5.7 -	5.6	79.8	o	666.	
16		✓		269-57-05				3.9		5.4			CK		
17															
18															
19															
20															

WORKED BY \_\_\_\_\_

CHECKED BY 1st \_\_\_\_\_

2nd \_\_\_\_\_

AREA \_\_\_\_\_ STATE or PROVINCE AK. PAGE No. 24.  
 LINE No.(s) 26 PARTY No. 1186 DATE 2 Day 2 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LYMAN RODMAN M. H. WEATHER: CLEAR COLO. P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF.S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correction	Center Hair			INST.	ROD			
1												79.8	0	666.		
2		2475		90.00 - 59				3.9		+ 4.5 +	84.1		Δ			
3		✓		269.59 - 44				2.3		+ 4.1 4.3			CK			
4	E.	1155	-					6.2				77.9		667.		
5		0	-					5.2				78.9				
6	W.	165	-					9.0				75.1		668.		
7		1485	-					10.4				73.7		669.		
8		2800		90.03 - 40				7.0		- 3.0 6.7		77.4	0	670.		
9		✓		269.57 - 07				4.0		6.5			CK			
10				56 - 55												
11		2640		89.56 - 58				4.0		+ 1.6 +	78.8		Δ			
12		✓		270.03 - 41				+ 4.0		+ 1.2 1.4			CK			
13	E.	1320	-					7.6				74.2		671.		
14		0	-					5.2				73.6		672.		
15	W.	1320	-					4.0				74.8		673.		
16		2640		89.57 - 42				4.4		- 2.6 -		76.3	0	674.		
17		✓		270.02 - 37				4.4		- 2.4 2.5			CK			
18																
19																
20																

WORKED BY \_\_\_\_\_

CHECKED BY 1st \_\_\_\_\_

2nd \_\_\_\_\_



AREA \_\_\_\_\_ STATE or PROVINCE AK. PAGE No. 25.  
 LINE No.(s) 26 PARTY No. 1126 DATE 2 Day 2 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. L. MAN RODMAN M. H. WEATHER: COLD. P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF S. S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correction	Center Hair			INST.	ROD			
1												76.3	0	674.		
2		2640		89-48	-25							71.6				
3		✓		270-12	-08											
4	E.	1320		+1/2						+6.6	+1.4	73.0		675.		
5		0	-									66.4		676.		
6	W.	1320		+1/2						+6.6	+3.6	75.4	0	677.		
7		✓		270-30							+3.9	3.0				
8		1320	-													
9	E.	✓		270-20								79.4				
10		0	-													
11		1320	-													
12		✓		269-40												
13		3135	-													
14		✓		270-02-20												
15		1815	-													
16	E.	495	-									65.5		680.		
17		0	-									65.6		681.		
18	W	825	-									72.7				
19		✓		270-20								73.3	0	682.		
20																

WORKED BY \_\_\_\_\_ CHECKED BY 1st \_\_\_\_\_ 2nd \_\_\_\_\_

AREA \_\_\_\_\_ STATE or PROVINCE AK PAGE No. 26  
 LINE No.(s) 21 PARTY No. 1126 DATE 2 Day 2 Mo. 7 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L LYMAN RODMAN M.H. WEATHER: Co.C.D. P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1												73.3	0	682		
2		2140		+1/2					13.2	6.9	66.2		Δ			
3		✓		270-20						7.1			CK			
4	E.	1320	-							7.4		61.2		683		
5		0	-									61.0		684		
6	W	1320		+1/2					6.6	2.9	69.2	0	685			
7		✓		270-30						3.0			CK			
8		2140	-							3.9	73.0		Δ			
9		✓		270-10						3.8			CK			
10	E.	1320	-									69.8		686		
11		0	-									67.8		687		
12	W	1320	-									59.7		688		
13		2140	-									58.6	0	689		
14		✓		219-50						14.0			CK			
15		2140	-							5.9	64.4		Δ			
16		✓		270-10						5.8			CK			
17	E.	1320	-									61.3		690		
18		0	-									59.2		691		
19	W	1320	-									56.9		692		
20		2140	-										0	693		

CK

AREA MEADOW RIVER STATE or PROVINCE AK PAGE No. 27  
 LINE No.(s) 26 PARTY No. 1186 DATE 2 Day 2 Mo. 7 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LYMAN RODMAN M. H. WEATHER: COLD P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF.S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1												64.4				
2	W.	2640	-					7.4		9.4	9.2		55.2	0	693.	
3		✓		270-06-25				14.0		9.1				CK		
4		1320		-1/2				10.4	+6.6	+17.0	+	72.1		Δ		
5	E.	✓		269-50				13.0		+16.8	16.9			CK		
6		0	-					5.2					66.9		694.	
7	W	1320	-					7.5					65.6		695.	
8		2640	-					13.5		13.5	13.1		59.0	0	696.	
9		✓		270-01-43				14.2		12.7				CK		
10		1215	-					10.2		+10.9	+	69.8		Δ		
11		✓		269-50				3.4		+10.7	10.8			CK		
12	E	495	-					6.5					63.3		697.	
13		0	-					5.2					64.6			
14	W.	825	-					11.5					58.3		698.	
15		2140	-					11.5		11.5	11.3		58.5	0	699.	
16		✓		270-04-40				14.0		11.1				CK		
17																
18																
19																
20																

AREA \_\_\_\_\_ STATE or PROVINCE AK PAGE No. 28  
 LINE No.(s) 26 PARTY No. 1176 DATE 2 Day 2 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR C. LYMAN RODMAN M. H. WEATHER: COLO CLEAR P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		▲B.S. ○F.S. -S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1													58.5	○	699.	
2		2640		90-04				12.3			+15.4 +	73.5		▲		
3		✓		269-50				7.0			+14.7 15.0			CK.		
4	NE	1320	-					13.4					60.1		705.	
5		0	-					5.2					68.3		701.	
6	W	1320	-					10.0					63.5		702.	
7		2640	-					10.4			-10.4 10.2		63.3	○	703.	
8		✓		270-05-12				14.0			10.0			CK		
9		1815		+1/2				2.4	9.1		2.7 2.0	60.7		▲		
10		✓		270-30				13.3			6.5			CK		
11	E	495	-					0.5					60.2		704	
12		0	-					5.2					55.5		-	
13	W	825	-					11.2					49.5		705	
14		2140	-					3.5			3.5 3.3		57.4	○	706.	
15		✓		270-10				7.3			3.1			CK		
16																
17																
18																
19																
20																

AREA MEADE - RIVER STATE or PROVINCE AK PAGE No. 29  
 LINE No.(s) 26 PARTY No. 1186 DATE 2 Day 2 Mo. 76 - Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LYMAN RODMAN N.H. WEATHER: CLOUD P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1												57.4	0	706		
2		2640	-					3.7		7.7	+	60.9	Δ			
3		✓		270-13-52				7.4		3.4	+		CK			
4	F.	1320	-					6.2				54.7		707.		
5		0	-					5.2				55.7		708.		
6	W.	1320	-					4.3				56.6		709.	> <del>710.</del>	
7		2640		90-01-56				3.8		5.3	5.0	55.9	0	710.		
8		✓		249-58-45				3.8		4.8			CK			
9		2640		90-03-53				3.8		2.8	+	62.6	Δ			
10		✓		269-56-27				3.8		2.5	6.7		CK			
11	E.	1320	-					7.5				55.1		711.		
12		0	-					5.2				57.4		712.	712	
13	W.	1320	-					5.8				56.8		713.		
14		2640		90-04-13				4.0		7.2	7.1	55.5	0	714.		
15		✓		267-56-06				4.0		7.0			CK			
16																
17																
18																
19																
20																

AREA WAINWRIGHT - MEADOWS STATE or PROVINCE AK. PAGE No. 30  
 LINE No.(s) 26 PARTY No. 1126 DATE 9 Day 2 Mo. 76 Yr. BOOK No.  
 SURVEYOR L. LYMAN RODMAN M. H. WEATHER: SNOW, MILD P.T.S. No.

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		B.S. OF.S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1												55.5	o	714.		
2		2640		89-51-30				4.0		2.5	52.7		Δ			
3		✓		270-09-20				4.0		3.2			ck			
4	E.	1320	-					5.3				47.4		715.		
5		o	-					5.2				47.5		716.		
6	W.	1320	-					1.7				51.0		717.		
7		2640		89-52-20				74.0		8.1		44.8	o	718		
8		✓		270-08-20				14.0		7.6			ck			
9		2475		89-07-05				14.0		24.1	20.5		Δ			
10		✓		270-53-32				14.0		24.5			ck			
11	E	1155		270-30				4.0		+6.1		26.6		719.		
12		o	-					5.2				15.3		-		
13	W	165	-					13.5				7.0		720.		
14		1485		89-30				4.5		+8.5		29.0		721.		
15		2805		89-27-55				4.1		22.0		42.7	o	722		
16		✓		270-32-33				4.1		+22.4	22.2		ck			
17																
18																
19																
20																

WORKED BY

CHECKED BY 1st

2nd

AREA \_\_\_\_\_ STATE or PROVINCE AK PAGE No. 31  
 LINE No. (s) 26 PARTY No. 1186 DATE 1 Day 2 Mo. 76 - Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LYMAN RODMAN M. H. WEATHER: SNOW, WHITE P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		B.S. OF S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1													42.7	0	722	
2		2640		90-07-20									62.1			
3		✓		269-42-45												
4	E	1320	-										52.7		723	
5		0	-										56.9		724	
6	W	1320		+11									62.2	0	725	
7		✓		270-30												
8		1320	-													
9	E	✓		270-20												
10		0	-										61.8		726	
11	✓	1320	-										55.9	0	727	
12		✓		270-10												
13		2140	-										61.9			
14		✓		270-10												
15	E.	825		-1/2									44.2		728	
16		0	-										56.7		-	
17	W	495	-										53.1		729	
18		1815		+1/2									64.0	0	730	
19		✓		270-20												
20																

AREA \_\_\_\_\_ STATE or PROVINCE AK. PAGE No. 32  
 LINE No.(s) 26 PARTY No. 1186 DATE 4 Day 2 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LYMAN RODMAN M. H. WEATHER: SNOW. P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF S. - S.S.	Station	REMARKS
			Level	Inclined	Angle of Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1												14.0	0	730.		
2		2640	-								7.6	65.4	Δ			
3		✓		270-16-41						1.2	1.4		CK			
4	F.	1320	-									62.0		731.		
5		0	-									60.2		732.		
6	W.	1320	-									12.0		733.		
7		2640	-									64.7	0	734.		
8		✓		270-17-44						1.0	0.7		CK			
9		2640	-									70.6	Δ			
10		✓		270-16-39						1.0	5.9		CK			
11	E.	1320	-									17.1		735.		
12		0	-									65.4		736.		
13	W.	1320	-									13.9		737.		
14		2640	-									63.3	0	738		
15		✓		270-10						1.0	7.5		CK.			
16																
17																
18																
19																
20																

WORKED BY \_\_\_\_\_

CHECKED BY 1st \_\_\_\_\_

2nd \_\_\_\_\_



AREA \_\_\_\_\_ STATE or PROVINCE AK PAGE No. 33  
 LINE No.(s) 26 PARTY No. 1186 DATE 7 Day 2 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LYMAN RODMAN M. H. WEATHER: SNOW P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		B.S. OF.S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1												63.3	o	738.		
2		2640	-						+	4.0	+	67.2		Δ		
3		✓		270-13-28					+	14.0	+			CK		
4	E	1320	-							2.5		64.7			739.	
5		o	-							5.2		62.0			740.	
6	W	1320	-							4.3		62.9			741.	
7		2640	-							8.6	-	58.9	o		742.	
8		✓		270-07-38						14.0	-			CK		
9		2640	-							5.1	+	63.8		Δ		
10		✓		270-12-03						14.0	+			CK		
11	E	1320	-							5.7		58.1			743.	
12		o	-							5.2		58.6			744.	
13	W	1320	-							2.1	-	61.8	o		745.	TP. "REBAR"
14		✓		270-20						9.5	-			CK		
15																
16																
17																
18																
19																
20																

WORKED BY \_\_\_\_\_

CHECKED BY 1st \_\_\_\_\_

2nd \_\_\_\_\_

AREA \_\_\_\_\_ STATE or PROVINCE AK. PAGE No. 34  
 LINE No.(s) 26. PARTY No. 1186. DATE 9 Day 2. Mo. 70 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L LYMAN. RODMAN M. H. WEATHER: SNOW. P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1												61.8	0	745.		
2		2640	-						+	7.1	+	68.7				
3		✓		270-09-30					14.0	2.7	6.9		ck.			
4	E	1320	-						5.6			63.1		746.		
5		0	-						5.2			63.5		747.		
6	W	1320	-						5.0			63.7		748.		
7		2640	-						6.3	6.3	6.0	62.7	0	749.		
8		✓		270-10					13.3	5.6			ck.			
9		2640	-						2.0	2.0	+	68.5				
10		✓		270-11-04					14.0	5.5	5.8		ck.			
11	E	1320	-						5.6			62.9		750.		
12		0	-						5.2			63.3		751.		
13	W	1320		90-20					14.3	22.0		46.5		752.		
14		2640	-						4.7	4.7	4.4	64.1	0	753.		
15		✓		270-10					11.8	4.1			ck.			
16																
17																
18																
19																
20																

WORKED BY \_\_\_\_\_

CHECKED BY 1st \_\_\_\_\_

2nd \_\_\_\_\_

AREA \_\_\_\_\_ STATE or PROVINCE AK. PAGE No. 35.  
 LINE No.(s) 26. PARTY No. 1176 DATE 4 Day 2 Mo. \_\_\_\_\_ Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. L'AMAN. RODMAN M. H. WEATHER: snow. P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF.S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1												64.1	o	753.		
2		2640	-						3.2		3.6	67.5	A			
3		✓		270-14-14					1.4		3.1 3.4		CK.			
4	E.	1320	-						2.0			61.5		754.		
5		o	-						5.2			62.3		755.		
6	W	1320	-						3.9			63.6		756.		
7		2640	-						8.8		5.3 6.0	59.5	o	757.		
8		✓		270-08-05					14.0		7.8		CK			
9																
10																
11																
12																
13																
14																
15																
16																
17																
18																
19																
20																

### STADIA SURVEY NOTES

AREA \_\_\_\_\_ STATE or PROVINCE AK PAGE No. 36  
 LINE No.(s) 2C PARTY No. 1186 DATE 5 Day 2 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LYMAN RODMAN M. H. WEATHER: WINDY, COLD. P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1												59.5	0	757		
2		2475		90-12-12				3.7		72.5		71.7	Δ			
3		✓		269-48-33				3.7		71.9	12.2		CK.			
4	E	1155	-					10.7				61.0		758.		
5		0	-					5.2				66.5		-		
6	W	165	-					9.0				62.7		759.		
7		1485	-					9.7				62.0		760.		
8		2805	-					10.2		10.2	10.0	61.7	0	761		
9		✓		270-05-07				14.0		9.8			CK			
10		2140	-					74.6		14.6		76.1	Δ			
11		✓		269-50				8.0		14.2	14.4		CK			
12	E	825	-					13.5				62.6		762		
13		0	-					5.2				70.9		-		Tr. 762 + 825.
14	W	495	-					14.0				62.1		763.		
15		1815	-					9.9		9.9	-	66.3	0	764		
16		✓		270-10				14.9		9.6	7.8		CK			
17																
18																
19																
20																

TI-588B

WORKED BY \_\_\_\_\_

CHECKED BY 1st \_\_\_\_\_

2nd \_\_\_\_\_

### STADIA SURVEY NOTES

AREA \_\_\_\_\_ STATE or PROVINCE AK. PAGE No. 37  
 LINE No.(s) 26. PARTY No. 1186 DATE 5. Day 2 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LITMAN. RODMAN M. H. WEATHER: COLD. P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1																
2		2640	-									66.3	0	764		
3		✓		270-12-31												
4	E.	1320	-									71.0				
5		0	-													
6	W	1320	-									67.0		765.		
7		2640	-									65.8		766.		
8		✓		270-06-43								64.3		767.		
9		2640	-									62.0	0	768.		
10		✓		269-53-55												
11	E	1320	-									72.0				
12		0	-													
13	W	1320	-									62.8		719.		
14		2640		+1/2								66.8		770.		
15		✓		270-20								66.5		771.		
16												76.3	0	772.		
17																
18																
19																
20																

71-588B

WORKED BY \_\_\_\_\_ CHECKED BY 1st \_\_\_\_\_ 2nd \_\_\_\_\_

### STADIA SURVEY NOTES

AREA WAINWRIGHT - MEADE STATE or PROVINCE AK PAGE No. 38  
 LINE No.(s) 26 PARTY No. 1186 DATE 5 Day 2 Mo. 7 Yr. 76 BOOK No. \_\_\_\_\_  
 SURVEYOR G. LYMAN RODMAN M. H. WEATHER: COLD, WINDY. P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadio Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD		
1															
2		2640		+1/2								76.3		D	772
3		✓		270-20					13.2	4.4	4.6	71.7		A	
4	E	1320	-											CK	
5		0	-									69.2			773.
6	W	1320	-									66.5			774.
7		2640		+1/2								70.7			775.
8		✓		270-16-34					13.2	1.8	1.5	70.2		D	776.
9		2640		+1/2										CK	
10		✓		270-18-43					13.2	10.1	0.3	69.9		A	
11	E	1320	-											CK	
12		0	-									64.2			777.
13	W	1320		87-20								64.7			778.
14		2640		87-26-15								82.0			779.
15		✓		270-34-12								82.0		O	780.
16														CK	
17															
18															
19															
20															

TI-5088

WORKED BY \_\_\_\_\_ CHECKED BY 1st \_\_\_\_\_ 2nd \_\_\_\_\_

**STADIA SURVEY NOTES**

AREA \_\_\_\_\_ STATE or PROVINCE AK. PAGE No. 39  
 LINE No.(s) 26 PARTY No. 1186 DATE 5 Day 2 Mo. 71 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LYMAN RODMAN M. H. WEATHER: 20-0 P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		B.S. OF.S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1																
2		2640	-									82.0	0	780.		
3		✓		269-55-25							71.3 + 72.9		Δ			
4	E	1320	-								+10.5		CK.			
5		0	-									86.4		781.		
6	W	1320	-									87.7		782.		TP. REBAR.
7		✓		269-50							10.9 10.7	82.2	0	783.		
8											10.5		CK			
9																
10																
11																
12																
13																
14																
15																
16																
17																
18																
19																
20																

TI-588B

WORKED BY \_\_\_\_\_ CHECKED BY 1st \_\_\_\_\_ 2nd \_\_\_\_\_

### STADIA SURVEY NOTES

AREA NAINWRIGHT STATE or PROVINCE AK PAGE No. 40  
 LINE No.(s) 26 PARTY No. 1186 DATE 5 Day 2 Mo. 76 Yr. BOOK No.  
 SURVEYOR L LYMAN RODMAN M. H WEATHER: CLD P.T.S. No.

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD		
1															
2															
3															
4															
5															
6		0	-												
7															
8															
9															
10	SW.	4041.35		90-34-25											
11		✓		269-26-06											
12															
13				MEAN. AV. ZENITH											
14															
15				90-34-09											
16															
17															
18															
19															
20															

TI-568B

WORKED BY \_\_\_\_\_ CHECKED BY 1st \_\_\_\_\_ 2nd \_\_\_\_\_

NOTE!  
 ELEVATIONS ORIGIN.  
 WAS. STA. "LAKA"  
 U.S. ARMY.  
 STA. MINE IS BY  
 U.S.C.G.



### STADIA SURVEY NOTES

AREA \_\_\_\_\_ STATE or PROVINCE AK PAGE No. 41.  
 LINE No.(s) 26 PARTY No. 1186 DATE 7 Day 2 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LYMAN RODMAN M. H. WEATHER: -70° P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING			Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion			Center Hair	INST.		
1											82.2	0	783	
2		825		89-00				4.7	-9.7	72.4		Δ		
3	E	✓		271-30				17.7	99.78			CK		
4		0	-					5.2					-	
5	W	495		73-00				14.0	39.9	32.5			784	
6		1815		92-00				14.8	77.8	5.2		0	785	KUK RIVER
7		✓		267-50				8.8	77.4			CK		ICE ELV.
8														
9											5.2		786	ICE ELV.
10											5.2		787	ICE ELV.
11											5.2		789	ICE ELV.
12											5.2		790	ICE ELV.
13											5.2	0	791	ICE ELV.
14														
15		1980		91-30				9.6	61.4	56.0		Δ		
16		✓		268-38-25				14.0	61.0672			CK		
17	E	660												
18		0	-					5.2			5.2		792	ICE ELV.
19	W.	✓						5.0	50.8	48.0			-	
20		✓		270-10				9.9	8.0	8.0		0	793	

TI-5088

WORKED BY \_\_\_\_\_ CHECKED BY 1st \_\_\_\_\_ 2nd \_\_\_\_\_

### STADIA SURVEY NOTES

AREA \_\_\_\_\_ STATE or PROVINCE AK PAGE No. 42  
 LINE No.(s) 26 PARTY No. 1181 DATE 7 Day 2 Mo. 7 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. L. MAN RODMAN M. H. WEATHER: -70° P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correction	Center Hair			INST.	ROD			
1												48.0		W	793.	
2		2640		89-20							20.3	27.5		Δ		
3		✓		270-45.05							20.6			CK		
4	E	1320		270-30							6.1		33.6		794.	
5		0	-										22.3		795.	
6	W	1320	-										24.8		796.	
7		2640		+1/2					+13.2	+2.7			30.3		797.	
8		✓		270-20							+3.0	2.8			CK	
9		2640		-1/2					+13.2	+22.9		53.2			Δ	
10		✓		269-48-29.							+22.8	22.9			CK	
11	E	1320	-										42.2		798	
12		0	-										48.0		799	TP REBAR
13																IN. 920.
14	W	1320	-								9.5		43.7		800	
15		✓		270-10							9.5				CK	
16		1485		+1/2						7.4	7.1	44.8			Δ	
17		✓		270-30							7.0				CK	
18	E	165	-										41.1		801.	
19		0	-										39.6		-	
20	W	1155		90-50							27.2		17.6		802.	
		✓		269-20							19.7	27.1			CK	

TI-508B

WORKED BY \_\_\_\_\_

CHECKED BY 1st \_\_\_\_\_

2nd \_\_\_\_\_

### STADIA SURVEY NOTES

AREA \_\_\_\_\_ STATE or PROVINCE AK. PAGE No. 43.  
 LINE No.(s) 26. PARTY No. 1186. DATE 6. Day 2 Mo. 76 -Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LYMAN. RODMAN M.H. WEATHER: - 50° P.T.S. No. \_\_\_\_\_

No.	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING			Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion			Center Hair	INST.			
1											35.5	⊙	817		
2		2640	-						+ 5.7		41.5	Δ		↑ FLY'S MARKED BACK FROM ST. 802.	
3	✓			270-10-11				+ 6.2	+ 6.0			CK			
4	W.	1320	-						- 4.8		36.7		816.		
5	0		-						- 5.2		36.3		815.		
6	E	1320	-	70-30					- 24.1		17.4		814		
7		2640	-						- 8.0	- 7.8	33.7	⊙	813.		
8	✓		-	270-08-15					- 7.7			CK			
9		2140	-						+ 14.5		48.1	Δ			
10	✓		-	269-54-23					+ 14.3	- 14.4		CK			
11	W	1320	-						- 11.2		36.9		812.		
12	0		-						- 5.2		42.9		811.		
13	E.	1320	-						- 10.6		37.6	⊙	810.		
14	✓		-	270-10					- 10.5	- 10.5		CK.			
15															
16															
17															
18															
19															
20															

71-5888

WORKED BY \_\_\_\_\_ CHECKED BY 1st \_\_\_\_\_ 2nd \_\_\_\_\_

### STADIA SURVEY NOTES

AREA \_\_\_\_\_ STATE or PROVINCE AK PAGE No. 44  
 LINE No.(s) 26 PARTY No. 1186 DATE 6 Day 2 Mo. 76 Yr. BOOK No. \_\_\_\_\_  
 SURVEYOR L. LYMAN RODMAN M H WEATHER: - 50° P.T.S. No. \_\_\_\_\_

LINE	Bearing of Sight	Stadia Distance	BEAMAN OR VERNIER			ROD READING				Angular Elev. Diff.	Final Elev. Diff.	ELEVATIONS		A.B.S. OF S. - S.S.	Station	REMARKS
			Level	Inclined	Angle or Factor	Hair Read	Reading	Correc-tion	Center Hair			INST.	ROD			
1													37.6	0	810	
2		2640		89-34-30						-15.8		21.9		Δ		
3		✓		270-25-22						-15.7	-15.7			Δ		
4	W.	1320		+1/2						+6.6	+2.0		23.9		809	
5		0	-								-5.2		16.7		808	
6	E.	1320	-								-11.4		10.5		807	
7		2640		90-05-52							-4.5		17.6	0	806	
8		✓		269-59-41							-4.0	-4.3		CK		
9		2640		89-54-08							-0.7	17.0		Δ		
10		✓		270-05-40							-0.6	-0.6		CK		
11	W	1320	-								-4.7		12.3		805	
12		0	-								-5.2		11.8		804	
13	E	1320		+1/2							+2.1		17.1		803	
14		2640		89-41-14							+0.4		17.6	0	802	ELV. from.
15		✓		270-19-11							+0.7	+0.6		CK		PAGE. 42.
16																
17																
18																
19																
20																

TI-588B

WORKED BY \_\_\_\_\_ CHECKED BY 1st \_\_\_\_\_ 2nd \_\_\_\_\_