

CLIENT		PARTY NO.		PROSPECT		COUNTY		STATE		COUNTRY		LEFT STORAGE		ARRIVED FIELD		LEFT FIELD		ARRIVED STORAGE		DATE		OBSERVER		PAGE															
Huskey		1152						ALASKA		USA		700		8.15		8:00 P.M.		9:00		2-17-76		R. SHERWOOD / A.E. JESS		10															
IDENTIFICATION				SHOT				SPREAD				TAPE				GAIN				FILTERS				REMARKS															
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL.	PLAY BACK	TIME	SIZE	TOP BOT.	NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	S.P. SEIS. OFFSET	SEIS. DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)					FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH						
																						1-4	5-8		9-12	13-16					17-20	21-24	FREQ.	SLOPE	IN	OUT			
651	90	513501	1057	A	RAW		50	70/90	2	0		50	5'			1/1	1	✓	6			OPR	54	54	54	42	36	90	FAST	60%	124	8	36	OUT					
	91		1060				50	70/90	2																														
	92		1061				50	70/90	2																														
	93		1062				50	70/90	2																														
	94		1063				50	70/90	2																														
	95		1064				50	70/90	2																														
	96		1065				50	70/90	2																														
	97		1066				50	70/90	2																														
	98		1067				60	70/90	2																														
	99		1070				50	70/90	2																														
	100		1071				50	70/90	2																														
	101		1072				60	70/90	2																														
	102		1073				50	70/90	2																														
	103		1075				60	70/90	2																														
	104		1076				50	70/90	2																														
	105		1077				50	70/90	2																														NO UP. Hole
	106		1100				50	70/90	2																														
	107		1101				50	70/90	2																														
	108		1102				50	70/90	2																														
	109		1103				50	70/90	2																														
	110		1104				50	70/90	2																														
	111		1105				50	70/90	1																														
	112		1107				50	70/90	2																														
	113		1110				50	70/90	2																														
	114		1111				50	70/90	2																														
	115		1112				50	70/90	2																														
	116		1113				50	70/90	2																														
	117		1114				50	70/90	2																														

SEISMOMETER AND SPREAD INFORMATION						SHOT CONFIGURATION	
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN	
0	20-P	18	25'	1N/1NG	330	45 TRACE 24/24 SPLIT NO GAP	

DFS III SYSTEM PARAMETERS:	
GAIN CONSTANT	30 DB
UPPER SET LIMIT	62.5 %
LOWER SET LIMIT	18 %
FORMAT TYPE:	<input type="checkbox"/> 9 TRACK <input checked="" type="checkbox"/> 21 TRACK
GALVO LEVEL:	1-24 24 DB AUX 21 DB
OTHER:	

MISCELLANEOUS INFORMATION:	
REC# 1045-1054	DRD
REC# 1055	Pulse TEST
REC# 1056	TEST TR
REC# 1072	Pulse TEST
REC# 1106	Pulse TEST

CLIENT		PARTY NO	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																					
HUSKY		1182	NPR-4		ALASKA						2/20/76		2-2																					
IDENTIFICATION				SHOT			SPREAD				TAPE		GAIN					FILTERS			REMARKS													
LINE	PROFILE	REEL NUMBER	FILE NUMBER	SHOT CAL.	PLAY BACK	TIME	SIZE	TOP BOT.	NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	S.P. SEIS. OFFSET	SEIS. DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS		MODE	INITIAL GAIN (DB)					FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT		NOTCH
																		1	2	4			1-4/24	5-8	9-12	13-16	17-20	21-24				FREQ.	SLOPE	IN
65	145	54302	1164				50	70/90	2			5				1/29	3	1			6	AGC	54	54	54	48	42	36	90	FAST 608	124	8	36	OUT
1	146		1165				50	70/90	2							1/33							36	42	48	54	54	54						

SEISMOMETER AND SPREAD INFORMATION						SHOT CONFIGURATION	DFS III SYSTEM PARAMETERS:	MISCELLANEOUS INFORMATION:
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN		

GAIN CONSTANT _____ DB
 UPPER SET LIMIT _____ %
 LOWER SET LIMIT _____ %
 FORMAT TYPE:
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-24 _____ DB AUX _____ DB
 OTHER:

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE														
Husky		1182	NPR-4		ALASKA		7:00	1:45	9:00		2/21/76	R. Sherwood/H-Lass	1														
LINE	PROFILE	IDENTIFICATION		SHOT CAL	PLAY BACK	TIME	SIZE	SHOT		NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	SPREAD		TAPE		GAIN						FILTERS		REMARKS
		REEL NUMBER	FILE NUMBER					TOP	BOT.						SEIS. DEPTH	SEIS. DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)				
														1-4/24	5-8	9-12	13-16	17-20	21-24			FREQ	SLOPE	IN	OUT		

SEISMOMETER AND SPREAD INFORMATION						SHOT CONFIGURATION	
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN	
0	D-20 10Hz	18	25'	inline	330	48 TRACES SPLIT NO GAP	

DFS III SYSTEM PARAMETERS:	
GAIN CONSTANT	30 DB
UPPER SET LIMIT	62.5 %
LOWER SET LIMIT	18 %
FORMAT TYPE:	<input type="checkbox"/> 9 TRACK <input checked="" type="checkbox"/> 21 TRACK
GALVO LEVEL:	1-24 24 DB AUX 21 DB
OTHER:	

MISCELLANEOUS INFORMATION:	
1214	Pulse
1225	Pulse

Daily facts 1166-1176
 Iug truck and shooting
 under down.
 ga # 53-2 on lake, no trace
 to some phones. Kill base 46
 Wind 10 mph

Iug trucks stuck last 5/1/76

dev. of full gain

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																						
HOSKY - NAVY		182	NPR-4		ALASKA		7:00	7:30			2/22/76	R.H. Sherwood / A. Loss																							
LINE	IDENTIFICATION			SHOT CAL.	PLAY BACK	TIME	SIZE	SHOT		NO CAPS	CODE	S.P. OFFSET	NO. 1 DIR	CODE	SPREAD		TAPE		GAIN						FILTERS		REMARKS								
	PROFILE	REEL NUMBER	FILE NUMBER					TOP	BOT.						S.P. SEIS. OFFSET	SEIS. DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	1-4/24	5-8	9-12	13-16/17		20-21/24	FINAL GAIN DB	RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	LOW CUT	NOTCH	
65	175	543503	1250		R.A.W.	10:20	50	70/90	2				S			1/1	1	✓	6	AGC	54	54	54	48	42	36	90	FIRST	608	124	8	36	OUT	pully into 1237 - 1247	
	176		1251			10:30	50	70/90	2							1/5					36	42	48	54	54	54									
	177		1252			10:40	50	70/90	2							1/9																			
	178		1253			10:50	50	70/90	2							1/13																			
	179		1254			11:00	50	70/90	2							1/17																			
	180		1255			11:10	50	70/90	2							1/21																			
	181		1256			11:15	50	70/90	2							1/25																			
	182		1257			11:25	50	70/90	2							1/29																			
	183		1260			11:35	50	70/90	2							1/33																			
	184		1261			11:45	50	70/90	2							1/37																			
	185		1262			12:00	50	70/90	2							1/41																			
	186		1263			12:10	50	70/90	2							1/45																			
	187		1264			12:20	50	70/90	2							1/49																			
	188		1266			1:50	50	70/90	2							1/5	2																		RECORDER STUCK
	189		1267			2:00	50	70/90	2							1/9																			
	190		1270			2:10	50	70/90	2							1/13																			
	191		1271			2:20	50	70/90	2							1/17																			
	192		1272			2:35	50	70/90	2							1/21																			
	193		1273			2:45	50	70/90	2							1/25																			
	194		1274			3:00	50	70/90	2							1/29																			
	195		1275			3:15	50	70/90	2							1/33																			
	196		1277			4:30	50	70/90	2							1/5	3																	Tug TRUCK STUCK	
	197		1300			4:40	50	70/90	2							1/9																			
	198		1301			4:50	50	70/90	2							1/13																			
	199		1302			5:00	50	70/90	2							1/17																		DRAG OUT	
	200		1303			5:20	50	70/90	2							1/21																			
	201		1304			5:30	50	70/90	2							1/25																			
	202		1305			5:45	50	70/90	2							1/29																			

SEISMOMETER AND SPREAD INFORMATION						SHOT CONFIGURATION	
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN	

DFS III SYSTEM PARAMETERS:	
GAIN CONSTANT	30 DB
UPPER SET LIMIT	62.5 %
LOWER SET LIMIT	19 %
FORMAT TYPE:	<input type="checkbox"/> 9 TRACK <input checked="" type="checkbox"/> 21 TRACK
GALVO LEVEL:	
1-24	24 DB AUX 21 DB
OTHER:	

MISCELLANEOUS INFORMATION:	
1265 PULSE	
1276 PULSE	

RECORDER FIELD DATA TI-12238-A

CLIENT		PARTY NO		PROSPECT		COUNTY		STATE		COUNTRY		LEFT STORAGE		ARRIVED FIELD		LEFT FIELD		ARRIVED STORAGE		DATE		OBSERVER		PAGE														
HUSKY - NAVY		1182		NPR-4				ALASKA				7:00		8:00		7:00		11:50		2/23/76																		
LINE	PROFILE	IDENTIFICATION		SHOT CAL	PLAY BACK	TIME	SIZE	SHOT		NO CAPS	CODE	SP OFFSET	NO. 1 DIR	CODE	SP. OFFSET	SPREAD		CDP SWITCH	SETUP	SAMPLE RATE MS			RECORD LENGTH	PARITY ERRORS	MODE	GAIN						RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	FILTERS		NOTCH IN/OUT	REMARKS
		REEL NUMBER	FILE NUMBER					TOP	BOT							1	2			4	1-4/24	5-8				9-12	13-16	17-20	21-24	FINAL GAIN-DB	FREQ				SLOPE			
65	215	543504	1336		R.R.W	9:45	50	20/90	2				S			1/1	1	✓	6	AGC	54	54	54	48	42	36	90	FAST	608	124	8	36	OUT	Fog TRUCK LOST Wind .25 to .35 MPH. unable to shot				
	216		1337			2:00	50	20/90	2							1/5					36	42	48	54	54													
	217		1340			2:30	50	20/90	2							1/9																						
	218		1341			2:40	50	20/90	2							1/13																						
	219		1342			2:50	50	20/90	2							1/17																						
	220		1343			3:00	50	20/90	2							1/21																						
	221		1344			3:10	50	20/90	2							1/25																						
	222		1345			3:20	50	20/90	2							1/29																						
	223		1346			3:40	50	20/90	2							1/33																						
	224		1347			3:50	50	20/90	2							1/37																						
	225		1350			4:10	50	20/90	2							1/41																						
	226		1351			4:20	50	20/90	2							1/45																						
	227		1352			4:50	50	20/90	2							1/49																						
	228		1354			6:45	50	5/15	2							1/5	2																			Bad cables		
	229		1354.5			7:30	50	20/90	2					75'W		1/9																				cable trouble		
	230		1355			7:45	5		2							1/13																						

SEISMOMETER AND SPREAD INFORMATION					
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	SPREAD PATTERN

SHOT CONFIGURATION	

DFS III SYSTEM PARAMETERS:
 GAIN CONSTANT 30 DB
 UPPER SET LIMIT 62.5 %
 LOWER SET LIMIT 18 %
 FORMAT TYPE:
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-24 24 DB AUX 21 DB
 OTHER:

MISCELLANEOUS INFORMATION:
 1353 - Pulse

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																								
HUSKY - NAVY		1182	NPR-4		ALASKA		7:00	7:30			2/24/76	R.H. Sherwood																									
LINE	IDENTIFICATION			SHOT CAL	PLAY BACK	TIME	SIZE	SHOT		NO. CAPS	CODE	S.P. OFFSET	NO. 1 DIR.	CODE	SPREAD			TAPE				GAIN						FILTERS			REMARKS						
	PROFILE	REEL NUMBER	FILE NUMBER					TOP BOT	SEIS. OFFSET						SEIS. OFFSET	COP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	1-4/24	5-8	9-12	13-16	17-20	21-24	FINAL GAIN DB	RELEASE RATE	TRIP DELAY		HIGH CUT FREQ.	LOW CUT FREQ.	SLOPE	NOTCH IN	NOTCH OUT	
65	230	543504	1371			9:15	50	55/75	2			S				1	1	1	6	HGC	54	54	54	48	42	36	90	FMS	608	124	8	36	OUT	BLASTER TROUBLE.			
	231		1372			9:25	50	55/75	2																												
	232		1373			9:35	50	55/75	2																												
	233		1374			9:45	50	55/75	2																												
	234		1385			9:55	50	55/75	2																												
	235		1376			10:15	50	55/75	2		400'E																										
	236		1377			10:25	50	55/75	2																												
	237		1400			10:35	50	55/75	2																												
	238		1401			10:45	50	55/75	2																												
	239		1403			12:10	50	55/75	2																												
	240		1404			12:25	50	55/75	2																												
	241		1405			12:40	50	55/75	2																												
	242		1406			12:50	50	70/90	2																												
	243		1407			1:05	50	70/90	2																												
	244		1410			1:30	50	70/90	2																												
	245		1411			1:40	50	55/75	2																												
	246		1412			1:50	50	55/75	2																												
	247		1413			2:05	50	55/75	2																												
	248		1414			2:25	50	55/75	2																												
	249		1415			2:35	50	55/75	2																												
	250		1416			2:45	25	55/75	2																												
	251		1420			3:35	25	55/75	2																												
	252		1421			3:45	25	55/75	2																												
	253		1422			4:00	25	55/75	2																												
	254		1423			4:20	25	55/75	2																												
	255		1424			4:30	25	55/75	2																												
	256		1425			4:40	25	55/75	2																												
	257		1426			4:50	25	55/75	2		220'W																										

37-48 wrong COP

SEISMOMETER AND SPREAD INFORMATION						SHOT CONFIGURATION		DFS III SYSTEM PARAMETERS:		MISCELLANEOUS INFORMATION:	
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN			GAIN CONSTANT	UPPER SET LIMIT	LOWER SET LIMIT
									30	62.5	18
									DB	%	%
									FORMAT TYPE:		
									<input type="checkbox"/> 9 TRACK <input checked="" type="checkbox"/> 21 TRACK		
									GALVO LEVEL:		
									1-24 24 DB AUX 18 DB		
									OTHER:		

Pulse 1402
Pulse 1407

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE															
MUSKY NAVY		1182	NPR-4		ALASKA						2/24/76	R. H. Sherwood																
LINE	IDENTIFICATION			SHOT CAL.	PLAY BACK	TIME	SIZE	SHOT		SPREAD				TAPES		GAIN						FILTERS		REMARKS				
	PROFILE	REEL NUMBER	FILE NUMBER					TOP	NO CAPS	S.P. OFFSET	NO. 1 DIR.	CODE	R. L. DIST. FROM OBS.	SEIS. DEPTH	CDP SWITCH	SETUP	SAMPLE RATE MS	RECORD LENGTH	PARITY ERRORS	MODE	INITIAL GAIN (DB)						FINAL GAIN DB	RELEASE RATE
								BOT.					1	2	4		1-4/24	5-8	9-12	13-16	17-20	21-24			FREQ.	SLOPE	IN	OUT

SEISMOMETER AND SPREAD INFORMATION						
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN

SHOT CONFIGURATION	

DFS III SYSTEM PARAMETERS:

GAIN CONSTANT 30 DB

UPPER SET LIMIT 62.5 %

LOWER SET LIMIT 18 %

FORMAT TYPE:

9 TRACK 21 TRACK

GALVO LEVEL:

1-24 24 DB AUX 24 DB

OTHER:

MISCELLANEOUS INFORMATION:

Pulse - 1430

CLIENT		PARTY NO.	PROSPECT	COUNTY	STATE	COUNTRY	LEFT STORAGE	ARRIVED FIELD	LEFT FIELD	ARRIVED STORAGE	DATE	OBSERVER	PAGE																								
NAVY		1182	NPR-4		ALASKA		7:00 AM	8:00 AM			2/24/76	Shaewood																									
LINE	IDENTIFICATION		SHOT CAL.	PLAY BACK	TIME	SIZE	SHOT		NO CAPS	CODE	S.P. OFFSET	NO. DIR.	CODE	SPREAD		S.P. SEIS. OFFSET	SEIS. DENTH	CDP SWITCH	SETUP	TAPE				MODE	GAIN						RELEASE RATE	TRIP DELAY	HIGH CUT FREQ.	FILTERS		NOTCH IN/OUT	REMARKS
	PROFILE	REEL NUMBER					FILE NUMBER	TOP BOT						RECORD LENGTH	PARITY ERRORS					1-4/24	5-8	9-12	13-16		17-20	21-24	FINAL GAIN DB	FREQ.	SLOPE								

SEISMOMETER AND SPREAD INFORMATION						
CODE	SEIS. TYPE	NO./GP.	INT.	GROUP PATTERN	GP. INT.	SPREAD PATTERN

SHOT CONFIGURATION	

DFS III SYSTEM PARAMETERS:
 GAIN CONSTANT 30 DB
 UPPER SET LIMIT 62.5 %
 LOWER SET LIMIT 18 %
 FORMAT TYPE:
 9 TRACK 21 TRACK
 GALVO LEVEL:
 1-24 24 DB AUX 18 DB
 OTHER:

MISCELLANEOUS INFORMATION:
 1472 Pulse

Daily tests - 1443-145
 Hole blew out
 Trace # 45 dead.
 Trace # 41 dead
 Trace # 37 dead 33-34+38
 Trace # 33 dead.
 Trace 45 dead
 12 gr fail spread
 roll out with shatter
 only.
 End of line.