





# LAND SEISMIC RECORDING LOG


	CLIENT: <b>Husky</b>	PROSPECT: <b>NPR #4 1KPIK PUK - Key Creek</b>	AREA: <b>1KPIK PUK - KEY CREEK</b>	LIMITING: <b>105</b>	
PARTY NO: <b>1182</b>		INST. ENG: <b>W. WELCOME</b>		DATE: <b>MO 3 DAY 6 YR 77</b>	
INSTRUMENT: <b>1 SYSTEM</b>		TYPE: <b>DFS III</b>		FORMAT: <b>9 TRACK</b>	
NO. BYTES IN HEADER REC: _____		NO. BYTES IN RECORD ID: _____		RECORD NUMBERS: _____	
FIELD TRACE NOS.: <b>1-48</b>		AUXILIARY DATA: <b>RAW SIM RAW REF TB / RAW W/ UH / SIM REF TB RN 1KHZ</b>		AUXILIARY CHANNEL NOS.: <b>49 50 51 52 53 54 55</b>	
PARAMETER: <b>RECORD LENGTH: 6 sec</b>		SAMPLE RATE: <b>2 ms</b>		GAIN MODE: <b>RIP</b>	
DISPLAY: <b>MODE: AGC</b>		INITIAL GAIN: <b>0 db</b>		TRIP SENS: <b>6 db</b>	
CFS I: <b>TYPE STACK</b>		GATE LENGTH: _____		RECORD REJECTION: _____	
SOURCE: <b>TYPE: DYNAMITE</b>		PATTERN: <b>SINGLE HOLE</b>		NO. OF POSITIONS: _____	
RECEIVER: <b>TYPE: GS 200</b>		PATTERN: <b>IN LINE</b>		NO. OF ELEMENTS: <b>18</b>	
SPREAD: <b>NO. OF GROUPS: 48</b>		GROUP INTERVAL: <b>330</b>		SHOTPOINT INTERVAL: <b>1320</b>	



SHOTPOINT	TR. 1 to 24		TR. 25 to 48		SHOT		SPREAD		REMARKS	CORR. STACK				
	REEL NO.	REC.	REEL NO.	REC.	SIZE	DEPTH	NO.	OFFSET		DIR.	CDP SWITCH	LINE GROUPS		
01	5143	6172	0214	H						1/25	SPI-25 TO SPT 48	TESTS		
02			0215							1/29	1-21 TO 8-48	SIM READOUT - 15 MS LINE RUNNING NEAR CAMP		
03			0216							1/33	1-17 TO 9-48	OFFSET		
04			0217							1/37	1-13 TO 10-48	SKIP		
05			0217		0.55	0.75	24330			1/41	1-9 TO 11-48	OFFSET TRACE 48 DEAD		
06			0220		0.57	0.75	245			1/45	1-5 TO 12-48	TRACE 44 DEAD		
07			0221				06			1/49	1-1 TO 13-48	TRACE 40 DEAD		
08			0222				07			1/1	2-1 TO 14-48	INST MESS TRACE 4 DEAD		
09			0223				08			1/5	3-1 TO 15-48	TRACES 20 & 21 NOISY - VERTICAL		
10			0224				09			1/9	4 TO 16	NOISY		
11			0225				10			1/13	5 TO 17	OFFSET 45 TO W. NO SPS		
12			0226				11			1/17	6 TO 18			
13			0227				12			1/21	7 TO 19	NO SPS HOLE OFFSET		
14			0230				13			1/25	8 TO 20	NO SPS HOLE OFFSET		
15			0231				14			1/29	9 TO 21	TRACE 43 DEAD		
16			0232				15			1/33	10 TO 22	TRACES 22 & 39 DEAD		
17			0233				16			1/37	11 TO 23	TRACE 35 DEAD		
18			0234				17			1/41	12 TO 24	TRACE 31 DEAD		
19			0236				18			1/45	13 TO 25	TRACES 27 & 48 DEAD		
20			0236				19			1/49	14 TO 26	TRACES 23 & 44 DEAD		

# LAND SEISMIC RECORDING LOG

	CLIENT: <b>HUSKY</b>	PROSPECT: <b>NPR 4</b>	AREA: <b>IKPIK PUK - KEY CREEK</b>	LINE NO: <b>105</b>	
PARTY NO: <b>1182</b>		INST. ENG: <b>W. WELCOME</b>		CABLES <b>1000-</b> SHOOTING	
DATE: <b>87</b> MO <b>03</b> DAY <b>26</b> TR <b>17</b>					
INSTRUMENT (9-TRACK)		NO. BYTES IN HEADER REC:		NO. BYTES IN RECORD ID:	
CONFIGURATION (MAG TAPE)		FIELD TRACE NOS.: <b>1-48</b>		DATA CHANNEL NOS.: <b>1-48</b>	
PARAMETER		RECORD LENGTH: <b>6</b> sec.		SAMPLE RATE: <input checked="" type="checkbox"/> 1 sec. <input type="checkbox"/> 4 sec.	
DISPLAY		MODE: <input checked="" type="checkbox"/> AGC <input type="checkbox"/> FLOAT <input type="checkbox"/> DEFOAT <input type="checkbox"/> AMPLIFIER <input type="checkbox"/> DIRECT		INITIAL GAIN: <b>2</b> db	
CFS I		TYPE STACK:		GATE LENGTH:	
SOURCE		TYPE: <input checked="" type="checkbox"/> DYNAMITE <input type="checkbox"/> VIBROSEIS <input type="checkbox"/> OTHER		PATTERN: <b>SINGLE HOLE</b>	
RECEIVER		TYPE: <b>GS 20 D</b>		CONNECTION: <b>S/P</b>	
SPREAD		NO. OF GROUPS: <b>48</b>		GROUP INTERVAL: <b>330</b>	






SHOTPOINT	TR. 1 to 48		TR. 10		SHOT				SPREAD		REMARKS: RNS 0037 TO 0053 USED FOR TESTS	CORR. STACK	
	REEL NO.	REC.	REEL NO.	REC.	SIZE	DEPTH	NO.	OFFSET	DIR.	CDP SWITCH		LINE GROUPS	TR. 1
21	20154	20154			21	21	21			1/1	SP15-1 TO SP17-1		
22	20155	20155			22	22	22			1/5	16 TO 28		
23	20156	20156			23	23	23			1/9	17 TO 29		
24	20157	20157			24	24	24			1/13	18 TO 30		
25	20158	20158			25	25	25			1/17	19 TO 31		
26	20159	20159			26	26	26			1/21	20 TO 32		
27	20160	20160			27	27	27			1/25	21 TO 33		
28	20161	20161			28	28	28			1/29	22 TO 34		
29	20162	20162			29	29	29			1/33	23 TO 35		
30	20163	20163			30	30	30			1/37	24 TO 36		
31	20164	20164			31	31	31			1/41	25 TO 37		
32	20165	20165			32	32	32			1/45	26 TO 38		
33	20166	20166			33	33	33			1/49	27 TO 39		
34	20167	20167			34	34	34			1/1	28 TO 40		
35	20168	20168			35	35	35			1/5	29 TO 41		
36	20169	20169			36	36	36			1/9	30 TO 42		
37	20170	20170			37	37	37			1/13	31 TO 43		
38	20171	20171			38	38	38			1/17	32 TO 44		



1/2

# LAND SEISMIC RECORDING LOG

	CLIENT: <b>HUSKY</b>	PROSPECT: <b>NPR 4</b>	AREA: <b>KEY CREEK</b>	LINE NO.: <b>105</b>								
	PARTY NO.: <b>1182</b>	INST. ENG.: <b>B. CRAIG</b>		DATE: <b>NOV 8 1977</b>								
INSTRUMENT (9-TRACK)	<input type="checkbox"/> 1 SYSTEM <input checked="" type="checkbox"/> 2 SYSTEMS	<input checked="" type="checkbox"/> 1-24 & 25-48 <input type="checkbox"/> 1-48 & 49-96	<input type="checkbox"/> ODDS <input checked="" type="checkbox"/> EVENS	TYPE: <input type="checkbox"/> DFS III <input checked="" type="checkbox"/> DFS III	<input type="checkbox"/> 9 TRACK <input checked="" type="checkbox"/> 21 TRACK	FORMAT: <input type="checkbox"/> SEG	<input type="checkbox"/> GAPPED <input checked="" type="checkbox"/> UNGAPPED	PACKING DENSITY: (L) <input type="checkbox"/> 356 BPI <input type="checkbox"/> 600 BPI	(M) <input type="checkbox"/> 712 BPI <input type="checkbox"/> 1600 BPI			
	NO. BYTES IN HEADER REC:	NO. BYTES IN RECORD ID:	NO. BYTES PER SCAN:	RECORD NUMBERS: <input type="checkbox"/> DEC <input checked="" type="checkbox"/> OCT	GAIN CONSTANT: <b>30</b> db	INPUT IMPEDANCE: <b>500</b> ohms	(1)	(2)	(3)	(4)	(5)	(6)
CONFIGURATION (MAG TAPE)	FIELD TRACE NOS.: <b>1-48</b>	DATA CHANNEL NOS.: <b>1-48</b> [ON MAG TAPE]			AUXILIARY DATA: AUXILIARY CHANNEL NOS.:							
PARAMETER	RECORD LENGTH: <b>6</b> sec.	SAMPLE RATE: <input type="checkbox"/> 1 ms. <input checked="" type="checkbox"/> 2 ms. <input type="checkbox"/> 4 ms.	GAIN MODE: <input type="checkbox"/> INITIAL <input type="checkbox"/> MANUAL <input checked="" type="checkbox"/> IFF <input type="checkbox"/> FINAL <input type="checkbox"/> OPERATE	FILTERS: FREQ. <b>8</b> LO CUT <b>36</b> HI CUT	NOTCH FILTER: <input type="checkbox"/> IN <input type="checkbox"/> OUT							
DISPLAY	MODE: <input checked="" type="checkbox"/> AGC <input type="checkbox"/> DEFLOAT <input type="checkbox"/> DIRECT	AMPLIFIER: <input type="checkbox"/> DIRECT	TRIP SENS: <b>db</b>	POLARITY CONVENTION: <input type="checkbox"/> NEGATIVE <input checked="" type="checkbox"/> POSITIVE	PRESSURE INCREASE ON GEOPHONE: <input type="checkbox"/> NUMBERS ON MAG. TAPE <input type="checkbox"/> DOWNBREAK <input type="checkbox"/> UPBREAK		ON DISPLAY					
CFS I	TYPE STACK:	GATE LENGTH:	RECORD REJECTION:	NOISE REDUCTION:	NOISE THRESHOLD:	CORR. SCALING:	R.C.U. NORM / ALT SW.					
SOURCE	TYPE: <input checked="" type="checkbox"/> DYNAMITE <input type="checkbox"/> VIBROSEIS <input type="checkbox"/> OTHER	PATTERN:	NO. OF POSITIONS:	INLINE SPACING:	LATERAL SPACING:	STAGGER:	LENGTH:	WIDTH:	LATERAL OFFSET:			
	CHG/ MOLE: <b>50%</b>	HOLE DEPTH: <b>90'</b>	SWEEP POSITION:	SWEEP START:	SWEEP END:	SWEEP LENGTH:	SWEEP TAPER:	PHASE COMP.				
RECEIVER	TYPE:	PATTERN:	NO. OF ELEMENTS:	INCLINE SPACING:	LATERAL SPACING:	STAGGER:	LENGTH:	WIDTH:	LATERAL OFFSET:			
	CONNECTION:	RESISTANCE: ohms	STAGGER:	LENGTH:	WIDTH:	LATERAL OFFSET:						
SPREAD	NO. OF GROUPS:	GROUP INTERVAL:	SHOTPOINT INTERVAL:	FOLD:	DIRECTION OF PROGRESSION:							
	OFFSET GROUP 1:	OFFSET GROUP:	OFFSET GROUP:	OFFSET GROUP 48/96:	LEADING GROUP:							



SHOTPOINT	TR. 1		TR. 2		SHOT		SPREAD		REMARKS	CORR. STACK					
	REEL NO.	REC.	REEL NO.	REC.	SIZE	DEPTH	NO.	OFFSET		DIR.	CDP SWITCH	LINE GROUPS	TR. 1	TR. 2	TR. 3
43	573578	28			5.8	90	1			1/5	37 to 49				
44		25					2			1/9	28 to 50				
45		26					3			1/13	39 to 51				
46		27					4			1/17	40 to 52				
47		20					5			1/21	41 to 53				
48		31					6			1/25	42 to 54				
49		32					7			1/29	43 to 55				
50		33					8			1/33	44 to 56				
51		34					9			1/37	45 to 57				
52		35					10			1/41	46 to 58				
53		26					11			1/45	47 to 59				
54		37					12			1/49	48 to 60				
55		40					13			1/1	49 to 61				
56		41					14			1/5	50 to 62				
57		42					15			1/9	51 to 63				
58		43					16			1/13	52 to 64				
59		44					17			1/17	53 to 65				
60		45					18			1/21	54 to 66				
61		46					19			1/25	55 to 67				
62		47					20			1/29	56 to 68				

REMARKS:  
 RN 03-20 DAILY TESTS  
 1. TRACES 18 & 12 DEAD?  
 RN 22-23 N.R. TRACES 8 & 48 DEAD  
 TRACE #4 DEAD  
 TRACE #41 DEAD  
 TRACE #57 DEAD  
 TRACE #47 & 48 DEAD  
 TRACE #5 43 & 44 DEAD  
 TRACE #39 DEAD  
 TRACES 35, 46 & 48 DEAD  
 TRACE #3 DEAD  
 TRACE #45 DEAD






# LAND SEISMIC RECORDING LOG

	CLIENT: <b>HUSKY</b>	PROSPECT: <del>HUSKY</del> <b>NPR-4</b>	AREA: <b>KEY CREEK</b>	LINE NO: <b>105</b>
	PARTY NO: <b>1182</b>	INST. ENG: <b>B. CRAIG</b>		DATE: <b>MO Mar DAY 9 YE 77</b>

INSTRUMENT (9-TRACK)	<input checked="" type="checkbox"/> 1 SYSTEM <input checked="" type="checkbox"/> 2 SYSTEMS <input type="checkbox"/> 1-24 & 25-48 <input type="checkbox"/> 1-48 & 49-96 <input type="checkbox"/> ODDS EVENS TYPE: <input type="checkbox"/> DFS III <input type="checkbox"/> DFS II <input type="checkbox"/> OTHER			<input type="checkbox"/> 9 TRACK <input checked="" type="checkbox"/> 21 TRACK <input type="checkbox"/> GAPPED <input type="checkbox"/> UNGAPPED <input type="checkbox"/> PCKING DENSITY: (LO) <input type="checkbox"/> 356 BP   (HI) <input type="checkbox"/> 712 BP <input type="checkbox"/> 1424 BP		
	NO. BYTES IN HEADER REC: _____	NO. BYTES IN RECORD ID: _____	NO. BYTES PER SCAN: _____	RECORD NUMBERS: _____	FORMAT: _____ SEG <input type="checkbox"/> DEC. <input checked="" type="checkbox"/> OCT. <input type="checkbox"/> NOV. <input type="checkbox"/> JAN. <input type="checkbox"/> FEB. <input type="checkbox"/> MAR. <input type="checkbox"/> APR. <input type="checkbox"/> MAY. <input type="checkbox"/> JUN. <input type="checkbox"/> JUL. <input type="checkbox"/> AUG. <input type="checkbox"/> SEP. <input type="checkbox"/> OCT. <input type="checkbox"/> NOV. <input type="checkbox"/> DEC.	
CONFIGURATION (MAG TAPE)	FIELD TRACE NOS.: <b>1-48</b>			AUXILIARY DATA: _____		
	DATA CHANNEL NOS.: <b>1-48</b> (ON MAG TAPE)			AUXILIARY CHANNEL NOS.: _____		
PARAMETER	RECORD LENGTH: <b>6</b> sec.	SAMPLE RATE: <input type="checkbox"/> 1 ms. <input type="checkbox"/> 4 ms. <input type="checkbox"/> 8 ms.	GAIN MODE: <input checked="" type="checkbox"/> TRIP <input type="checkbox"/> INITIAL <input type="checkbox"/> FINAL	FILTERS: _____	LO CUT HZ SLOPE: <b>36</b>	H1 CUT HZ SLOPE: _____
DISPLAY	MODE: <input checked="" type="checkbox"/> MAGC <input type="checkbox"/> FLOAT <input type="checkbox"/> AMPLIFIER <input type="checkbox"/> DEFLOAT <input type="checkbox"/> DIRECT	INITIAL GAIN: _____ db	TRIP SENS: _____ db	POLARITY CONVENTION: _____	PRESSURE INCREASE ON GEOPHONE: <input type="checkbox"/> NEGATIVE <input type="checkbox"/> POSITIVE	NUMBERS ON MAG. TAPE: <input type="checkbox"/> DOWNBREAK <input type="checkbox"/> UPBREAK
CFS I	TYPE STACK: _____	GATE LENGTH: _____	RECORD REJECTION: _____	NOISE REDUCTION: _____	NOISE THRESHOLD: _____	COBR. SCALING: _____
SOURCE	TYPE: <input checked="" type="checkbox"/> DYNAMITE <input type="checkbox"/> VIBROSEIS <input type="checkbox"/> OTHER	PATTERN: <b>SINGLE</b>	NO. OF POSITIONS: _____	INLINE SPACING: _____	LATERAL SPACING: _____	STAGGER: _____
	CHG/HOLE: <b>50</b>	HOLE DEPTH: <b>90</b>	SWEEP POSITION: _____	SWEEP START: _____	SWEEP END: _____	SWEEP LENGTH: _____
RECEIVER	TYPE: _____	PATTERN: _____	NO. OF ELEMENTS: _____	INCLINE SPACING: _____	LATERAL SPACING: _____	STAGGER: _____
	CONNECTION: _____	RESISTANCE: _____ ohms	STAGGER: _____	LENGTH: _____	WIDTH: _____	LATERAL OFFSET: _____
SPREAD	NO. OF GROUPS: _____	GROUP INTERVAL: _____	SHOTPOINT INTERVAL: _____	FOLD: _____	DIRECTION OF PROGRESSION: _____	LEADING GROUP: _____
	OFFSET GROUP 1: _____	OFFSET GROUP: _____	OFFSET GROUP: _____	OFFSET GROUP 48/96: _____		



SHOTPOINT	TR. _____ to _____		TR. _____ to _____		SHOT				SPREAD		REMARKS:	COMB. STACK		
	REEL NO.	REC.	REEL NO.	REC.	SIZE	DEPTH	NO.	OFFSET	DIR.	COP SWITCH		LINE GROUPS	TR 1-24	TR 25-48
66	543578	72			5.0	90	1			1/5	58 to 90			AN # 51 to 71 DAILY TESTS.
65		74					2			1/9	59 to 71			RN 73 N.R.
66		75					3			1/3	60 to 72			
67		76					4			1/7	61 to 73			
68		77					5			1/21	62 to 74			TRACE # 47 DEAD.
69		100					6			1/25	63 to			TRACE # 43 & 47 DEAD.
70		101					7			1/29	64 to			TRACE # 39 & 43 DEAD.
71		102					8			1/33	65 to			TRACES # 35, 37, 38, 39, 40, 41, & 42, 45 DEAD.
72		103					9			1/37	66 to			TRACES 35 & 31 DEAD.
73		104					10			1/41	67 to			TRACES 27 & 31 DEAD.
														END OF LINE
														END OF TAPE