

LAND SEISMIC RECORDING LOG

CLIENT: <u>HUSKY</u>		PROSPECT: <u>NPR 4 UNIT</u>		AREA: <u>NORTH SURE AREA</u>		LINE NO: <u>03</u>	
PARTY NO: <u>1173</u>		INST. ENG: <u>R. BERNSCH</u>		REC HRS: <u>14.5</u>		DATE: <u>Dec. 3.5</u>	
INSTRUMENT: <input checked="" type="checkbox"/> 1 SYSTEM <input type="checkbox"/> 2 SYSTEMS		NO. BYTES IN HEADER REC: <u>226</u>		NO. BYTES IN RECORD ID: <u>2</u>		NO. BYTES PER SCAN: <u>254</u>	
CONFIGURATION (MAG TAPE): FIELD TRACE NOS.: <u>1-96</u>		DATA CHANNEL NOS.: <u>6700</u>		AUXILIARY DATA: (1) (2) (3) (4) (5) (6) (7)		AUXILIARY CHANNEL NOS.:	
PARAMETER: RECORD LENGTH: <u>9</u> sec.		SAMPLE RATE: <input type="checkbox"/> 1 ml. <input type="checkbox"/> 4 ml. <input checked="" type="checkbox"/> 2 ms. <input type="checkbox"/> ms.		GAIN MODE: <input type="checkbox"/> INITIAL <input type="checkbox"/> MANUAL <input checked="" type="checkbox"/> FINAL <input type="checkbox"/> OPERATE		FILTERS: FREQ. <u>8</u> LO CUT HZ SLOPE <u>18</u>	
DISPLAY: MODE: <input checked="" type="checkbox"/> AGC <input type="checkbox"/> FLOAT <input type="checkbox"/> AMPLIFIER <input type="checkbox"/> DEFLOAT <input type="checkbox"/> DIRECT		INITIAL GAIN: _____ db		TRIP SENS.: _____ db		POLARITY CONVENTION: <input type="checkbox"/> NEGATIVE <input checked="" type="checkbox"/> POSITIVE	
CFS I: TYPE STACK: _____		GATE LENGTH: _____		RECORD REJECTION: _____		NOISE REDUCTION: _____	
SOURCE: TYPE: <input checked="" type="checkbox"/> DYNAMITE <input type="checkbox"/> VIBROSEIS <input type="checkbox"/> OTHER		PATTERN: _____		NO. OF POSITIONS: _____		INLINE SPACING: _____	
RECEIVER: TYPE: <u>D2010</u>		PATTERN: <u>INLINE</u>		NO. OF ELEMENTS: <u>18</u>		INCLINE SPACING: <u>12</u>	
CONNECTION: <u>562-PAR</u>		RESISTANCE: <u>220</u> ohms		STAGGER: _____		LENGTH: <u>220'</u>	
SPREAD: NO. OF GROUPS: <u>96</u>		GROUP INTERVAL: <u>220'</u>		SHOTPOINT INTERVAL: <u>1760'</u>		FOLD: <u>600</u>	
OFFSET GROUP 1: <u>10450'</u>		OFFSET GROUP <u>49</u> : <u>110'</u>		OFFSET GROUP <u>49</u> : <u>110'</u>		DIRECTION OF PROGRESSION: <u>SOUTHERT</u>	
DIAGRAMS/MISC. INFORMATION:		SP1 SP2 SP3 SP4 SP5 SP6 SP7		WAITING ON DEWIS SURVEY - 2 HRS			
BEGIN L-03				FIRST SP#1 SPREAD. TAIL SPREAD ARE NUMBERED IN CAPS OF 8			

SHOTPOINT	TR. 1 to		TR. 2 to		SHOT			SPREAD			REMARKS	CORR. STACK					
	REEL NO.	REC.	REEL NO.	REC.	SIZE	DEPTH	NO. OFFSET	DIR.	CDP SWITCH	496 LINE GROUPS #1		SET	TR 1-48	TR 49-96	TR 1-48	TR 49-96	
1	151	144A	17	2223	20	29	30	32	33	37	1	6-8	72-1				
2					110	180					9	7-8	74-1				
3					110	180					17	8-8	72-1				
4					110	180					25	9-8	74-1				
5					110	180					33	10-8	75-1				
6					110	180					41	11-8	76-1				
7					110	180					49	12-8	7-1				
8					110	180					9	13-8	2-1	10			
9					110	180					17	14-8	2-1				
10					110	180					25	15-8	4-1				
11					110	180					33	16-8	5-1				
12					110	180					41	17-8	6-1				
13					110	180					25	18-8	7-1	13			
14					110	180					33	19-8	8-1				
15					110	180					41	20-8	9-1				
16					110	180					1	21-8	10-1	19			
17					110	180					9	22-8	11-1				
18					110	180					17	23-8	12-1				
19					110	180					25	24-8	13-1				
20					110	180					33	25-8	14-1				
21					110	105					41	26-8	15-1				

DAILY TESTS FH#1-7
INCIDENT SP# L-03
FIRST 1/2 OF CHRG DOWN RESTRICTED @ 90' THEN HOLE COLLAPSED
- HAD HOARDING
FH#13 - NO MON
SMALL WIND IN SPOTS ACKING UP NW
SWEETER SAID SHOT "SURA DID RUMBLE"
WINDS PICKED UP 15-25 MPH - LAST SHOT TILL LAYER.
FH#20 - NO MON HELD UP - SPREAD BY FOUR 2 HRS -
WIND DIED DOWN
WINDS HAD RETURNED
FH#27 - NO MON.

LAND SEISMIC RECORDING LOG

	CLIENT: <i>Mogky</i>	PROSPECT: <i>NPR-4 UNIT</i>	AREA: <i>N. SURF</i>	LINE NO: <i>03</i>					
	PARTY NO: <i>1173</i>	INST. ENG: <i>RANDALL BAUTSCH</i>	DATE: <i>Dec 1960</i> MO: <i>1</i> DAY: <i>30</i> YR: <i>72</i>						
INSTRUMENT (9-TRACK)	<input checked="" type="checkbox"/> 1 SYSTEM <input checked="" type="checkbox"/> 2 SYSTEMS	<input type="checkbox"/> 1-24 & 25-48 <input type="checkbox"/> 1-48 & 49-96	ODDS EVENS: <input checked="" type="checkbox"/> ODDS	TYPE: <input type="checkbox"/> DFS I <input type="checkbox"/> DFS II <input type="checkbox"/> OTHER	<input checked="" type="checkbox"/> 9 TRACK <input type="checkbox"/> 21 TRACK	FORMAT: SEG <i>B</i>	<input type="checkbox"/> GAPPED <input type="checkbox"/> UNGAPPED	PACKING DENSITY: (L) <input type="checkbox"/> 356 BPI <input type="checkbox"/> 800 BPI	(H) <input type="checkbox"/> 712 BPI <input checked="" type="checkbox"/> 1600 BPI
	NO. BYTES IN HEADER REC: <i>228</i>	NO. BYTES IN RECORD ID: <i>2</i>	NO. BYTES PER SCAN: <i>254</i>	RECORD NUMBERS: <input checked="" type="checkbox"/> DEC <input type="checkbox"/> OCT	GAIN CONSTANT: <i>36</i> db	INPUT IMPEDANCE: _____ ohms			
CONFIGURATION (MAG TAPE)	FIELD TRACE NOS.: <i>1-46</i>			AUXILIARY DATA:					
PARAMETER	RECORD LENGTH: <i>8</i> sec.	SAMPLE RATE: <input checked="" type="checkbox"/> 1 ms. <input type="checkbox"/> 4 ms.	GAIN MODE: <input checked="" type="checkbox"/> INITIAL <input type="checkbox"/> MANUAL <input type="checkbox"/> 1FP <input type="checkbox"/> FINAL <input type="checkbox"/> OPERATE	FILTERS: FREQ: <i>8</i> LO CUT HZ SLOPE: <i>18</i> HI CUT HZ SLOPE: <i>76</i>		NOTCH FILTER: <input type="checkbox"/> IN <input type="checkbox"/> OUT			
DISPLAY	MODE: <input checked="" type="checkbox"/> AGC <input type="checkbox"/> FLOAT <input type="checkbox"/> AMPLIFIER <input type="checkbox"/> DEFLOAT <input type="checkbox"/> DIRECT	INITIAL GAIN: _____ db	TRIP SENS: _____ db	POLARITY CONVENTION: <input type="checkbox"/> NEGATIVE <input type="checkbox"/> POSITIVE		PRESSURE INCREASE ON GEDPHONE: <input type="checkbox"/> NUMBERS ON MAG TAPE <input type="checkbox"/> DOWNBREAK <input type="checkbox"/> UPBREAK		ON DISPLAY	
CFS I	TYPE STACK:	GATE LENGTH:	RECORD REJECTION:	NOISE REDUCTION:		NOISE THRESHOLD:		CORR. SCALING:	
SOURCE	TYPE: <input checked="" type="checkbox"/> DYNAMITE <input type="checkbox"/> VIBROSEIS <input type="checkbox"/> OTHER	PATTERN: _____	NO. OF POSITIONS: _____	INLINE SPACING: _____	LATERAL SPACING: _____	STAGGER: _____	LENGTH: _____	WIDTH: _____	LATERAL OFFSET: _____
RECEIVER	TYPE: <i>D2070</i>	PATTERN: <i>INLINE</i>	NO. OF ELEMENTS: <i>18</i>	STAGGER: _____	INCLINE SPACING: <i>32</i>	LENGTH: <i>220'</i>	WIDTH: _____	LATERAL OFFSET: _____	
SPREAD	CONNECTION: <i>SEA-PAR</i>	RESISTANCE: <i>220</i> ohms	SHOTPOINT INTERVAL: <i>1760'</i>	SWEEP START: _____	SWEEP END: _____	SWEEP LENGTH: _____	SWEEP TAPER: _____	PHASE COMP: _____	
	NO. OF GROUPS: <i>96</i>	GROUP INTERVAL: <i>220</i>	OFFSET GROUP: <i>48, 110'</i>	OFFSET GROUP: <i>49, 110'</i>	OFFSET GROUP: <i>49, 110'</i>	OFFSET GROUP: <i>49, 110'</i>	OFFSET GROUP: <i>49, 110'</i>	OFFSET GROUP: <i>49, 110'</i>	

DIAGRAMS/MISC. INFORMATION:

SHOTPOINT	TR. 10		TR. 10		SHOT				SPREAD			REMARKS	CORR. STACK		
	REEL NO.	REC.	REEL NO.	REC.	SIZE	DEPTH	NO.	OFFSET	DIR.	CDP SWITCH	LINE GROUPS		357 UP	TR 1-48	TR 49-96
222	2511449	1410			110	105				1	27-8	16 18-1	25		
223		1411			110	105				9	28-8	17 18-1			
224		1412			110	105				17	29-8	18-1			
225		1413			110	105				25	30-8	19-1			
226		1414			110	105				33	31-8	20-1			
227		1415			110	105				31	32-8	21-1			
228		1416			110	105				1	33-8	22-1	38		
229		1417			110	105				9	34-8	23-1			
310		1418			110	105				17	35-8	24-1			
311		1419			110	105				25	36-8	25-1			
312		1510			110	105				9	37-8	26-1	34		
313		1511			110	105				17	38-8	27-1			
314		1512			110	105				25	39-8	28-1			
315		1513			110	105				33	40-8	29-1			
316		1514			110	105				31	41-8	30-1			
317	2511450	1517			110	105				1	42-8	31-1	40	"CAP UNDER TEST" - SRB F# 57:58 I.D. REC F# 56 6 sec RECORDING	
318		1610			110	105				9	43-8	32-1			
319		1611			110	105				17	44-8	33-1			



LAND SEISMIC RECORDING LOG

	CLIENT: <u>Huskey</u>	PROSPECT: <u>NPR-4 Umita</u>	AREA: <u>N. Slope ALASKA</u>	LINE NO: <u>U3</u>												
	PARTY NO: <u>1173</u>	INST. ENG: <u>Z. Bransch</u>		DATE: <u>MO 1 DAY 30 YR 78</u>												
INSTRUMENT (9-TRACK)	<input type="checkbox"/> 1 SYSTEM <input type="checkbox"/> 2 SYSTEMS	<input type="checkbox"/> 1-24 & 25-48 <input type="checkbox"/> 1-48 & 49-96	ODDS EVENTS	TYPE: <input type="checkbox"/> DFS III <input type="checkbox"/> DFS IX	<input type="checkbox"/> 9 TRACK <input type="checkbox"/> 21 TRACK	FORMAT: _____ SEG _____	<input type="checkbox"/> GAPPED <input type="checkbox"/> UNGAPPED	PACKING DENSITY: _____	(LO) <input type="checkbox"/> 356 BPI <input type="checkbox"/> 800 BPI	(M1) <input type="checkbox"/> 712 BPI <input type="checkbox"/> 1600 BPI						
CONFIGURATION (MAG TAPE)	NO. BYTES IN HEADER REC: _____	NO. BYTES IN RECORD ID: _____	NO. BYTES PER SCAN: _____	RECORD NUMBERS: _____	<input type="checkbox"/> DEC. <input type="checkbox"/> OCT.	GAIN CONSTANT: _____ db	INPUT IMPEDANCE: _____ ohm	(1) _____	(2) _____	(3) _____	(4) _____	(5) _____	(6) _____	(7) _____		
PARAMETER	FIELD TRACE NOS.: _____	DATA CHANNEL NOS.: _____ (ON MAG TAPE)			AUXILIARY DATA: _____			AUXILIARY CHANNEL NOS.: _____								
DISPLAY	RECORD LENGTH: _____ sec.	SAMPLE RATE: <input type="checkbox"/> 1 ms. <input type="checkbox"/> 4 ms. <input type="checkbox"/> 2 ms. _____ ms.	GAIN MODE: <input type="checkbox"/> INITIAL <input type="checkbox"/> IFF	<input type="checkbox"/> MANUAL <input type="checkbox"/> OPERATE	FILTERS: _____	LO CUT HZ SLOPE _____	FREQ. _____	HI CUT HZ SLOPE _____	NOYCH FILTER: <input type="checkbox"/> IN <input type="checkbox"/> OUT	MODE: <input type="checkbox"/> AGC <input type="checkbox"/> FLOAT <input type="checkbox"/> AMPLIFIER <input type="checkbox"/> DEFOAT <input type="checkbox"/> DIRECT	INITIAL GAIN: _____ db	TRIP SENS: _____ db	POLARITY CONVENTION: _____	PRESSURE INCREASE ON GEOPHONE: <input type="checkbox"/> NEGATIVE <input type="checkbox"/> POSITIVE	NUMBERS ON MAG. TAPE: <input type="checkbox"/> DOWNBREAK <input type="checkbox"/> UPBREAK	ON DISPLAY
CFS I	TYPE STACK: _____	GATE LENGTH: _____	RECORD REJECTION: _____	NOISE REDUCTION: _____	NOISE THRESHOLD: _____	CORR. SCALING: _____	R.C.U. NORM/ALT SW: _____									
SOURCE	TYPE: <input type="checkbox"/> DYNAMITE <input type="checkbox"/> VIBROSEIS <input type="checkbox"/> OTHER _____	PATTERN: _____	NO. OF POSITIONS: _____	INLINE SPACING: _____	LATERAL SPACING: _____	STAGGER: _____	LENGTH: _____	WIDTH: _____	LATERAL OFFSET: _____							
RECEIVER	CONNECTION: _____	RESISTANCE: _____ ohms	STAGGER: _____	INCLINE SPACING: _____	LENGTH: _____	WIDTH: _____	LATERAL OFFSET: _____									
SPREAD	NO. OF GROUPS: _____	GROUP INTERVAL: _____	SHOTPOINT INTERVAL: _____	FOLD: _____	DIRECTION OF PROGRESSION: _____	LEADING GROUP: _____										

DIAGRAMS/MISC. INFORMATION:

SHOTPOINT	TR. _____ TO _____		TR. _____ TO _____		SHOT				SPREAD			REMARKS	CORR. STACK					
	REEL NO.	REC.	REEL NO.	REC.	SIZE	DEPTH	NO.	OFFSET	DIR.	CDP SWITCH	LINE GROUPS		#1	SET UP	YR 1-48	REC.	YR 49-54	REC.
138	715	1450	1612		110	105	170		W	25	45-8	34-1	40					
141			1613		110	105				33	46-8	35-1						
142			1615		110	105				31	47-8	36-1						
143			1616		110	105				1	48-8	37-1	46					
144			1618		110	105				9	49-8	38-1						
145			1619		110	105				17	50-8	39-1						
146			1620		110	105				25	51-8	40-1						
147			1621		110	105				33	52-8	41-1						
148			1622		110	105				41	53-8	42-1						
149			1623		110	105				1	54-8	43-1						
150			1624		110	105				9	56-4	44-1						
151			1625		110	105				17	58-4	45-1						
152			1626		110	105				25	60-4	46-1						
153			1627		110	105				33	62-4	47-1						
154			1628		110	105				41	64-4	48-1						

LAND SEISMIC RECORDING LOG



	CLIENT: <i>Husky</i>	PROSPECT: <i>NPTZ-4 Unit</i>	AREA: <i>N. Slope Alaska</i>	LINE NO.: <i>63</i>					
	PARTY NO.: <i>1173</i>	INST. ENG.: <i>R. Bealson</i>	TOTAL <i>13.5</i> 2.5 TRAVEL		DATE: <i>MO 2 DAY 1 YR 78</i>				
INSTRUMENT (9-TRACK)	<input type="checkbox"/> 1 SYSTEM <input type="checkbox"/> 2 SYSTEMS	<input type="checkbox"/> 1-24 & 25-48 <input type="checkbox"/> 1-48 & 49-96	<input checked="" type="checkbox"/> ODDS <input type="checkbox"/> EVENS	TYPE: <input type="checkbox"/> DFS III <input type="checkbox"/> DFS II	<input type="checkbox"/> 9 TRACK <input type="checkbox"/> 21 TRACK	FORMAT: <i>6</i>	<input type="checkbox"/> GAPPED <input type="checkbox"/> UNGAPPED	PACKING DENSITY: (LO) <input type="checkbox"/> 356 BPI <input type="checkbox"/> 800 BPI	(HI) <input type="checkbox"/> 712 BPI <input type="checkbox"/> 1600 BPI
	NO. BYTES IN HEADER REC: <i>228</i>	NO. BYTES IN RECORD ID: <i>2</i>	NO. BYTES PER SCAN: <i>254</i>	RECORD NUMBERS: <input checked="" type="checkbox"/> DEC <input type="checkbox"/> OCT	GAIN CONSTANT: <i>30</i> db	INPUT IMPEDANCE: _____ ohm			
CONFIGURATION (MAG TAPE)	FIELD TRACE NOS.: <i>196</i>			AUXILIARY DATA:					
PARAMETER	RECORD LENGTH: <i>8</i> sec.	SAMPLE RATE: <input type="checkbox"/> 1 ms. <input type="checkbox"/> 4 ms.	GAIN MODE: <input checked="" type="checkbox"/> 1PP <input type="checkbox"/> INITIAL <input type="checkbox"/> FINAL	<input type="checkbox"/> MANUAL <input type="checkbox"/> OPERATE	FILTERS: FREQ: <i>9</i>	LO CUT HZ SLOPE: <i>19</i>	HI CUT HZ SLOPE: <i>70</i>	NOTCH FILTER: <input type="checkbox"/> IN <input type="checkbox"/> OUT	
DISPLAY	MODE: <input checked="" type="checkbox"/> AGC <input type="checkbox"/> FLOAT <input type="checkbox"/> AMPLIFIER <input type="checkbox"/> DIRECT	INITIAL GAIN: _____ db	TRIP SENS: _____ db	POLARITY CONVENTION: <input type="checkbox"/> NEGATIVE <input type="checkbox"/> POSITIVE	PRESSURE INCREASE ON GEOPHONE: <input type="checkbox"/> NEGATIVE <input type="checkbox"/> POSITIVE	NUMBERS ON MAG. TAPE: _____	DOWNBREAK <input type="checkbox"/> UPBREAK <input type="checkbox"/>	ON DISPLAY	
CFS 1	TYPE STACK:	GATE LENGTH:	RECORD REJECTION:	NOISE REDUCTION:	NOISE THRESHOLD:	CORR. SCALING:	R.C.U. NORM/ALT SW.		
SOURCE	TYPE: <input type="checkbox"/> DYNAMITE <input type="checkbox"/> VIBROSEIS <input type="checkbox"/> OTHER	PATTERN: <i>INLINE</i>	NO. OF POSITIONS:	INLINE SPACING:	LATERAL SPACING:	STAGGER:	LENGTH:	WIDTH:	LATERAL OFFSET:
RECEIVER	TYPE: <i>D2010</i>	PATTERN: <i>INLINE</i>	NO. OF ELEMENTS: <i>12</i>	INCLINE SPACING: <i>12</i>	LATERAL SPACING: _____	STAGGER:	LENGTH: <i>720</i>	WIDTH: _____	LATERAL OFFSET: _____
SPREAD	NO. OF GROUPS: <i>96</i>	GROUP INTERVAL: <i>720'</i>	SHOTPOINT INTERVAL: <i>960'</i>	FOLD: <i>12</i>	DIRECTION OF PROGRESSION: <i>SOUTH</i>	OFFSET GROUP 1: <i>10450'</i>	OFFSET GROUP 48/96: <i>10450'</i>	LEADING GROUP: <i>96</i>	

DIAGRAMS/MISC. INFORMATION:

WAITING ON DRILLS MOST OF THE DAY.

SHOTPOINT	TR. NO.		TR. NO.		SHOT				SPREAD			REMARKS	CORR. STACK		
	REEL NO.	REC.	REEL NO.	REC.	SIZE	DEPTH	NO.	OFFSET	DIR.	CDP SWITCH	# IN-LINE GROUPS		SET	TR 1-48	TR 49-96
1108	7511450	1108			110	1105				1	78-4	55-1	73		
168		1110			110	1105				5	79-4	56-1		SP 65 - Blow Out Hole F#107 no PHN	
169		1111			110	1105				9	80-4	57-1			
710		1112			110	1105				13	81-4	58-1			
711		1110			110	1105				17	82-4	59-1			
722		1114			110	1105				21	83-4	60-1			
73	7511451	1115			110	1105				25	84-4	61-1		I.D. Rec F#115	
74		1117			110	1105				29	85-4	62-1			
75		1118			110	1105				33	86-4	63-1			
76		1119			110	1105				37	87-4	64-1			
77		1120			110	1105				41	88-4	65-1			
78		1121			110	1105				45	89-4	66-1			
79		1122			110	1105				1	90-4	67-1	85		
80		1123			110	1105				5	91-4	68-1			
81		1124			110	1105				9	92-4	69-1			
82		1125			110	1105				13	93-4	70-1			
83		1126			110	1105				17	94-4	71-1			
84		1127			110	1105				21	95-4	72-1			
85		1128			110	1105				25	96-4	73-1			
86		1129			110	1105				29	97-4	74-1			



LAND SEISMIC RECORDING LOG

	CLIENT: <u>Husky</u>	PROSPECT: <u>APR-4 OMIAT</u>	AREA: <u>N. SLOPE</u>	LINE NO: <u>U3</u>					
PARTY NO: <u>1173</u>		INST. ENG: <u>Z BERTSCH</u>		DATE: <u>MO 2 DAY 1 YR 80</u>					
INSTRUMENT (9-TRACK)	<input type="checkbox"/> 1 SYSTEM <input type="checkbox"/> 2 SYSTEMS	<input type="checkbox"/> 1-24 & 25-48 <input type="checkbox"/> 1-48 & 49-96	<input type="checkbox"/> ODDS & EVENS	TYPE: <input type="checkbox"/> DFS III <input type="checkbox"/> DFS IX <input type="checkbox"/> OTHER	<input type="checkbox"/> 9 TRACK <input type="checkbox"/> 21 TRACK	FORMAT: _____ SEG: _____	<input type="checkbox"/> GAPPED <input type="checkbox"/> UNGAPPED	PACKING DENSITY: (LO) <input type="checkbox"/> 350 BPI (HI) <input type="checkbox"/> 712 BPI <input type="checkbox"/> 1600 BPI	
	NO. BYTES IN HEADER REC: _____	NO. BYTES IN RECORD ID: _____	NO. BYTES PER SCAN: _____	RECORD NUMBERS: <input type="checkbox"/> DEC. <input type="checkbox"/> OCT.	GAIN CONSTANT: _____ db	INPUT IMPEDANCE: _____ ohm.	(1) _____ (2) _____ (3) _____ (4) _____ (5) _____ (6) _____ (7) _____	AUXILIARY DATA: _____ AUXILIARY CHANNEL NOS.: _____	
CONFIGURATION (MAG TAPE)	FIELD TRACE NOS.: _____ DATA CHANNEL NOS.: _____ (ON MAG TAPE)			PARAMETER					
PARAMETER	RECORD LENGTH: _____ sec.	SAMPLE RATE: <input type="checkbox"/> 1 ml. <input type="checkbox"/> 4 ms. <input type="checkbox"/> 2 ms. <input type="checkbox"/> _____ ms.	GAIN MODE: <input type="checkbox"/> INITIAL <input type="checkbox"/> MANUAL <input type="checkbox"/> IFF <input type="checkbox"/> OPERATE	FILTERS: _____	LO CUT HZ SLOPE _____	FREQ. _____	HI CUT HZ SLOPE _____	NOTCH FILTER: <input type="checkbox"/> IN <input type="checkbox"/> OUT	
DISPLAY	MODE: <input type="checkbox"/> AOC <input type="checkbox"/> FLOAT <input type="checkbox"/> AMPLIFIER <input type="checkbox"/> DEFOAT <input type="checkbox"/> DIRECT	INITIAL GAIN: _____ db	TRIP SENS: _____ db	POLARITY CONVENTION: _____	PRESSURE INCREASE ON GEOPHONE: <input type="checkbox"/> NEGATIVE <input type="checkbox"/> POSITIVE	NUMBERS ON ON MAG. TAPE	<input type="checkbox"/> DOWNBREAK <input type="checkbox"/> UPBREAK	ON DISPLAY	
CFS I	TYPE STACK: _____	GATE LENGTH: _____	RECORD REJECTION: _____	NOISE REDUCTION: _____	NOISE THRESHOLD: _____	CORR. SCALING: _____	R.C.U. NORM/ALT SW.		
SOURCE	TYPE: <input type="checkbox"/> DYNAMITE <input type="checkbox"/> VIBROSEIS <input type="checkbox"/> OTHER	PATTERN: _____	NO. OF POSITIONS: _____	INLINE SPACING: _____	LATERAL SPACING: _____	STAGGER: _____	LENGTH: _____	WIDTH: _____	LATERAL OFFSET: _____
RECEIVER	CONNECTION: _____	RESISTANCE: _____ ohms	NO. OF ELEMENTS: _____	STAGGER: _____	LENGTH: _____	WIDTH: _____	LATERAL OFFSET: _____		
SPREAD	NO. OF GROUPS: _____	GROUP INTERVAL: _____	SHOTPOINT INTERVAL: _____	FOLD: _____	DIRECTION OF PROGRESSION: _____	LEADING GROUP: _____			

DIAGRAMS/MISC. INFORMATION :

SHOTPOINT	TR. _____ to _____		TR. _____ to _____		SHOT					SPREAD			REMARKS	CORR. STACK			
	REEL NO.	REC.	REEL NO.	REC.	SIZE	DEPTH	NO.	OFFSET	DIR.	CDP SWITCH	LINE GROUPS	SET		TR 1-4	TR 5-8	TR 9-12	TR 13-16
1187	751451	1130	190 MPT	TAAE	110	105				33	98-4	75-1					
98		1131			110	105				37	99-4	76-1					
107		1132			110	105				41	100-4	77-1					
110		1134			110	105				45	101-4	78-1					
111																	
112																	

LAND SEISMIC RECORDING LOG

	CLIENT: Husky	PROSPECT: SPE-4 Juntas	AREA: North Star Alaska	LINE NO: 03					
	PARTY NO: 1123	INST. ENG.: V. Berisch	TRC: H20-16.0	DATE: MO 2 DAY 2 YR 78					
			DRV-3.0						
INSTRUMENT (9-TRACK)	<input type="checkbox"/> 1 SYSTEM <input type="checkbox"/> 2 SYSTEMS	<input type="checkbox"/> 1-24 & 25-48 <input type="checkbox"/> 1-48 & 49-96	ODDS & EVENS	TYPE: <input type="checkbox"/> DFS III <input type="checkbox"/> DFS IX	<input type="checkbox"/> 9 TRACK <input type="checkbox"/> 21 TRACK	FORMAT: SEG	<input type="checkbox"/> GAPPED <input type="checkbox"/> UNGAPPED	PACKING DENSITY: (L0) <input type="checkbox"/> 356 BPI (M1) <input type="checkbox"/> 800 BPI	<input type="checkbox"/> 712 BPI <input type="checkbox"/> 7600 BPI
	NO. BYTES IN HEADER REC:	NO. BYTES IN RECORD ID:	NO. BYTES PER SCAN:	RECORD NUMBERS: <input type="checkbox"/> DEC. <input type="checkbox"/> OCT.	GAIN CONSTANT: _____ db	INPUT IMPEDANCE: _____ ohms			
CONFIGURATION (MAG TAPE)	FIELD TRACE NOS.:			AUXILIARY DATA:			AUXILIARY CHANNEL NOS.:		
	DATA CHANNEL NOS.:			(ON MAG TAPE)					
PARAMETER	RECORD LENGTH: _____ sec.	SAMPLE RATE: <input type="checkbox"/> 1 ms. <input type="checkbox"/> 4 ms. <input type="checkbox"/> 2 ms. <input type="checkbox"/> _____ ms.	GAIN MODE: <input type="checkbox"/> INITIAL <input type="checkbox"/> MANUAL <input type="checkbox"/> IFP <input type="checkbox"/> FINAL <input type="checkbox"/> OPERATE	FILTERS: _____	LO CUT _____	HI CUT _____	NOTCH FILTER: <input type="checkbox"/> IN <input type="checkbox"/> OUT		
DISPLAY	MODE: <input type="checkbox"/> FLOAT <input type="checkbox"/> AMPLIFIER <input type="checkbox"/> AGC <input type="checkbox"/> DEFOAT <input type="checkbox"/> DIRECT	INITIAL GAIN: _____ db	TRIP SENS: _____ db	POLARITY CONVENTION: _____	PRESSURE INCREASE ON GEOPHONE: <input type="checkbox"/> NEGATIVE <input type="checkbox"/> POSITIVE	NUMBERS ON MAG. TAPE: _____	DOWNBREAK <input type="checkbox"/> UPBREAK <input type="checkbox"/>	ON DISPLAY	
CFS I	TYPE STACK:	GATE LENGTH:	RECORD REJECTION:	NOISE REDUCTION:	NOISE THRESHOLD:	CORR. SCALING:	R.C.U. NORM/ALT SW.		
SOURCE	TYPE: <input type="checkbox"/> DYNAMITE <input type="checkbox"/> VIBROSEIS <input type="checkbox"/> OTHER	PATTERN:	NO. OF POSITIONS:	INLINE SPACING:	LATERAL SPACING:	STAGGER:	LENGTH:	WIDTH:	LATERAL OFFSET:
		CHG/HOLE:	HOLE DEPTH:	SWEEP POSITION:	SWEEP START:	SWEEP END:	SWEEP LENGTH:	SWEEP TAPER:	PHASE COMP.
RECEIVER	TYPE:	PATTERN:	NO. OF ELEMENTS:	INCLINE SPACING:	LATERAL SPACING:	STAGGER:	LENGTH:	WIDTH:	LATERAL OFFSET:
	CONNECTION:	RESISTANCE:	STAGGER:	INCLINE SPACING:	LATERAL SPACING:	STAGGER:	LENGTH:	WIDTH:	LATERAL OFFSET:
SPREAD	NO. OF GROUPS:	GROUP INTERVAL:	SHOTPOINT INTERVAL:	FOLD:	DIRECTION OF PROGRESSION:	OFFSET GROUP 1:	OFFSET GROUP 48/96:	LEADING GROUP:	



DIAGRAMS/MISC. INFORMATION:

Waiting on Drills Part of the Day

SHOTPOINT	TR _____ to _____		TR _____ to _____		SHOT				SPREAD			REMARKS:	CORR. STACK		
	REEL NO.	REC.	REEL NO.	REC.	SIZE	DEPTH	NO.	OFFSET	DIR.	CDP SWITCH	LINE GROUPS		#1	#2	TR 1-24
91	2511451	11315			110	1015				1	102-4	79-1	97		
92		1137			110	1007				5	103-4	80-1			
93		1139			110	1015				9	104-4	81-1			
94		1139			110	1015				13	105-4	82-1			
95		1141			110	1005				17	106-4	83-1			
96		1142			110	1005				21	107-4	84-1			
97		1143			110	1005				25	108-4	85-1			
98		1144			110	1007				29	109-4	86-1			
99		1145			110	1015				33	100-4	87-1			
100		1146			110	1015				37	111-4	88-1			
101		1147			110	1005				41	112-4	89-1			
102		1149			110	1015				45	113-4	90-1			
103		1150			110	1015				1	114-4	91-1	119		
104		1151			110	1005				5	115-4	92-1			
105		1152			110	1005				9	116-4	93-1			
106		1153			110	1005				13	117-4	94-1			
107		1154			110	1005				17	118-4	95-1			
108		1155			110	1015				21	119-4	96-1			
109		1156			110	1005				25	120-4	97-1			
110		1157			110	1005	20			29	121-4	98-1			
111		1158			110	105	21			33	122-4	99-1			

TOP NOISEY
DIR. →

LAND SEISMIC RECORDING LOG

	CLIENT: <i>Husky</i>	PROSPECT: <i>NPR-4 UMIAT</i>	AREA: <i>N. SUPR</i>	LINE NO.: <i>U3</i>			
PARTY NO.: <i>1173</i>		INST. ENG.: <i>T. Bartsch</i>		DATE: <i>NOV 2 DAY 2 YR 78</i>			
INSTRUMENT (9-TRACK)	<input type="checkbox"/> 1 SYSTEM <input type="checkbox"/> 2 SYSTEMS	<input type="checkbox"/> 1-24 & 25-48 <input type="checkbox"/> 1-48 & 49-96	<input type="checkbox"/> ODDS <input type="checkbox"/> EVENS	TYPE: <input type="checkbox"/> DFS III <input type="checkbox"/> DFS IV	<input type="checkbox"/> 9 TRACK <input type="checkbox"/> 21 TRACK	FORMAT: <input type="checkbox"/> GAPPED <input type="checkbox"/> UNGAPPED	PACKING DENSITY: (10) <input type="checkbox"/> 356 BPI (11) <input type="checkbox"/> 800 BPI (12) <input type="checkbox"/> 712 BPI (13) <input type="checkbox"/> 1600 BPI
	NO. BYTES IN HEADER REC:	NO. BYTES IN RECORD ID:	NO. BYTES PER SCAN:	RECORD NUMBERS: <input type="checkbox"/> DEC. <input type="checkbox"/> OCT.	GAIN CONSTANT: _____ db	INPUT IMPEDANCE: _____ ohm	
CONFIGURATION (MAG TAPE)	FIELD TRACE NOS.: _____			AUXILIARY DATA: _____			
	DATA CHANNEL NOS.: _____ (ON MAG TAPE)			AUXILIARY CHANNEL NOS.: _____			
PARAMETER	RECORD LENGTH: _____ sec.	SAMPLE RATE: <input type="checkbox"/> 1 ms. <input type="checkbox"/> 4 ms. <input type="checkbox"/> 2 ms. <input type="checkbox"/> _____ ms.	GAIN MODE: <input type="checkbox"/> INITIAL <input type="checkbox"/> IFF	<input type="checkbox"/> MANUAL <input type="checkbox"/> OPERATE	FILTERS: _____	LO CUT HZ SLOPE: _____	HI CUT HZ SLOPE: _____
DISPLAY	MODE: <input type="checkbox"/> AGC <input type="checkbox"/> FLOAT <input type="checkbox"/> DEFLOAT	<input type="checkbox"/> AMPLIFIER <input type="checkbox"/> DIRECT	INITIAL GAIN: _____ db	TRIP SENS: _____ db	POLARITY CONVENTION: _____	PRESSURE INCREASE ON GEOPHONE: <input type="checkbox"/> NEGATIVE <input type="checkbox"/> POSITIVE	NUMBERS ON MAG. TAPE: <input type="checkbox"/> DOWNBREAK <input type="checkbox"/> UPBREAK
CFS I	TYPE STACK: _____	GATE LENGTH: _____	RECORD REJECTION: _____	NOISE REDUCTION: _____	NOISE THRESHOLD: _____	CORR. SCALING: _____	R.C.U. NORM / ALT SW. _____
SOURCE	TYPE: <input type="checkbox"/> DYNAMITE <input type="checkbox"/> VIBROSEIS <input type="checkbox"/> OTHER	PATTERN: _____	NO. OF POSITIONS: _____	INLINE SPACING: _____	LATERAL SPACING: _____	STAGGER: _____	LENGTH: _____
	CHG/ HOLE: _____	HOLE DEPTH: _____	SWEEP POSITION: _____	SWEEP START: _____	SWEEP END: _____	SWEEP LENGTH: _____	SWEEP TAPER: _____
RECEIVER	TYPE: _____	PATTERN: _____	NO. OF ELEMENTS: _____	INCLINE SPACING: _____	LATERAL SPACING: _____	STAGGER: _____	LENGTH: _____
	CONNECTION: _____	RESISTANCE: _____ ohms	STAGGER: _____	LENGTH: _____	WIDTH: _____	LATERAL OFFSET: _____	
SPREAD	NO. OF GROUPS: _____	GROUP INTERVAL: _____	SHOTPOINT INTERVAL: _____	FOLD: _____	DIRECTION OF PROGRESSION: _____	LEADING GROUP: _____	
	OFFSET GROUP 1: _____	OFFSET GROUP _____	OFFSET GROUP _____	OFFSET GROUP 48/96: _____			

DIAGRAMS/MISC. INFORMATION:

SHOTPOINT	TR. _____ TO _____		TR. _____ TO _____		SHOT			SPREAD			REMARKS:	CORR. STACK			
	REEL NO.	REC.	REEL NO.	REC.	SIZE	DEPTH	NO.	OFFSET	DIR.	CDP SWITCH		B ₉₆	LINE GROUPS	#1	TR 1-48
1111	114	1512	116	16	110	105	1	1		37	123-4	100-1	109		
1112		1167			110	105				41	124-4	101-1			
1114		1168			110	105				45	125-4	102-1			
1116		1169			110	105				1	126-4	103-1	1		
1116		1170			110	105				5	127-4-71-4	104-1			
1117		1171			110	105				9	128-4 72-4	105-1			
1118		1172			110	105				13	129-4 73-4	106-1			
1119		1173			110	105				17	130-4 74-4	107-1			
1120		1174			110	105				21	131-4 75-4	108-1			
1121		1175			110	105				25	132-4 76-4	109-1			
1122		1176			110	105				29	133-4 77-4	110-1			
1123		1177			110	105				33	134-4 78-4	111-1			
1124		1178			110	105				37	135-4 79-4	112-1			
1125		1179			110	105				41	136-4 710-4	113-1			
1126		1180			110	105				45	137-4 711-4	114-1			
1127		1181			110	105	37	SAS		49	138-4 712-4	115-1			

DAILY TESTS F#159-165

LEADING TRS MOVING ON TO THE RIVER AT TR-14

E.O.L-U3 PICKUP LINE MIN-1A-NA

