

HORIZONTAL AND VERTICAL SURVEY NOTES

GSI AREA TESHUPKUP STATE/COUNTY ALASKA BOOK NO. 2 PAGE 398 OF
 LINE/LOOP NO. 628-N TYPE SURVEY TI CLIENT Husky Oil Co. DATE 24 DY 3 MO 79 YR
 SURVEYOR STONE INSTRUMENT DESC/SERIAL NO. CREW NO. 1182

LINE	<input type="checkbox"/> Δ <input type="checkbox"/> SS <input type="checkbox"/> ⊙	STATION	VERTICAL						HORIZONTAL		REMARKS	
			DISTANCE	<input type="checkbox"/> FEET <input type="checkbox"/> METERS	VERTICAL ANGLE OBS.	ROD RDG OR HI	ELEV DIFF	FINAL ELEVATION DIFF	ELEVATION			RIGHT TURNED HORIZONTAL ANGLE
				SLOPE					HORIZ	INST		
1									5.2		1	FOR-TAKE-ELL 543'628-N
2	Δ	SP.3 628-N-SP.165+188	✓		89 54 21	9.0	+6.0	11.2			2	Ref. Page-396
3	Δ	1-628	1760		87 05 56	9.0	✓				3	LINE # 6 1-628
4		SP-2	880		89 44 50	9.0	-5.1		6.1		4	
5	⊗	SP-1	0		90 00 00	5.0	-5.0		6.2		5	
6		TS-1	880		90 03 15	4.0	-4.8		6.4		6	
7		TS-2	1760		90 03 15	4.0	-5.6		5.6		7	
8		TS-3	2640		90 03 15	4.0	-6.4		4.8		8	
9		TS-4	3520		90 04 02	4.0	-7.9		3.3		9	
10		TS-5	4400		90 05 13	4.0	-10.3		0.9		10	
11	⊙	TS-6	5280		90 04 30	4.0	-10.3		0.9		11	TS-6- EOL- 1-628-N
12	⊙				269 55 30	4.0	✓				12	
13											13	
14											14	
15											15	
16											16	
17											17	

WORKED BY _____ CHECKED BY 1ST _____ 2ND _____

SYMBOLS

Δ = BACKSIGHT

⊗ = INSTRUMENT SET-UP

SS = SIDESHOT

⊙ = FORESIGHT

HORIZONTAL AND VERTICAL SURVEY NOTES

GSI AREA TUSHUPKUP STATE/COUNTY ALASKA BOOK NO. 2 PAGE 399 OF
 LINE/LOOP NO. 628-N TYPE SURVEY TI CLIENT Husky oil co. DATE 24 DY 3 MO 79 YR
 SURVEYOR STONE INSTRUMENT DESC/SERIAL NO. CREW NO. 1182

LINE	 	STATION	VERTICAL						HORIZONTAL		REMARKS				
			DISTANCE	<input type="checkbox"/> FEET <input type="checkbox"/> METERS		VERTICAL ANGLE OBS.	ROD RDG OR HI	ELEV DIFF	FINAL ELEVATION DIFF	ELEVATION		L/R OR DI	RIGHT TURNED HORIZONTAL ANGLE	LINE	
				SLOPE	HORIZ					INST					ROD
1									5.2			1			
2	A	SP.3-628-N-SP.165788	✓		(89 59 33)	9.0	+8.7	13.6				2			
3	A	1-628	1760		(270 00 39)	9.0	✓					3			
4		SP.4	880		89 58 49	9.0	-8.7		4.9			4			
5	K	SP.5	0		90 00 00	5.0	-5.0		8.6			5			
6		SP.6	880		89 55 12	9.0	-7.8		5.8			6			
7		SP.7	1760		89 58 50	9.0	-8.3		5.3			7			
8	O	SP.8	2640		89 59 27	9.0	-8.3		5.3			8			
9	O		✓		(270 00 50)	9.0	✓		5.3			9			
10												10			
11	A	SP.8	✓		(90 11 42)	9.0	+17.7					11			
12	A		2640		(269 48 36)	9.0	✓	22.7				12			
13		SP.9	1760		90 16 09	9.0	-17.2		5.5			13			
14		SP.10	880		89 50 15	9.0	-6.5		16.2			14			
15	K	SP.11	0		90 00 00	5.0	-5.0		17.7			15			
16		SP.12	880		89 40 57	9.0	-4.1		18.6			16			
17		SP.13	1760		89 49 26	9.0	-3.5		19.2			17			

TI-234718

WORKED BY _____ CHECKED BY 1ST _____ 2ND _____

SYMBOLS = BACKSIGHT = INSTRUMENT SET-UP = SIDESHOT = FORESIGHT

HORIZONTAL AND VERTICAL SURVEY NOTES

GSI AREA TUSHEKPUK STATE/COUNTY ALASKA BOOK NO. 2 PAGE 400 OF _____
 LINE/LOOP NO. L2B-N TYPE SURVEY TI CLIENT HUSKY OIL CO. DATE 24 DY 3 MO 79 YR
 SURVEYOR STONE INSTRUMENT DESC/SERIAL NO. _____ CREW NO. 1182

LINE	 	STATION	VERTICAL							HORIZONTAL		REMARKS		
			DISTANCE	<input type="checkbox"/> FEET <input type="checkbox"/> METERS		VERTICAL ANGLE OBS. 	ROD RDG OR HI 	ELEV DIFF 	FINAL ELEVATION DIFF	ELEVATION			L/R OR DI	RIGHT TURNED HORIZONTAL ANGLE
				SLOPE 	HORIZ 					INST	ROD			
1										22.7			1	
2		SP-14	2640		89 45 59	9.0	+1.9		24.6				2	
3		SP-15	3520		89 45 29	9.0	+6.3		29.0				3	
4			✓		270 14 51	9.0	✓		29.0				4	
5													5	
6		SP-15	✓		89 38 10	9.0							6	
7			1760		270 22 03	9.0	-2.3	26.6					7	
8		SP-16	880		89 24 53	9.0	+0.0		26.6				8	
9		SP-17	0		90 00 00	5.0	-5.0		21.6				9	
10		SP-18	880		89 44 00	9.0	-4.9		21.7				10	
11		SP-19	1760		89 54 08	9.0	-5.9		20.7				11	
12		SP-19 + 20	1780		89 55 25	9.0	-6.5		ELL-20.1		BARR 79058	12	79058 = SP-19 + 20	
13		BARR-79058	✓		270 04 58	9.0	✓		ELL-21.1		79058-1182	13	L-628-N	
14									VER-TIE	+1.0			14	
15													15	
16													16	
17													17	

TI-234718

WORKED BY _____ CHECKED BY 1st _____ 2ND _____

SYMBOLS = BACKSIGHT = INSTRUMENT SET-UP = SIDESHOT = FORESIGHT

HORIZONTAL AND VERTICAL SURVEY NOTES

GSI AREA TUSHEKPOK STATE/COUNTY ALASKA BOOK NO. 2 PAGE 401 OF
 LINE/LOOP NO. 628-N TYPE SURVEY TII CLIENT HUSKY oil co. DATE 24 DY 3 MO 79 YR
 SURVEYOR STONE INSTRUMENT DESC/SERIAL NO. CREW NO. 1182

LINE	 	STATION	VERTICAL						HORIZONTAL		REMARKS				
			DISTANCE	<input type="checkbox"/> FEET <input type="checkbox"/> METERS		VERTICAL ANGLE OBS.	ROD RDG OR HI	ELEV DIFF	FINAL ELEVATION DIFF	ELEVATION		L/R OR DJI	RIGHT TURNED HORIZONTAL ANGLE	LINE	
				SLOPE	HORIZ					INST					ROD
1									20.1			1			
2		PR. 79058-549+20	✓		89 46 56	9.0	+5.2	118.5				2			
3			2620		270 13 23	9.0						3			
4		SP 20	1760		89 41 40	9.0	+0.5	19.0				4			
5		SP 21	880		89 49 43	9.0	-4.8	13.7				5			
6		SP 22	0		90 00 00	5.0	-5.0	13.5				6			
7		SP 23	880		89 44 55	9.0	-5.2	13.3				7			
8		SP 24	1760		89 51 29	9.0	-4.6	13.9				8			
9		SP 25	2640		89 54 41	9.0	-4.6	13.9				9			
10			✓		270 05 45	9.0						10			
11												11			
12												12			
13												13			
14												14			
15												15			
16												16			
17												17			

WORKED BY _____ CHECKED BY 1ST _____ 2ND _____

SYMBOLS
 = BACKSIGHT
 = INSTRUMENT SET-UP
 = SIDESHOT
 = FORESIGHT

HORIZONTAL AND VERTICAL SURVEY NOTES

GSI AREA TVSHUPKUP STATE/COUNTY ALASKA BOOK NO. 2 PAGE 402 OF
 LINE/LOOP NO. 62B-N TYPE SURVEY TI CLIENT Husky Oil Co. DATE 25 DY 3 MO 79 YR
 SURVEYOR STONE INSTRUMENT DESC/SERIAL NO. CREW NO. 1182

LINE	 	STATION	VERTICAL						HORIZONTAL		REMARKS		
			DISTANCE	<input type="checkbox"/> FEET <input type="checkbox"/> METERS		VERTICAL ANGLE OBS.	ROD RDG OR HI	ELEV DIFF	ELEVATION			L/R OR DI	RIGHT TURNED HORIZONTAL ANGLE
				SLOPE	HORIZ				INST	ROD			
1											1		
2		SP25	✓		89 52 00	9.0	-1.8	12.5			2		
3			4400		(270 08 27)	9.0					3		
4		SP26	3520		89 51 13	9.0	+0.3	12.8			4		
5		SP27	2640		89 49 16	9.0	-0.6	11.9			5		
6		SP28	1760		89 49 05	9.0	-3.4	9.1			6		
7		SP29	880		89 44 11	9.0	-5.0	7.5			7		
8		SP30	0		90 00 00	5.0	-5.0	7.5			8		
9		SP31	880		89 42 19	9.0	-4.5	8.0			9		
10		SP32	1760		89 50 19	9.0	-4.0	8.5			10		
11		SP33	2640		89 54 00	9.0	-4.3	8.2			11		
12		SP34	3520		89 55 47	9.0	-4.4	8.1			12		
13		SP35	4400		(89 57 16)	9.0	-4.8	6.9			13		
14			✓		(270 03 18)	9.0					14		
15											15		
16											16		
17											17		

TI-234718

WORKED BY _____ CHECKED BY 1ST _____ 2ND _____

SYMBOLS = BACKSIGHT = INSTRUMENT SET-UP = SIDESHOT = FORESIGHT

HORIZONTAL AND VERTICAL SURVEY NOTES

GSI AREA TUSHUPKUP STATE/COUNTY ALASKA BOOK NO. 2 PAGE 403 OF _____
 LINE/LOOP NO. 628-N TYPE SURVEY TI CLIENT Husky oil co. DATE 25 DY 3 MO 79 YR
 SURVEYOR STONE INSTRUMENT DESC/SERIAL NO. _____ CREW NO. 1182

LINE	<input type="checkbox"/> Δ <input type="checkbox"/> SS <input type="checkbox"/> ○	STATION	VERTICAL							HORIZONTAL		REMARKS	
			DISTANCE	<input type="checkbox"/> FEET <input type="checkbox"/> METERS	VERTICAL ANGLE OBS.	ROD RDG OR HI	ELEV DIFF	FINAL ELEVATION DIFF	ELEVATION		RIGHT TURNED HORIZONTAL ANGLE		LINE
				SLOPE					HORIZ	INST			
1												1	
2	Δ	SP-35	✓		89 54 42	9.0	+4.6	11.0				2	
3	Δ		2640		270 05 42	9.0						3	
4		SP-36	1760		89 51 29	9.0	-4.6		6.4			4	
5		SP-37	880		89 43 06	9.0	-4.7		6.3			5	
6	⊥	SP-38	0		90 00 00	5.0	-5.0		6.0			6	
7		SP-39	880		89 45 29	9.0	-5.3		5.7			7	
8		SP-40	1760		89 53 17	9.0	-5.5		5.5			8	
9	○	SP-41	2640		89 55 46	9.0	-5.5		5.5			9	
10	○		✓		270 04 33	9.0	✓					10	
11												11	
12	Δ	SP-41	3800		90 00 00	9.0	+8.7	14.2				12	
13	Δ		✓		270 00 00	9.0	✓					13	
14												14	
15	○	79057	0		90 00 00	5.0	-5.0		ELL. 9.2	BARR. 79057		15	
16	○		0		270 00 00	5.0	-5.0		10.5	79057-1182		16	
17									VER TIE = +1.3			17	

WORKED BY _____ CHECKED BY 1ST _____ 2ND _____
 SYMBOLS Δ = BACKSIGHT ⊥ = INSTRUMENT SET-UP SS = SIDESHOT ○ = FORESIGHT

HORIZONTAL AND VERTICAL SURVEY NOTES

GSI AREA TOSHUPKUP STATE/COUNTY ALASKA BOOK NO. 2 PAGE 404 OF
 LINE/LOOP NO. 628-N TYPE SURVEY T.II CLIENT Husky Oil Co. DATE 25 DY 3 MO 77 YR
 SURVEYOR STONE INSTRUMENT DESC/SERIAL NO. CREW NO. 1182

LINE	<input checked="" type="checkbox"/> Δ <input type="checkbox"/> $\overline{\Delta}$ <input type="checkbox"/> SS <input type="checkbox"/> \odot	STATION	VERTICAL						HORIZONTAL		REMARKS				
			DISTANCE	<input type="checkbox"/> FEET <input type="checkbox"/> METERS		VERTICAL ANGLE OBS.	ROD RDG OR HI	ELEV DIFF	FINAL ELEVATION DIFF	ELEVATION		L/R OR D/I	RIGHT TURNED HORIZONTAL ANGLE		
				SLOPE	HORIZ					INST				ROD	
1														1	
2	Δ	T9057	✓			90 00 00	5.0		+5.0	14.5				2	ERRR-79057
3	Δ		0			270 00 00								3	
4														4	
5	\odot	SP.41	3800			90 00 00	9.0		-8.7	5.8				5	
6	\odot					270 00 00								6	
7														7	
8	Δ	SP.41	✓			89 54 57	9.0							8	
9	Δ		4400			270 05 24	9.0		+1.9	8.0				9	
10		SP.42	3520			89 53 42	9.0		-2.3	5.7				10	
11		SP.43	2640			89 52 40	9.0		-3.2	4.8				11	
12		SP.44	1760			89 45 30	9.0		-1.5	6.5				12	
13		SP.45	880			89 39 08	9.0		-3.6	4.4				13	
14	$\overline{\Delta}$	SP.46	0			90 00 00	5.0		-5.0	3.0				14	
15		SP.47	880			89 44 00	9.0		-4.9	3.1				15	
16		SP.48	1760			89 53 00	9.0		-5.4	2.6				16	
17		SP.49	2640			89 55 27	9.0		-5.4	2.6				17	

WORKED BY _____ CHECKED BY 1st _____ 2ND _____

SYMBOLS
 Δ = BACKSIGHT
 $\overline{\Delta}$ = INSTRUMENT SET-UP
 SS = SIDESHOT
 \odot = FORESIGHT

HORIZONTAL AND VERTICAL SURVEY NOTES

GSI AREA TUSHUKPUK STATE/COUNTY ALASKA BOOK NO. 3 PAGE 405 OF
 LINE/LOOP NO. 628-N TYPE SURVEY T II CLIENT HUSKY OIL CO DATE 25 DY 3 MO 79 YR
 SURVEYOR STONE INSTRUMENT DESC/SERIAL NO. CREW NO. 1182

LINE	<input type="checkbox"/> Δ <input type="checkbox"/> SS <input type="checkbox"/> ⊙	STATION	VERTICAL						HORIZONTAL		REMARKS	
			DISTANCE	<input type="checkbox"/> FEET <input type="checkbox"/> METERS	VERTICAL ANGLE OBS.	ROD RDG OR HI	ELEV DIFF	FINAL ELEVATION DIFF	ELEVATION			RIGHT TURNED HORIZONTAL ANGLE
				SLOPE					HORIZ	INST		
1											1	
2		SP50	3520		89 56 55	9.0	-6.0				2	
3	⊙	SP51	4400		89 58 15	9.0	-6.0		2.0		3	
4	⊙		✓		270 02 15	9.0					4	
5											5	
6	Δ	SP51	✓		89 56 54	9.0					6	
7	Δ		4400		270 03 25	9.0	+4.4	7.9			7	
8		SP52	3520		89 56 10	9.0	-4.8		3.1		8	
9		SP53	2640		89 54 44	9.0	-4.8		3.1		9	
10		SP54	1760		89 52 50	9.0	-5.3		2.6		10	
11		SP55	880		89 45 02	9.0	-5.2		2.7		11	
12	⊗	SP56	0		90 00 00	5.0	-5.0		2.9		12	
13		SP57	880		89 43 13	9.0	-4.7		3.2		13	
14		SP58	1760		89 53 50	9.0	-5.8		2.1		14	
15	⊙	SP59	2640		89 56 21	9.0	-5.9		2.0		15	
16	⊙		✓		270 04 06	9.0					16	
17											17	

TI-234718

WORKED BY _____ CHECKED BY 1ST _____ 2ND _____

SYMBOLS Δ = BACKSIGHT ⊗ = INSTRUMENT SET-UP ⊙ = SIDESHOT ⊙ = FORESIGHT

HORIZONTAL AND VERTICAL SURVEY NOTES

GSI AREA TUSHUPKUP STATE/COUNTY ALASKA BOOK NO. 2 PAGE 406 OF
 LINE/LOOP NO. 628-N TYPE SURVEY T II CLIENT HUSKY oil co. DATE 25 DY 3 MO 78 YR
 SURVEYOR STONE INSTRUMENT DESC/SERIAL NO. CREW NO. 1182

LINE	 	STATION	VERTICAL						HORIZONTAL		REMARKS	
			DISTANCE	<input type="checkbox"/> FEET <input type="checkbox"/> METERS	VERTICAL ANGLE OBS.	ROD RDG OR HI	ELEV DIFF	FINAL ELEVATION DIFF	ELEVATION			RIGHT TURNED HORIZONTAL ANGLE
				SLOPE					HORIZ	INST		
1									2.0		1	
2		SP-59	✓		(89 55 11)	9.0		+5.0	6.1		2	
3			2640		(270 05 16)	9.0		✓			3	
4		SP60	1760		89 52 30	9.0		-5.1		1.0	4	
5		SP61	880		89 43 03	9.0		-5.0		1.1	5	
6		SP62	0		90 00 00	5.0		-5.0		1.1	6	BAND IN-LINE SP-62 PIPE SET AT BAND.
7		SP63	880		89 42 20	9.0		-4.5		1.6	7	
8		SP64	1760		89 52 14	9.0		-5.0		1.1	8	
9		SP65	2640		89 55 30	9.0		-5.4		0.7	9	
10		SP66	3520		89 56 56	9.0		-5.6		0.5	10	
11		SP67	4400		(89 57 50)	9.0		-5.6		0.5	11	
12		✓	✓		(270 02 30)	9.0					12	
13											13	
14											14	
15											15	
16											16	
17											17	

TI-23471B

WORKED BY _____ CHECKED BY 1ST _____ 2ND _____

SYMBOLS = BACKSIGHT = INSTRUMENT SET-UP = SIDESHOT = FORESIGHT

HORIZONTAL AND VERTICAL SURVEY NOTES

GSI AREA TUSHUPKUP STATE/COUNTY ALASKA BOOK NO. 2 PAGE 407 OF
 LINE/LOOP NO. 628-N TYPE SURVEY TI CLIENT HUSKY OIL CO. DATE 26 DY 3 MO 78 YR
 SURVEYOR STONE INSTRUMENT DESC/SERIAL NO. CREW NO. 1182

LINE	 	STATION	VERTICAL						HORIZONTAL		REMARKS		
			DISTANCE	<input type="checkbox"/> FEET <input type="checkbox"/> METERS	VERTICAL ANGLE OBS.	ROD RDG OR HI	ELEV DIFF	FINAL ELEVATION DIFF	ELEVATION			LR OR DI	RIGHT TURNED HORIZONTAL ANGLE
				SLOPE					HORIZ	INST			
1										0.5		1	
2		SP-67	✓		89 58 03	9.0	+5.8	6.4				2	
3			4400		270 02 25	9.0	✓					3	
4		SP-68	3520		89 56 42	9.0	-5.4			1.0		4	
5		SP-69	2640		89 55 19	9.0	-5.3			1.1		5	
6		SP-70	1760		89 53 23	9.0	-5.6			0.8		6	
7		SP-71	880		89 43 47	9.0	-4.8			1.6		7	
8		SP-72	0		90 00 00	5.0	-5.0			1.4		8	
9		SP-73	880		89 45 00	9.0	-5.1			1.3		9	
10		SP-74	1760		89 54 20	9.0	-5.9			0.5		10	SP-74 - BEND IN LINE
11		✓	✓		270 06 03	9.0						11	
12												12	
13		SP-74	✓		89 57 50	9.0	+5.7	6.5				13	
14			4400		270 02 28	9.0	✓					14	
15		SP-75	3520		89 57 47	9.0	-5.8			0.7		15	
16		SP-76	2640		89 56 47	9.0	-6.4			0.1		16	
17		SP-77	1760 880		89 52 03	9.0	-4.9			1.6		17	

TI-234718

WORKED BY _____ CHECKED BY 1ST _____ 2ND _____

SYMBOLS = BACKSIGHT = INSTRUMENT SET-UP = SIDESHOT = FORESIGHT

HORIZONTAL AND VERTICAL SURVEY NOTES

GSI AREA TUSHUKPUK STATE/COUNTY ALASKA BOOK NO. 2 PAGE 408 OF
 LINE/LOOP NO. 628-N TYPE SURVEY TJ CLIENT Husky oil co. DATE 25 DY 3 MO 78 YR
 SURVEYOR STONE INSTRUMENT DESC/SERIAL NO. CREW NO. 1182

LINE	<input type="checkbox"/> Δ <input type="checkbox"/> SS <input type="checkbox"/> ⊙	STATION	VERTICAL							HORIZONTAL		REMARKS		
			DISTANCE	<input type="checkbox"/> FEET <input type="checkbox"/> METERS	VERTICAL ANGLE OBS.	ROD RDG OR HI	ELEV DIFF	FINAL ELEVATION DIFF	ELEVATION		L/R OR DI		RIGHT TURNED HORIZONTAL ANGLE	LINE
				SLOPE					HORIZ	INST				
1												1		
2		SP-78	880		89 38 00	9.0	-3.4		3.1			2		
3	<input type="checkbox"/> Δ	SP-79	0		90 06 00	9.0	-5.0		1.5			3		
4	<input type="checkbox"/> Δ	SP-80	880		89 40 23	9.0	-4.0		2.5			4		
5		SP-81	1760		89 43 08	9.0	-0.3		6.2			5		
6		SP-82	2640		89 44 47	9.0	+2.8		9.3			6		
7		SP-83	3520		89 47 39	9.0	+3.9		10.4			7		
8	<input type="checkbox"/> ⊙	SP-84	4400		89 50 43	9.0	+3.5		10.0			8		
9	<input type="checkbox"/> ⊙	✓	✓		270 09 38	9.0						9		
10												10		
11	<input type="checkbox"/> Δ	SP-84	✓		89 55 52	9.0	+3.1	13.4				11		
12	<input type="checkbox"/> Δ		4400		270 04 32	9.0	✓					12		
13		SP-85	3520		89 56 37	9.0	-5.3		8.1			13		
14	<input type="checkbox"/> Δ	SP-86	2640		90 06 00	9.0	-13.5		-0.1			14		
15		SP-87	1760		90 06 36	9.0	-12.3		1.1			15		
16		SP-88	880		89 56 27	9.0	-8.1		5.3			16		
17	<input type="checkbox"/> Δ	SP-89	0		90 00 00	5.0	-5.0		8.4			17		

WORKED BY _____ CHECKED BY 1ST _____ 2ND _____

SYMBOLS

Δ = BACKSIGHT

Δ = INSTRUMENT SET-UP

SS = SIDESHOT

⊙ = FORESIGHT

HORIZONTAL AND VERTICAL SURVEY NOTES

GSI AREA TUSHODKUP STATE/COUNTY ALASKA BOOK NO. 2 PAGE 409 OF
 LINE/LOOP NO. 628-N TYPE SURVEY TI CLIENT HUSKY oil co. DATE 25 DY 3 MO 78 YR
 SURVEYOR STONE INSTRUMENT DESC/SERIAL NO. CREW NO. 1182

LINE	 	STATION	VERTICAL							HORIZONTAL		REMARKS	
			DISTANCE	<input type="checkbox"/> FEET <input type="checkbox"/> METERS	VERTICAL ANGLE OBS.	ROD RDG OR HI	ELEV DIFF	FINAL ELEVATION DIFF	ELEVATION		RIGHT TURNED HORIZONTAL ANGLE		LINE
				SLOPE					HORIZ	INST			
1										13.4		1	
2		SP-90	880	89 40 38	89 40 30	9.0	-	-4.0		9.4		2	
3		SP-91	1760		89 56 58	9.0		-7.4		6.0		3	
4		SP-92	2640		89 55 20	9.0		-5.3		8.1		4	
5		SP-93	3520		89 57 17	9.0		-6.0		7.4		5	
6	⊙	SP-94	4400		89 58 39	9.0		-6.6		6.8		6	
7	⊙		✓		270 01 45	9.0		✓				7	
8												8	
9	△	SP-94	✓		89 57 47	9.0		15.4	12.3			9	
10	△		4400		270 02 43	9.0		✓				10	
11		SP-95	3520		89 57 50	9.0		-6.5		5.8		11	
12		SP-96	2640		89 55 24	9.0		-5.3		7.0		12	
13		SP-97	1760		89 52 40	9.0		-5.2		7.1		13	
14		SP-98	880		89 42 53	9.0		-4.6		7.7		14	
15	⊠	SP-99	0		90 00 00	5.0		-5.0		7.3		15	
16		SP-100	880		89 48 50	9.0		-6.1		6.2		16	
17		SP-101	1760		89 56 00	9.0		-6.9		5.4		17	

WORKED BY _____ CHECKED BY 1ST _____ 2ND _____

SYMBOLS △ = BACKSIGHT ⊠ = INSTRUMENT SET-UP SS = SIDESHOT ⊙ = FORESIGHT

HORIZONTAL AND VERTICAL SURVEY NOTES

GSI AREA TUSHUPKUP STATE/COUNTY ALASKA BOOK NO. 2 PAGE 410 OF
 LINE/LOOP NO. 628-N TYPE SURVEY TT CLIENT MUSKY OIL CO. DATE 25 DY 3 MO 70 YR
 SURVEYOR STONE INSTRUMENT DESC/SERIAL NO. CREW NO. 1182

LINE	 	STATION	VERTICAL							HORIZONTAL		REMARKS	
			DISTANCE	<input type="checkbox"/> FEET <input type="checkbox"/> METERS	VERTICAL ANGLE OBS.	ROD RDG OR HI	ELEV DIFF	FINAL ELEVATION DIFF	ELEVATION		LR OR DR		RIGHT TURNED HORIZONTAL ANGLE
				SLOPE					HORIZ	INST			
1													
2		SP-102	2640		89 58 54	9.0		-8.0		4.3			
3		SP-103	3520		90 03 38	9.0		-12.6		-0.2		SP-103-EOL-628-N	
4		TRI-STA-MCKAY	810		90 00 00	2.3		-2.3		E11-10.0		TRI-STA-MCKAY	
5					270 00 00	2.3		-		E11-8.0		" " 1182	
6										VER. TIE = -2.0			
7													
8													
9													
10													
11													
12													
13													
14													
15													
16													
17													

WORKED BY _____ CHECKED BY 1ST _____ 2ND _____

SYMBOLS = BACKSIGHT = INSTRUMENT SET-UP = SIDESHOT = FORESIGHT