

ORE
 MIN.
 BARREN

FAV.
 UNFAV.

U.S.A.E.C.

HOLE NO. NE 1318

PROJECT LUMI #5

LOCALITY Mesa #22

CLAIM _____

COLLAR ELEV. 7630

DEPTH 115'

COORDINATES N104, 102

E199, 177

DATE COMPLETED 12-24-53

LOGGED BY WMC

DATE 1-6-54

74.2
90

RECOVERY 82.4%

| RECOVERY | GEOLOGIC COLUMN | COLOR | BEDDING | TEXTURE | GRAIN COATINGS | CARBON | ORE MINERALS | MISCELLANEOUS | DEPTH |
|----------|-----------------|-------|---------|---------|----------------|--------|--------------|---------------|-------|
| 0 | | | | | | | | | 0 |
| 10 | | | | | | | | | 10 |
| 20 | | | | | | | | | 20 |
| 27 | | | | | | | | | 27 |
| 30 | | | | | | | | | 30 |
| 32 | | | | | | | | | 32 |
| 33 | | | | | | | | | 33 |
| 34 | | | | | | | | | 34 |
| 35 | | | | | | | | | 35 |
| 36 | | | | | | | | | 36 |
| 37 | | | | | | | | | 37 |
| 38 | | | | | | | | | 38 |
| 39 | | | | | | | | | 39 |
| 40 | | | | | | | | | 40 |
| 41 | | | | | | | | | 41 |
| 42 | | | | | | | | | 42 |
| 43 | | | | | | | | | 43 |
| 44 | | | | | | | | | 44 |
| 45 | | | | | | | | | 45 |
| 46 | | | | | | | | | 46 |
| 47 | | | | | | | | | 47 |
| 48 | | | | | | | | | 48 |
| 49 | | | | | | | | | 49 |
| 50 | | | | | | | | | 50 |
| 51 | | | | | | | | | 51 |
| 52 | | | | | | | | | 52 |
| 53 | | | | | | | | | 53 |
| 54 | | | | | | | | | 54 |
| 55 | | | | | | | | | 55 |
| 56 | | | | | | | | | 56 |
| 57 | | | | | | | | | 57 |
| 58 | | | | | | | | | 58 |
| 59 | | | | | | | | | 59 |
| 60 | | | | | | | | | 60 |
| 61 | | | | | | | | | 61 |
| 62 | | | | | | | | | 62 |
| 63 | | | | | | | | | 63 |
| 64 | | | | | | | | | 64 |
| 65 | | | | | | | | | 65 |
| 66 | | | | | | | | | 66 |
| 67 | | | | | | | | | 67 |
| 68 | | | | | | | | | 68 |
| 69 | | | | | | | | | 69 |
| 70 | | | | | | | | | 70 |
| 71 | | | | | | | | | 71 |
| 72 | | | | | | | | | 72 |
| 73 | | | | | | | | | 73 |
| 74 | | | | | | | | | 74 |
| 75 | | | | | | | | | 75 |
| 76 | | | | | | | | | 76 |
| 77 | | | | | | | | | 77 |
| 78 | | | | | | | | | 78 |
| 79 | | | | | | | | | 79 |
| 80 | | | | | | | | | 80 |
| 81 | | | | | | | | | 81 |
| 82 | | | | | | | | | 82 |
| 83 | | | | | | | | | 83 |
| 84 | | | | | | | | | 84 |
| 85 | | | | | | | | | 85 |
| 86 | | | | | | | | | 86 |
| 87 | | | | | | | | | 87 |
| 88 | | | | | | | | | 88 |
| 89 | | | | | | | | | 89 |
| 90 | | | | | | | | | 90 |
| 91 | | | | | | | | | 91 |
| 92 | | | | | | | | | 92 |
| 93 | | | | | | | | | 93 |
| 94 | | | | | | | | | 94 |
| 95 | | | | | | | | | 95 |
| 96 | | | | | | | | | 96 |
| 97 | | | | | | | | | 97 |
| 98 | | | | | | | | | 98 |
| 99 | | | | | | | | | 99 |
| 100 | | | | | | | | | 100 |
| 101 | | | | | | | | | 101 |
| 102 | | | | | | | | | 102 |
| 103 | | | | | | | | | 103 |
| 104 | | | | | | | | | 104 |
| 105 | | | | | | | | | 105 |
| 106 | | | | | | | | | 106 |
| 107 | | | | | | | | | 107 |
| 108 | | | | | | | | | 108 |
| 109 | | | | | | | | | 109 |
| 110 | | | | | | | | | 110 |
| 111 | | | | | | | | | 111 |
| 112 | | | | | | | | | 112 |
| 113 | | | | | | | | | 113 |
| 114 | | | | | | | | | 114 |
| 115 | | | | | | | | | 115 |

PLUG BIT 25' NO CORE

GRMS G/S

GRMS G/S

2.0% CaMg Box-110
 No 7.5. 2.3 Og
 No 52.771 (Core Loss)

Hole Bottomed @ 115'

7630
 7491

 13928